

Hosted Payment Page

Implementation Guide

Document version 3.37.1

Contents

1. HISTORY OF THE DOCUMENT	5
2. DEFINITIONS	9
2.1. Authorization request	9
2.2. Information request	9
2.3. Chaining of CIT/MIT transactions	9
3. DIFFERENT TYPES OF PAYMENTS	
3.1. Immediate payment	
3.2. Deferred payment	
3.2.1. Capture delay shorter than the authorization validity period	
3.2.2. Capture delay longer than the authorization validity period	
3.3. Payment in installments	
3.4. Cascading payment	
3.5. Offering payment in a foreign currency	
3.6. The "Anticipated authorizations" service	
3.7. Authorization request validity period	23
4. THE 3D SECURE AUTHENTICATION	25
4.1. "Frictionless" flow	25
4.2. "Challenge" flow	
4.3. Increasing the chances of a frictionless payment	
5. UNDERSTANDING THE PAYMENT FLOW	29
5.1. Defining the steps of the payment process - As seen by the buyer	29
5.2. Defining the steps of the payment process - As seen by the merchant	32
6. OFFERING ADDITIONAL PAYMENT ATTEMPTS	
6. OFFERING ADDITIONAL PAYMENT ATTEMPTS	
6. OFFERING ADDITIONAL PAYMENT ATTEMPTS 7. TRANSACTION LIFECYCLE 7.1 Immediate payment	
6. OFFERING ADDITIONAL PAYMENT ATTEMPTS 7. TRANSACTION LIFECYCLE 7.1. Immediate payment 7.1.1 Automatic validation	
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1.1. Immediate payment	
6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1. Immediate payment. 7.1.1. Automatic validation. 7.1.2. Manual validation. 7.2. Deferred payment.	
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1.1 Immediate payment	33 34 34 35 37 37 37
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1.1. Automatic validation	33 34 34 35 37 37 37 38
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1.1 Automatic validation	33 34 34 34 35 37 37 38 39
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1.1 Automatic validation	33 34 34 35 37 37 37 38 39 39 39
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1.1 Automatic validation	33 34 34 35 37 37 37 38 39 39 39 40
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1.1 Mutomatic validation. 7.1.2 Manual validation. 7.2. Deferred payment. 7.2.1 Automatic validation. 7.2.2 Manual validation. 7.3.1 Automatic validation. 7.3.1. Automatic validation. 7.3.2 Manual validation. 	33 34 34 34 35 37 37 37 38 39 39 40 41
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1.1 Mutomatic validation. 7.1.2 Manual validation. 7.2.0 Eferred payment. 7.2.1 Automatic validation. 7.2.2 Manual validation. 7.3.1 Automatic validation. 7.3.1 Automatic validation. 7.3.2 Manual validation. 7.3.2 Manual validation. 8. ESTABLISHING INTERACTION WITH THE PAYMENT GATEWAY. 8.1. Setting up the payment page URL. 	33 34 34 34 35 37 37 37 38 39 39 40 41 41
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1.1 Mutomatic validation. 7.1.2 Manual validation. 7.2.0 Deferred payment. 7.2.1 Automatic validation. 7.2.2 Manual validation. 7.3.1 Automatic validation. 7.3.1 Automatic validation. 7.3.2 Manual validation. 8. ESTABLISHING INTERACTION WITH THE PAYMENT GATEWAY. 8.1. Setting up the payment page URL. 8.2. Identifying yourself when exchanging with the payment gateway. 	33 34 34 34 35 37 37 37 38 39 39 40 41 41 41
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1. Immediate payment. 7.1.1. Automatic validation. 7.2. Manual validation. 7.2.1. Automatic validation. 7.2.2. Manual validation. 7.3.1. Automatic validation. 7.3.2. Manual validation. 7.3.2. Manual validation. 8. ESTABLISHING INTERACTION WITH THE PAYMENT GATEWAY. 8.1. Setting up the payment page URL. 8.2. Identifying yourself when exchanging with the payment gateway. 8.3. Choosing between Test and Production modes. 	33 34 34 35 37 37 37 38 39 39 40 41 41 41 41 42
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1.1 Mutomatic validation	33 34 34 34 35 37 37 38 39 39 40 41 41 41 41 42 44
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1. Immediate payment. 7.1.1. Automatic validation. 7.2. Manual validation. 7.2.1. Automatic validation. 7.2.2. Manual validation. 7.3. Payment in installments. 7.3.1. Automatic validation. 7.3.2. Manual validation. 7.3.2. Manual validation. 8. ESTABLISHING INTERACTION WITH THE PAYMENT GATEWAY. 8.1. Setting up the payment page URL. 8.2. Identifying yourself when exchanging with the payment gateway. 8.3. Choosing between Test and Production modes. 8.4. Managing interaction with the merchant website. 8.5. Managing security. 	33 34 34 34 35 37 37 38 39 39 40 41 41 41 41 41 42 44 46
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1.1 Immediate payment. 7.1.2 Manual validation. 7.2. Deferred payment. 7.2.1 Automatic validation. 7.2.2 Manual validation. 7.3.2 Manual validation. 7.3.1. Automatic validation. 7.3.2. Manual validation. 8. ESTABLISHING INTERACTION WITH THE PAYMENT GATEWAY. 8.1. Setting up the payment page URL. 8.2. Identifying yourself when exchanging with the payment gateway. 8.3. Choosing between Test and Production modes. 8.4. Managing interaction with the merchant website. 8.5. Managing security. 8.5.1. Ensuring interaction integrity. 	33 34 34 34 35 37 37 37 38 39 39 40 41 41 41 41 41 42 44 46 46
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1. Immediate payment. 7.1.1. Automatic validation. 7.2. Manual validation. 7.2.1. Automatic validation. 7.2.2. Manual validation. 7.3.1. Automatic validation. 7.3.1. Automatic validation. 7.3.2. Manual validation. 7.3.2. Manual validation. 7.3.2. Manual validation. 8. ESTABLISHING INTERACTION WITH THE PAYMENT GATEWAY. 8.1. Setting up the payment page URL. 8.2. Identifying yourself when exchanging with the payment gateway. 8.3. Choosing between Test and Production modes. 8.4. Managing interaction with the merchant website. 8.5. Managing security. 8.5.1. Ensuring interaction integrity 8.5.2. Selecting the hash algorithm. 	33 34 34 34 35 37 37 37 38 39 39 40 41 41 41 41 41 41 42 44 46 46 47
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1. Immediate payment. 7.1.1. Automatic validation. 7.1.2. Manual validation. 7.2. Deferred payment. 7.2.1. Automatic validation. 7.2.2. Manual validation. 7.3. Payment in installments. 7.3.1. Automatic validation. 7.3.2. Manual validation. 7.3.2. Manual validation. 8. ESTABLISHING INTERACTION WITH THE PAYMENT GATEWAY. 8.1. Setting up the payment page URL. 8.2. Identifying yourself when exchanging with the payment gateway. 8.3. Choosing between Test and Production modes. 8.4. Managing interaction with the merchant website. 8.5. Managing security. 8.5.1. Ensuring interaction integrity. 8.5.2. Selecting the hash algorithm. 8.5.3. Storing the production key. 	33 34 34 34 35 37 37 38 39 39 40 41 41 41 41 41 42 44 44 46 46 47 47
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1. Immediate payment. 7.1.1. Automatic validation. 7.2. Deferred payment. 7.2.1. Automatic validation. 7.2.2. Manual validation. 7.3.1. Automatic validation. 7.3.2. Manual validation. 7.3.2. Manual validation. 7.3.2. Manual validation. 7.3.2. Manual validation. 8. ESTABLISHING INTERACTION WITH THE PAYMENT GATEWAY. 8.1. Setting up the payment page URL. 8.2. Identifying yourself when exchanging with the payment gateway. 8.3. Choosing between Test and Production modes. 8.4. Managing interaction with the merchant website. 8.5. Managing security	33 34 34 34 35 37 37 38 39 40 41 41 41 41 41 41 41 41 42 44 44 46 46 47 47
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1. Immediate payment. 7.1.1. Automatic validation. 7.2. Deferred payment. 7.2.1. Automatic validation. 7.3. Payment in installments. 7.3.1. Automatic validation. 7.3.2. Manual validation. 7.3.2. Manual validation. 7.3.2. Manual validation. 8. ESTABLISHING INTERACTION WITH THE PAYMENT GATEWAY. 8.1. Setting up the payment page URL. 8.2. Identifying yourself when exchanging with the payment gateway. 8.3. Choosing between Test and Production modes. 8.4. Managing interaction with the merchant website. 8.5. Managing security. 8.5.1. Ensuring interaction integrity. 8.5.2. Selecting the hash algorithm. 8.5.3. Storing the production key. 8.5.4. Managing sensitive data. 8.6. Managing shop settings via a configuration file. 	33 34 34 34 35 37 37 38 39 39 40 41 41 41 41 41 42 44 44 46 46 46 47 47 47 48
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE. 7.1.1 Mutomatic validation. 7.1.2 Manual validation. 7.1.2 Manual validation. 7.2 Deferred payment. 7.2.1 Automatic validation. 7.2.2 Manual validation. 7.3.1 Automatic validation. 7.3.2 Manual validation. 7.3.2 Manual validation. 8. ESTABLISHING INTERACTION WITH THE PAYMENT GATEWAY. 8.1 Setting up the payment page URL. 8.2 Identifying yourself when exchanging with the payment gateway. 8.3 Choosing between Test and Production modes. 8.4 Managing interaction with the merchant website. 8.5.1 Ensuring interaction integrity. 8.5.2 Selecting the hash algorithm. 8.5.3 Storing the production key. 8.5.4 Managing sensitive data. 8.6 Managing shop settings via a configuration file. 	33 34 34 34 35 37 37 38 39 39 40 41 41 41 41 41 41 41 41 41 42 44 46 46 46 46 47 47 47 48 49
 6. OFFERING ADDITIONAL PAYMENT ATTEMPTS. 7. TRANSACTION LIFECYCLE	33 34 34 34 35 37 37 38 39 39 40 41 41 41 41 41 41 42 44 46 46 46 46 46 47 47 47 48 49

9.3. Notifications about the various statuses of installments	51
9.4. Accessing the notification center	
9.5. Setting up the Instant Payment Notification	52
9.6. Setting up the notification for the final result of a deferred payment	54
9.7. Setting up notifications in case of abandoned or canceled payments	55
9.8. Instant Payment Notification URL on an operation originating from the Back Office	56
9.9. Setting up a notification on batch change	57
9.10. Automatic retry in case of failure	58
9.11. Configuring e-mails sent to the merchant	59
9.12. Configuring e-mails sent to the buyer	60
10. GENERATING A PAYMENT FORM	61
10.1. Creating an immediate payment	63
10.2. Creating a deferred payment	
10.3. Creating an installment payment	
10.4. Creating an authorization without capture	70
11. USING ADDITIONAL FEATURES	73
11.1. Managing the return to the merchant website	
11.2. Enabling automatic return to the merchant website	77
11.3. Defining the capture mode (automatic/manual)	
11.4. Transmitting buyer details	80
11.5. Transmitting shipping details	81
11.6. Transmitting order details	
11.7. Transmitting merchant preferences	
11.8. Overriding the Instant Payment Notification (IPN) URL	
11.9. Defining the Merchant ID (MID)	
11.10. Creating specific fields according to your requirements	90
11.11. Transmitting sub-merchant details	91
12. CUSTOMIZING ELEMENTS ON THE PAYMENT PAGE	
12.1. Overriding the custom template	
12.2. Managing the payment methods offered to the buyer	
12.3. Selecting a different language	
12.4. Modifying the languages available to the buyer	95
12.5. Modifying the name and the URL of the shop	
12.6. Changing the name of the "Return to shop" button	
13. COMPUTING THE SIGNATURE	
13.1. Example of implementation with JAVA	
13.2. Example of implementation with PHP	
14. SENDING THE PAYMENT REQUEST	104
14.1. Redirecting the buyer to the payment page	
14.2. Processing errors	
14.3. Managing timeouts	
15. IMPLEMENTING THE IPN	107
15.1. Preparing your environment	108
15.2. Retrieving data returned in the response	
15.3. Computing the IPN signature	
15.4. Comparing signatures	
15.5. Analyzing the nature of the notification	
15.6. Processing the response data	
15.7. Running tests and troubleshooting	
16. RETURNING TO THE SHOP	124
17. PROCEEDING TO TEST PHASE	
18 ACTIVATING THE SHOP IN PRODUCTION MODE	107

18.1. Generating the production key18.2. Shifting your merchant website to production mode18.3. Making the first production payment18.4. Regenerating the production key	
19. OBTAINING HELP	129
20. DATA DICTIONARY	130

1. HISTORY OF THE DOCUMENT

Version	Author	Date	Comment
3.37.1	La Banque Postale	2/13/2024	• Update of the chapter <i>Defining the steps of the payment process - As seen by the buyer</i>
			Data dictionary:
			 vads_threeds_mpi
3.37	La Banque Postale	6/12/2023	Chapter(s) updated :
			Offering additional payment attempts
			Transmitting sub-merchant details
			Data dictionary:
			 vads_payment_cards
			 vads_operation_type
			 vads_risk_assessment_result
			 vads_threeds_auth_type
			 vads_threeds_mpi
			 vads_submerchant_company_type
			 vads_submerchant_company_name
			 vads_use_case
3.36	La Banque Postale	12/15/2022	Chapter(s) updated :
			Authorization request validity period
			Data dictionary:
			vads_currency
			 vads_acquirer_transient_data
			 vads_product_amountN
			 vads_cust_legal_name
			 vads_payment_cards
			vads_wallet
3.35.9.1	La Banque Postale	11/29/2022	Update of the chapter iCapture delay longer than the authorization validity period Update of the chapter Defining the steps of the payment process - As seen by the buyer
3.35.9	La Banque Postale	11/14/2022	• Updated the signature calculation example for PHP code.
			Data dictionary:
			• Updated the values in the vads_wallet. field.
			 Updated the values in the vads_threeds_auth_type. field.

Version	Author	Date	Comment
			 Update the timeout value for the vads_redirect_success_timeout and vads_redirect_error_timeout fields
			 Added the vads_submerchant_state and vads_submerchant_facilitatorId. fields
			 Update of the vads_cust_legal_name. field
3.35.8	La Banque Postale	8/17/2022	 Update of the list of compatible payment methods in several installments.
			Data dictionary:
			 Updated the values in the vads_risk_assessment_result. field.
3.35.7	La Banque Postale	7/28/2022	Data dictionary:
			• Addition of the vads_archival_reference field.
			 Updated the vads_acquirer_transient_data field description.
3.35.6	La Banque Postale	5/25/2022	Added the <i>Definitions</i> chapter.
			• Added schematic diagrams with the chaining reference in the chapters <i>Immediate payment</i> , <i>Deferred payment</i> and <i>Payment in installments</i> .
			• Added chapter <i>Offering payment in a foreign currency</i> .
			Data dictionary:
			• Updated the vads_token_id field description.
			 Updated the vads_threeds_mpi field description.
			 Updated the values in the vads_card_nature and vads_card_product_category fields.
			 Updated the values in the vads_payment_error field.
3.35.5	La Banque Postale	4/25/2022	 Updated the life cycle of payments in installments.
			Data dictionary:
			 Addition of the vads_initial_issuer_transaction_identifier field.
			 Added the fields vads_card_nature and vads_card_product_category.
			Updated the CB network authorization return codes.
			• Updated the <i>Payment method details</i> chapter.
			• Updated the <i>Transaction details</i> chapter.

Version	Author	Date	Comment
3.35.4	La Banque Postale	3/28/2022	 Added the signature field in the following chapters describing the parameters to be used per use case.
			Data dictionary:
			 Updated the values in the vads_auth_result and vads_contracts fields.
			 Updated the vads_capture_delay field description.
			 Updated the values in the vads_payment_src field.
			 Updated the vads_payment_cards field description.
			 Added the vads_user_info and vads_pays_ip field and in the Buyer details chapter.
3.35.3	La Banque Postale	1/26/2021	• Updated the chapter <i>Authorization request validity period</i> .
			• Updated the chapter <i>Processing Merchant ID</i> .
			Data dictionary:
			 Field value updates for vads_acquirer_network, vads_auth_result, vads_contracts, vads_payment_cards.
3.35.2	La Banque Postale	11/18/2021	• Updated the chapter <i>Payment in installments</i> .
			• Updated the chapter <i>Authorization request validity period</i> .
			Data dictionary:
			 Updated the format and values of the vads_threeds_eci field.
			 Updated the format and values of the vads_threeds_cavvAlgorithm field.
			• Updated the vads_sub_effect_date field format.
			 Field value updates for vads_acquirer_network, vads_contracts, vads_payment_cards.
3.35.1	La Banque Postale	10/5/2021	• Updated the chapter <i>Defining the capture mode</i> .
			• Updated the chapter <i>Transmitting sub-merchant details</i> .
			Data dictionary:
			• Updated the vads_auth_number field format.
			Updated the vads_order_id field description.
			 Updated the vads_submerchant_name field description.

Version	Author	Date	Comment
			 Updated the vads_validation_mode field description.
3.35	La Banque Postale	9/1/2021	• Updated the chapter <i>Test and troubleshooting</i> .

This document and its contents are confidential. It is not legally binding. Any reproduction and / or distribution of all or part of this document or its content to a third party is strictly prohibited or subject to prior written authorization from La Banque Postale. All rights reserved.

2.1. Authorization request

An authorization request is the operation that allows to accept or refuse a transaction.

It puts the cardholder's bank (SAE = Issuer Acceptance System) in contact with the merchant's bank (SAA = Acquirer Acceptance System) and the payment provider: the payment gateway.

When an authorization request is accepted, the authorization limit of the card is lowered by the authorized amount.

In the CB network, an accepted authorization request is valid:

- 7 days for Visa, Mastercard, Visa Electron, e-Carte Bleue and Vpay cards
- 30 days for Maestro cards

2.2. Information request

An information request is an operation that allows to verify the validity of the card, without debiting it.

This is a specific type of authorization request, the amount of which is $0 \in$.

When the acquirer does not support information requests, the only way to verify a card is to make a EUR 1 authorization request, without capturing it at the bank.

Holders of prepaid and immediate debit cards will see a virtual debit of EUR 1 on their account.

Depending on the card type, the outstanding balance of the card is then restored when the issuer cancels the EUR 1 authorization request (up to 30 days for debit cards).

An information request is sent:

- For a deferred payment, if the capture date is beyond the authorization lifespan
- When creating a card token without a payment
- When updating a card token

Information requests (or EUR 1 authorizations, if applicable) are represented in the Merchant Back Office by a "**Verification**" type transaction.

2.3. Chaining of CIT/MIT transactions

The second Payment Services Directive (PSD2) introduced the need to authenticate the cardholder when initiating an e-commerce transaction.

It then becomes essential to identify whether the payment request is initiated:

• by the buyer:

CIT (Customer Initiated Transaction): buyer-initiated transaction with buyer interaction.

E.g.: payment (or card registration) that requires card data entry or cardholder authentication.

• or by the merchant:

MIT (Merchant Initiated Transaction): transaction initiated by the merchant, without the presence of the buyer, linked to an initial **CIT** transaction.

E.g.: umpteenth installment of a payment in installments or of a recurrent payment.

A new principle appears for the following transaction authentications: **operation chaining**.

In the context of a **CIT** transaction, regulations require a cardholder authentication. In response to the request for authorization or information, the issuer returns a unique transaction identifier, hereafter referred to as the "chaining reference". This chaining reference is then used in the **MIT** transactions to indicate to the issuer that the transaction is part of a series of payments, for which the cardholder authenticated him or herself in the first payment.

Without this information, the issuer can refuse an MIT transaction for lack of authentication (soft decline).

3. DIFFERENT TYPES OF PAYMENTS

3.1. Immediate payment

A payment is considered as immediate payment if:

- the amount is debited once,
- the capture delay at the bank is 0 days.

The payment is captured at the bank as soon as possible.

Simplified diagram

(i)

E



- 1. The merchant site submits a payment request.
- 2. The payment gateway initiates the cardholder's authentication process with the issuer.

The regulation imposes the cardholder authentication for all transactions *CIT*.

- **3.** Once the authentication (challenge or frictionless) is completed, the gateway proceeds with the authorization request by providing the cardholder's authentication details.
- 4. The issuer generates a unique transaction identifier and transmits it in the response to the authorization request.
- 5. The payment gateway notifies the merchant website about the payment result.

The issuer transaction identifier is stored by the payment gateway at the transaction level.

In case the merchant duplicates the transaction (*MIT*), the gateway automatically uses this identifier as a chaining reference.

In this use case, the way the chaining reference is handled is transparent to the merchant.

3.2. Deferred payment

A payment is considered a **deferred payment** if:

- the amount is debited once,
- the capture delay is strictly more than 0 days.

The capture date cannot be more than 12 months after the payment request registration date.

There are two types of deferred payments:

- Capture delay shorter than the authorization validity period (see: *Authorization request validity period* on page 23)
- Capture delay longer than the authorization validity period (see: *Authorization request validity period* on page 23)

3.2.1. Capture delay shorter than the authorization validity period

Simplified diagram



On the day of the order:

i

- 1. The merchant site submits a payment request.
- 2. The payment gateway initiates the cardholder's authentication process with the issuer.

The regulation imposes cardholder authentication for all *CIT* transactions.

- **3.** Once the authentication (challenge or frictionless) is completed, the gateway proceeds with the authorization request by providing the cardholder's authentication details.
- 4. The issuer generates a unique transaction identifier and transmits it in the response to the authorization request.

5. The payment gateway notifies the merchant website about the payment result.

Before submission:

- 1. If the transaction is submitted before the initial capture delay expires, the merchant modifies the capture date to D.
- 2. If no action is taken on the transaction, the transaction is captured by the bank on the initially requested date.
- 3.2.2. Capture delay longer than the authorization validity period





On the day of the order:

a

- 1. The merchant site submits a payment request.
- 2. The payment gateway initiates the cardholder's authentication process with the issuer.

The regulation imposes cardholder authentication for all *CIT* transactions.

- **3.** Once the authentication (challenge or frictionless) is completed, the gateway proceeds to an information request by providing the cardholder's authentication details.
- 4. The issuer generates a unique transaction identifier and transmits it in the response to the registration request.
- 5. The payment gateway notifies the merchant website about the information request result.

Before submission:

1. If no action is taken for the transaction, the authorization request is made on D-1 before the requested capture date.

If it is sent before the initial capture delay expires, the merchant modifies the capture date to D.

The payment gateway performs an authorization request, providing the initial transaction identifier (ITC) as a chaining reference.

2. The issuer recognizes the transaction as an *MIT* that is part of a series of payments for which the cardholder has previously authenticated themselves.

The transaction will not be rejected for lack of authentication (soft decline).

3. If the merchant has enabled the **Instant Payment Notification URL on batch authorization** notification rule, gateway notifies the merchant site of the payment result.

A payment is considered to be an "installment payment" if the amount for the purchase is debited to the buyer's account in several installments.

The first installment works the same way as an immediate payment.

The next installment(s) is similar to (a) deferred payment(s).

Only the first installment can be guaranteed to the merchant on the condition that the requested capture date for the first installment is set before the authorization expiry date depending on the payment method (see: *Authorization request validity period* on page 23).

As part of the implementation of PSD2, the cardholder will be required to undergo strong authentication when making the first installment payment.

If the authorization (or information) request is accepted on the day of the order, a transaction is created for each Installment payment due date.

Otherwise, only one rejected transaction is created. The transaction **History** tab then indicates the number of installments initially planned.



Simplified diagram

On the day of the order:

- 1. The merchant site submits a payment request in several installments.
- 2. The payment gateway initiates the cardholder's authentication process with the issuer.



- Authentication is requested for the total amount of installment.
- Regulations require strong authentication for this use case.
- **3.** Once the strong authentication is completed, the gateway proceeds with the authorization request on the amount of the first installment by providing the cardholder's authentication details.
- 4. The issuer generates a unique transaction identifier and transmits it in the response to the authorization request.
- 5. The payment gateway notifies the merchant website about the payment result.

For the following payment:

- **1.** The payment gateway performs an authorization request for the installment amount, providing the initial transaction identifier (ITC) as a chaining reference.
- 2. The issuer recognizes the transaction as a *MIT* that is part of a series of payments for which the cardholder has previously authenticated themselves and proceeds with the authorization request.

The transaction will not be rejected for lack of authentication (soft decline).

3. If the merchant has enabled the **Instant Payment Notification URL on batch authorization** notification rule, gateway notifies the merchant site of the payment result.



In this use case, the way the chaining reference is handled is transparent to the merchant.

Note:

The validity of the payment method is checked throughout the payment schedule.

Otherwise, a warning is displayed to the buyer.

The buyer will then have to specify another payment method or abandon the payment.

It is possible, however, that the card is renewed or canceled before the end of the payment schedule.

In this case, the payments will be refused by the issuing bank (auto 54 return code: Payment method expired.

You will be notified by e-mail about a rejected installment payment via the notification rule "Refusal e-mail for deferred payment".

List of payment methods compatible with payment in installments:

Network code	Payment method	Card types (vads_payment_cards)	Supports payment in installments
ACCORD	Illicado gift Card	ILLICADO	×
ACCORD_SANDBOX	Illicado gift cards - Sandbox mode	ILLICADO_SB	Х
ALMA	Alma in 2 installments	ALMA_2X	×
ALMA	Alma in 3 installments	ALMA_3X	×
ALMA	Alma in 4 installments	ALMA_4X	X
ALMA	Alma in 10 installments	ALMA_10X	X
ALMA	Alma in 12 installments	ALMA_12X	×
AMEXGLOBAL	American Express	AMEX	\checkmark

Network code	Payment method	Card types (vads_payment_cards)	Supports payment in installments
APPLE PAY	Apple Pay wallet payment	APPLE_PAY	×
AURORE	Cpay card	AURORE-MULTI	X
СВ	СВ	СВ	\checkmark
СВ	e-Carte Bleue virtual card	E-CARTEBLEUE	\checkmark
СВ	Maestro	MAESTRO	\checkmark
СВ	Mastercard	MASTERCARD	\checkmark
СВ	Visa	VISA	\checkmark
СВ	Visa Electron	VISA_ELECTRON	\checkmark
СВ	VPay	VPAY	\checkmark
СВ	Apetiz Meal Voucher card	APETIZ	\checkmark
СВ	Chèque Déjeuner Meal Voucher card	CHQ_DEJ	\checkmark
СВ	1 st generation Mastercardelectronic meal voucher	EDENRED	\checkmark
СВ	Sodexo Meal Voucher card	SODEXO	\checkmark
CONECS	Bimpli Meal Voucher card (ex Apetiz)	APETIZ	X
CONECS	Chèque Déjeuner Meal Voucher card	CHQ_DE1	Х
CONECS	Conecs Meal Voucher card	CONECS	X
CONECS	Sodexo Meal Voucher card	SODEXO	Х
CVCONNECT	Chèque-Vacances Connect	CVCO	X
FRANFINANCE	Franfinance payment in 3X	FRANFINANCE_3X	X
FRANFINANCE	Franfinance payment in 4X	FRANFINANCE_4X	X
FRANFINANCE_SB	Franfinance payment in 3X - Sandbox mode	FRANFINANCE_3X	X
FRANFINANCE_SB	Franfinance payment in 4X - Sandbox mode	FRANFINANCE_4X	×
FULLCB	Payment in 3 installments with no fees with BNPP PF	FULLCB3X	×
FULLCB	Payment in 4 installments with no fees with BNPP PF	FULLCB4X	×
GATECONEX	Bancontact	BANCONTACT	×

Network code	Payment method	Card types (vads_payment_cards)	Supports payment in installments
GATECONEX	Diners Club	DINERS	\checkmark
GATECONEX	Discover	DISCOVER	X
GATECONEX	e-Carte Bleue virtual card	E-CARTEBLEUE	\checkmark
GATECONEX	Maestro	MAESTRO	X
GATECONEX	Mastercard	MASTERCARD	\checkmark
GATECONEX	Visa	VISA	\checkmark
GATECONEX	Visa Electron	VISA_ELECTRON	X
GATECONEX	VPay	VPAY	X
GIROPAY	Giropay	GIROPAY	X
IDEAL	iDeal Internet Banking	IDEAL	X
JCB	JCB	JCB	\checkmark
ONEY_API	Oney 3x 4x payment	ONEY_3X_4X	X
ONEY_API	Payment 10x 12x Oney	ONEY_10X_12X	X
ONEY_API	Payment Oney Pay Later	ONEY_PAYLATER	X
ONEY_API	Oney partner brand cards	ONEY_ENSEIGNE	Х
ONEY_API_SANDBOX	Oney 3x 4x payment (Sandbox mode)	ONEY_3X_4X	Х
ONEY_API_SANDBOX	Oney 10x 12x payment (Sandbox mode)	ONEY_10X_12X	×
ONEY_API_SANDBOX	Payment Oney Pay Later (Sandbox mode)	ONEY_PAYLATER	Х
ONEY_API_SANDBOX	Oney partner brand cards in Sandbox mode	ONEY_ENSEIGNE	Х
PAYPAL	PayPal	PAYPAL	X
PAYPAL_SB	PayPal - Mode sandbox	PAYPAL_SB	X
SEPA	SEPA DIRECT DEBIT	SDD	X
SOFORT	Sofort Banking	SOFORT_BANKING	X

3.4. Cascading payment

Cascading payment is a service allowing the buyer to pay an entire order using several payment methods.

Only "prepaid card"-type payment methods can be used for the cascading payment.

Three possible use cases:

- If the prepaid card balance is less than the order amount, the payment is automatically split.
- Prepaid cardholders can choose to split their payment by paying part of the order with their card and the rest with another compatible payment method.

• The payment platform enables the cardholder to make a cascading payment using only several prepaid cards, without using a bank card. Example: pay for part of the order with an Illicado gift card and the balance with an Auchan gift card.

Use in a payment form

Use the vads_payment_cards form field to list the payment methods to be proposed.

• Example of 3 payment methods:

vads_payment_cards="VISA;MASTERCARD;AUCHAN_SB"

• Example of 4 payment methods:

```
vads payment cards="VISA;MASTERCARD;AUCHAN SB;CVCO"
```

If the vads_payment_cards field is not sent, or if it is sent empty, then all eligible payment methods associated with the shop will be offered.

Payment process of a cascading payment

Example of payment: the buyer uses a gift card whose balance is less than the total amount of the order.



List of payment methods compatible with cascading payment:

• Sign cards

Payment method	Card types (vads_payment_cards)	
Accord brand card	ACCORD_STORE	
Alinéa brand card	ALINEA	
Auchan brand card	AUCHAN	
Boulanger brand card	BOULANGER	
Leroy-Merlin brand card	LEROY-MERLIN	

Payment method	Card types (vads_payment_cards)
Norauto brand card	NORAUTO
PicWic brand card	PICWIC
Villaverde brand card	VILLAVERDE
Accord brand card - Sandbox mode	ACCORD_STORE_SB
Auchan brand card - Sandbox mode	AUCHAN_SB
Boulanger brand card - Sandbox mode	BOULANGER_SB
Leroy-Merlin brand card - Sandbox mode	LEROY-MERLIN_SB
Norauto brand card - Sandbox mode	NORAUTO_SB
PicWic brand card - Sandbox mode	PICWIC_SB
Villaverde brand card - Sandbox mode	VILLAVERDE_SB

• Gifts cards

Payment method Card types (vads_payment_care		
Alinéa gift card	ALINEA_CDX	
Allobébé gift card	ALLOBEBE_CDX	
BizzBee gift card	BIZZBEE_CDX	
Brice gift card	BRICE_CDX	
Illicado gift Card	ILLICADO	
Jouéclub gift card	JOUECLUB_CDX	
Allobébé gift card - Sandbox mode	ALLOBEBE_CDX_SB	
BizzBee gift card - Sandbox mode BIZZBEE_CDX_SB		
Brice gift card - Sandbox mode	BRICE_CDX_SB	
Illicado gift card - Sandbox mode	ILLICADO_SB	
JouéClub gift card - Sandbox mode	JOUECLUB_CDX_SB	

• Meal Voucher cards

Payment method	Card types (vads_payment_cards)
Bimpli Meal Voucher card (ex Apetiz)	APETIZ
Chèque Déjeuner Meal Voucher card	CHQ_DEJ
Conecs Meal Voucher card	CONECS
Sodexo Meal Voucher card	SODEXO
EDENRED Meal Voucher card	EDENRED

• Chèque-Vacances Connect

Payment method	Card types (vads_payment_cards)
Chèque-Vacances Connect	CVCO

3.5. Offering payment in a foreign currency

Payment in foreign currency with conversion allows Merchants to present price catalogs in different currencies, but without having to manage their finances in currencies different from the ones specified in their contract.

When the gateway receives the amount in a currency not managed by your MIDs, it makes a conversion to the company's currency based on the daily exchange rate provided by Visa.

The buyer is informed of the indicative rate at the time of payment, but does not really know the final amount of the transaction.

The capture at the bank does not necessarily occur on the day of the authorization and the rate may therefore vary between the date of authorization and the date of capture.

For this reason, the counter-value displayed at the time of payment is provided as an indication.

- The authorization request is sent in the currency of the contract to the card issuer.
- The capture is performed exclusively in the currency of the contract.



The buyer is debited in the contract currency with exchange fees applied by their bank, without managing the exchange rate.

At the end of the payment, the merchant receives a notification containing the following fields:

- vads_amount: the currency amount,
- vads_currency: the currency,
- Vads_effective_amount: the actual amount in the currency of their contract, calculated using the exchange rate in force at the time of the authorization,
- vads_effective_currency: the currency that will be used for the capture,
- **vads_change_rate**: the exchange rate applied for converting the amount in the currency of the contract to the buyer's currency.

This service allows to trigger the authorization on D- Δ (see *Authorization validity period* for each payment method) before the desired capture date at the bank.

In case of refusal by the issuing bank, exclusively for a <u>non-fraud related</u> reason, a process automatically reissues authorization requests until up to 2 days prior to the desired capture date at the bank.

The merchant may cancel the transaction or change its amount (only smaller amounts can be entered) and/or the capture date at any moment.

This process applies to:

- recurring payments,
- deferred payments,
- installments, other than the first one, in case of payment in installments.

In case of refusal for fraud-related reasons, the transaction is considered as permanently rejected.

Here is a list of fraud-related reasons that do not allow authorization reruns.

Network	Authorization return code	Label
СВ	03	Invalid acceptor
	04	Keep the card
	05	Do not honor
	07	Keep the card, special conditions
	12	Incorrect Transaction Code
	13	Invalid amount
	14	Invalid cardholder number
	15	Unknown issuer
	31	Unknown acquirer company ID
	33	Expired card
	34	Suspected fraud
	41	Lost card
	43	Stolen card
	54	Expired card
	56	Card absent from the file
	57	Transaction not allowed for this cardholder
	59	Transaction not allowed for this cardholder
	63	Security rules unfulfilled
	76	The cardholder is already blocked, the previous record has been saved
	80	Contactless payment is not accepted by the issuer
	81	Unsecured payment is not accepted by the issuer
	82	Revocation of recurring payment for the card of a specific Merchant or for the MCC and the card
	83	Revocation of all recurring payments for the card

Contact the E-Banking Merchant Support Service if you would like to enable anticipated authorizations.

3.7. Authorization request validity period

Network code	Payment method	Card types (vads_payment_cards)	Authorization validity period (in days)
ACCORD	Illicado gift Card	ILLICADO	0
ACCORD_SANDBOX	Illicado gift cards - Sandbox mode	ILLICADO_SB	0
ALMA	Alma in 2 installments	ALMA_2X	0
ALMA	Alma in 3 installments	ALMA_3X	0
ALMA	Alma in 4 installments	ALMA_4X	0
ALMA	Alma in 10 installments	ALMA_10X	0
AMEXGLOBAL	American Express	AMEX	7
APPLE PAY	Apple Pay wallet payment	APPLE_PAY	0
AURORE	Cpay card	AURORE-MULTI	29
СВ	СВ	СВ	7
СВ	e-Carte Bleue virtual card	E-CARTEBLEUE	7
СВ	Maestro	MAESTRO	30
СВ	Mastercard	MASTERCARD	7
СВ	Visa	VISA	7
СВ	Visa Electron	VISA_ELECTRON	7
СВ	VPay	VPAY	7
СВ	Bimpli Meal Voucher card (ex Apetiz)	APETIZ	7
СВ	Chèque Déjeuner Meal Voucher card	CHQ_DEJ	7
СВ	1 st generation Mastercard electronic meal voucher	EDENRED	7
СВ	Sodexo Meal Voucher card	SODEXO	7
CONECS	Bimpli Meal Voucher card (ex Apetiz)	APETIZ	30
CONECS	Chèque Déjeuner Meal Voucher card	CHQ_DEJ	30
CONECS	Conecs Meal Voucher card	CONECS	30
CONECS	Sodexo Meal Voucher card	SODEXO	30
CVCONNECT	Chèque-Vacances Connect	сусо	6
FRANFINANCE	Franfinance payment in 3X	FRANFINANCE_3X	0
FRANFINANCE	Franfinance payment in 4X	FRANFINANCE_4X	0
FRANFINANCE_SB	Franfinance payment in 3X - Sandbox mode	FRANFINANCE_3X	0

Network code	Payment method	Card types (vads_payment_cards)	Authorization validity period (in days)
FRANFINANCE_SB	Franfinance payment in 4X - Sandbox mode	FRANFINANCE_4X	0
FULLCB	Payment in 3 installments with no fees with BNPP PF	FULLCB3X	7
FULLCB	Payment in 4 installments with no fees with BNPP PF	FULLCB4X	7
GATECONEX	Bancontact	BANCONTACT	30
GATECONEX	Diners Club	DINERS	3
GATECONEX	Discover	DISCOVER	5
GATECONEX	e-Carte Bleue virtual card	E-CARTEBLEUE	7
GATECONEX	Maestro	MAESTRO	30
GATECONEX	Mastercard	MASTERCARD	7
GATECONEX	Visa	VISA	7
GATECONEX	Visa Electron	VISA_ELECTRON	7
GATECONEX	VPay	VPAY	7
GIROPAY	Giropay	GIROPAY	0
IDEAL	iDeal Internet Banking	IDEAL	0
IP	Virement bancaire	IP_WIRE	90
IP	Virement bancaire instantané	IP_WIRE_INST	0
JCB	JCB	JCB	7
ONEY_API	Oney 3x 4x payment	ONEY_3X_4X	0
ONEY_API	Payment 10x 12x Oney	ONEY_10X_12X	0
ONEY_API	Payment Oney Pay Later	ONEY_PAYLATER	0
ONEY_API	Oney partner brand cards	ONEY_ENSEIGNE	0
ONEY_API_SANDBOX	Oney 3x 4x payment (Sandbox mode)	ONEY_3X_4X	0
ONEY_API_SANDBOX	Oney 10x 12x payment (Sandbox mode)	ONEY_10X_12X	0
ONEY_API_SANDBOX	Payment Oney Pay Later (Sandbox mode)	ONEY_PAYLATER	0
ONEY_API_SANDBOX	Oney partner brand cards in Sandbox mode	ONEY_ENSEIGNE	0
PAYPAL	PayPal	PAYPAL	3
PAYPAL_SB	PayPal - Mode sandbox	PAYPAL_SB	3
SEPA	SEPA DIRECT DEBIT	SDD	15
SOFORT	Sofort Banking	SOFORT_BANKING	0

You can find all useful information about 3DS authentication in the 3D Secure guide.

4.1. "Frictionless" flow

In frictionless flow (without interaction with the buyer), based on the received information, the issuer can determine:

• That no additional authentication is required.

The payment gateway proceeds with the payment and issues the authorization request.

• That the analyzed information does not provide the authorization to proceed with the payment.

In this case, the payment gateway notifies the merchant website and the buyer about the payment rejection and redirects the buyer to the merchant website.



4.2. "Challenge" flow

In a challenge flow, based on the received information, the issuer determines that it is necessary for the buyer to provide the following elements:

- Either a biometric element, such as a device fingerprint,
- or a strong authentication via two-factor authentication.

For in-app solutions, the device fingerprint will be systematically requested before proceeding to the challenge.

Once the challenge has been successfully completed, the payment gateway proceeds with the payment and issues the authorization request.

In case of a technical or authentication error, the payment stops. The payment gateway notifies the merchant website and the buyer about the payment rejection and redirects the buyer to the merchant website.



• The use of these fields is optional. In any case, it is the issuing bank that decides if strong authentication must be performed.

Name/Description	Format/Values
vads_cust_address_number	Format: ans64
Street number - Billing address	
vads_cust_address2	Format: ans255
2nd line of the address - Billing address	
vads_cust_address	Format: ans255
1st line of the address - Billing address	
vads_cust_cell_phone	Format: an32
Buyer's cell phone number	
vads_cust_city	Format: an128
City - Billing address	
vads_cust_email	Format: ans150
Cardholder's e-mail address	
vads_cust_national_id	Format: ans255
National identifier.	
Allows to identify each citizen of a country in a unique way	
vads_cust_phone	Format: an32
Shipping buyer's phone number	
vads_cust_state	Format: ans127
State/Region - Billing address	
vads_cust_zip	Format: an64
Zip code - Billing address	
vads_ship_to_city	Format: an128
City - Shipping address	
vads_ship_to_email	Format: an128
Shipping e-mail address in case of an e-ticket order.	
vads_ship_to_type	Format: enum
Transport type	3DS2 value:
	"CARD_HOLDER_ADDRESS"
	"VERIFIED_ADDRESS"
	"NOT_VERIFIED_ADDRESS"
	"SHIP TO STORE"
	"DIGITAL GOOD"
	• "ETRAVEL OR ETICKET"
	• AUTOMATED_PICKUP_POINT
vads_ship_to_state	Format: ans127
State/Region - Shipping address	

Name/Description	Format/Values
vads_ship_to_street2	Format: ans255
2nd line of the address - Shipping address	
vads_ship_to_street	Format: ans255
1st line of the address - Shipping address	
vads_ship_to_speed	Format: enum
Shipping speed	3DS2 value:
	"ELECTRONIC_DELIVERY"
	"SAME_DAY_SHIPPING"
	"OVERNIGHT_SHIPPING"
	• "TWO_DAYS_OR_MORE_SHIPPING"
vads_ship_to_zip	Format: ans64
Zip code - Shipping address	

The online payment process appears differently when viewed from the point of view of the buyer or of the merchant.

5.1. Defining the steps of the payment process - As seen by the buyer



Payment process from the buyer's point of view :

- 1. The buyer validates the shopping cart.
- 2. The merchant website redirects the buyer to the payment gateway.

This redirection is done via an HTML POST form in HTTPS.

The parameters of the form are described in the chapter Generating a payment form.

3. When the parameters and their signature have been verified, presents the payment process to the buyer.

There are two journey, depending on how you fill in the payment form:

• **Journey 1**: a single payment method is specified in the payment form (by credit card only, for example).

In this step, the platform directly displays the *Payment method data entry page (step 5)*.

• **Journey 2**: several payment methods are offered in the payment form (credit card and other payment methods available in the store).

The platform then displays the payment method selection page. Example:

BANQUE POSTALE	Secure Payment	
LA POSTE	ne merchant	Please select your payment method :
10.100.00		
Shop ID :		
Amount :	91.05 EUR	



CB, Visa and Mastercard are grouped together under a single logo.

This feature allows the buyer to go directly to the card data entry page if the merchant has only one CB contract.

If, in addition to the CB contract, the merchant has several other payment methods, then CB, e-Carte bleue, Visa, Visa Electron, Mastercard and Maestro are grouped together under a single logo when the payment page is displayed.

- 4. The buyer selects his payment method if the platform displays rjourney 2.
- 5. The buyer enters the number and the expiry date of their card.

If the card has a security (CVV) code, it must be specified.

₽	BANQUE POSTALE	Secure Payment			
	LA POSTE		CI VISA	Information for	the payment
Me	ssage customized by	the merchant	Card number Expiry date	month ~	year v
	Mp. Terres. pr	1.00.7	Security code	Ø ?	
Transaction ide	ntifier :	974009		SUBMIT	
Shop ID :		71347210			
Amount :		10.00 EUR		SECURE SÉCURISÉ	ID Check

Figure 2: Entering payment method details

6. When paying with a CB co-badged Visa or Mastercard card, the payment platform automatically detects the brand(s) associated with the card number entered.

If several brands are available, a drop-down list appears to the right of the entry field. The logo chosen by the merchant appears first on the list.

If only one brand is available, the logo appears automatically.

If you need help, you can click the **?** icon to the right of the entry field.

7. The buyer click on Validate..

a

8. If the merchant and the buyer's card are enrolled in the 3D Secure program, the payment will be authenticated with 3D Secure.

- **9.** The platform requests authorization from the buyer's bank, the issuer, in addition to the payment platform's internal fraud checks.
- **10.**If successful, the platform presents the buyer with a summary page summarizing the transaction information.

The logo of the brand selected by the buyer appears on the receipt.

A button allowing to return to the shop is presented.

₿	LA BANQUE POSTALE	Secure Payment		
	RETURN TO SH	ЮР	Your payment require	est has been successfully ecorded.
			REMINDER: this transa	action was made in TEST mode.
			Payment details	
			SHOP : URL address : Shop ID : Order reference :	Boutique test Scellius Net http://test.scellius.com 31992678 GVL4489
			VISA CARTE BANCAIRE :	94.39 EUR
			Date / Time : Card number : Authorization number : Merchant ID : Type : C8 transaction number : Usage :	02-19-2024 / 13:52:14 (GMT+1) XXXXXXXXXXXXXX20210 3fc90a 1224567 001 DEBITVADS 153161 Debit
				RECEIPT
			V/S. Rece	a noteruna 10 Check

Figure 3: Transaction summary

In the event of failure, the platform informs the buyer and displays a button to cancel and return to the shop.

If you have configured a number of additional attempts that is higher than 0 in your Merchant Back Office, the buyer has the opportunity to make another attempt to finalize their payment. If he or she accepts, the payment process resumes at the stage of payment method selection.

Once the additional attempts have been used, the payment is permanently rejected.

BA	LA Secure Payment		
Tropostion identifier -	026422	Your payment request has been rejected by your financial institution	
Shop ID :	930422		
Amount :	55.00 EUR		
The address of this payment ga are on a secure site and y	teway prefixed with https indicates that you you can safely pay for your purchase.	,	

Figure 4: Summary page in case of a failed transaction



Here is what the online payment process looks like from the merchant's point of view:

Figure 5: Payment process - as seen by the merchant

- 1. The buyer validates the shopping cart.
- 2. The merchant website creates a form using the data from the buyer's cart.
- 3. The merchant website redirects the buyer to the payment gateway. The redirection is done via an HTML POST form using HTTPS. The parameters of the form are described in the chapter *Generating a payment form*.
- 4. After the buyer enters the payment method details, the payment gateway proceeds to the payment.
- 5. Depending on the shop configuration (see chapter *Setting up notifications*), the payment gateway calls automatically the merchant website to transmit the result.
- 6. The merchant website analyzes and processes the payment result.
- 7. It updates the database (order/stock status, etc.).
- 8. The buyer sees the payment result on the payment gateway. If the buyer decides to return to the merchant website, he/she sees a "thank you" message and the order status appears.

When a payment is refused, you have the possibility to offer the buyer to make another attempt with another payment method or to re-enter their data in case of a data entry error.

The number of additional attempts can be configured via the Merchant Back Office:

- 1. Go to **Settings** > **Shop**, then click on the name of the shop for which the configuration must be changed.
- 2. Select Configuration.
- 3. Enter the authorized number of additional attempts in case of a rejected payment.

If you configure 2 additional attempts, the buyer will be able to make 3 payment attempts in total.

- 4. If you wish, you can configure an IPN that will be sent upon each rejected attempt by checking Instant Payment Notification URL on a declined attempt.
- 5. Click Save.



Additional attempts are not offered:

• If the payment is an installment payment,

7. TRANSACTION LIFECYCLE

In all the following diagrams, the following caption is used:

Action required from the merchant - manual (Merchant Back Office) or automatic (Web Services)

7.1. Immediate payment

7.1.1. Automatic validation



Once the payment request has been made, several verification processes start automatically:

- The 3D Secure authentication.
- Different verification processes performed by the payment gateway (these potentially include local checks, risk rules configured by the merchant) or by an external risk analyzer.
- An authorization request is also made by the buyer's bank on the day of payment, independently of the requested capture date at the bank.

If one of the verification processes fails, the payment request will not be accepted. The buyer is informed of the rejection on the screen. In the Merchant Back Office, the transaction appears with the **Refused** status.

Otherwise, the transaction takes the Waiting for capture status.

The buyer is informed about the acceptance of the payment request and receives a confirmation e-mail.

The transaction will be automatically submitted for capture on the day requested by the merchant and will take the **Captured** status. The **Captured** status is final.

Once the capture is made, the arrival of the transaction to the merchant account depends on the interbank processing time.

Before the capture date, the buyer can modify it together with the amount (only smaller amounts can be entered in case of partial delivery by the merchant).

If necessary, the buyer can also cancel the transaction: the transaction will then appear with the **Cancelled** status.

7.1.2. Manual validation

Following a payment request, the verification process starts automatically:

- The 3D Secure authentication.
- Different verification processes performed by the payment gateway (these potentially include local checks, risk rules configured by the merchant) or by an external risk analyzer.
- An authorization request is also made by the buyer's bank.

If one of the verification processes fails, the payment request will not be accepted. The buyer is informed of the rejection on the screen. In the Merchant Back Office, the transaction appears with the **Refused** status.

Otherwise, the payment is accepted and the transaction appears in the Merchant Back Office with the **To be validated** status.

In this case, the merchant must validate the transaction before the expiry date of the authorization request. If the validation is made after this date, the transaction appears as **Expired** and cannot be captured in the bank.

As soon as the transaction is validated, its status changes to Waiting for capture.

The transaction will be automatically submitted for capture on the day requested by the merchant and will take the **Captured** status. The **Captured** status is final.

Once the capture is made, the arrival of the transaction to the merchant account depends on the interbank processing time.

The merchant can also cancel the transaction, if necessary. In this case, the transaction takes the **Cancelled** status.


7.2.1. Automatic validation

Capture delay shorter than the authorization validity period

(See the diagram "The life cycle of an immediate payment transaction").

Capture delay longer than the authorization validity period

All the transactions for deferred payments made in automatic validation mode with a successfully completed verification request can be viewed in the Merchant Back Office with the **Waiting for authorization** status.

The authorization request is automatically sent:

- By default: the day before the desired capture date,
- With anticipated authorization: depending on the selected payment method, on D-Δ before the desired capture date (see chapter *The "Anticipated authorizations" service* on page 22).

A deferred payment goes through the steps in the diagram below:



Capture delay shorter than the authorization validity period

(See the diagram "The life cycle of an immediate payment transaction").

Capture delay longer than the authorization validity period

All the transactions for deferred payments made in automatic validation mode with a successfully completed authorization request for EUR 1 (or information request about the CB network if the acquirer supports it) can be viewed in the Merchant Back Office with the **To be validated and authorized** status.

The authorization request is automatically sent on the requested capture day, on the condition that the merchant has already validated the transaction.

In the meantime, the merchant may cancel the transaction or change its amount (only smaller amounts can be entered) and/or the capture date. These transactions go through the steps in the diagram below:



7.3.1. Automatic validation

Depending on the capture date, the first installment will have exactly the same features as an immediate payment or a deferred payment.

By default, the following installments will have the **Waiting for authorization** status. The buyer's bank will be able to reject the authorization request. The payment gateway will then inform the merchant by e-mail that the transaction has been declined.

The authorization requests for the upcoming installments are automatically sent as a transaction for a deferred payment, with two possible dates:

- By default: the day before the desired capture date,
- With anticipated authorization: depending on the selected payment method, on D-Δ before the desired capture date (see chapter *The "Anticipated authorizations" service* on page 22).

The following installments go through the steps specified in the diagram below (case of an authorization request that is not resent):



In any case, canceling an installment never implies that the upcoming installments will be canceled.

Depending on the capture date, the first installment will have exactly the same features as an immediate payment or a deferred payment.

By default, the upcoming installments have the **To be validated and authorized** status as long as the first installment has not been validated by the merchant. The successful execution of the installments is not guaranteed to the merchant. The buyer's bank may reject the authorization request.

Validation of the first installment implies that all the other installments will be validated as well. However, canceling an installment does not cancel the upcoming installments.



The merchant website and the payment gateway interact by exchanging data.

To create a payment, this data is sent in an HTML form via the buyer's browser.

At the end of the payment, the result is transmitted to the merchant website in two ways:

- Automatically by means of notifications called Instant Notification URLs (also called IPN or Instant Payment Notification), see chapter **Setting up notifications**.
- Via the browser, when the buyer clicks the button to return to the merchant website, see chapter Managing the return to the merchant website.

To guarantee the security of the exchange, the data is signed with a key known only to the merchant and the payment gateway.

8.1. Setting up the payment page URL

The merchant website interacts with the payment gateway by redirecting the buyer to the following URL:

https://scelliuspaiement.labanquepostale.fr/vads-payment/

8.2. Identifying yourself when exchanging with the payment gateway

To be able to interact with the payment gateway, the merchant needs to have:

- The shop ID: allows to identify the merchant website during the exchange. Its value is transmitted in the vads_site_id field.
- The key: allows to compute the alphanumeric signature transmitted in the signature field.

To retrieve these values:

- 1. Sign in to the Merchant Back Office: https://scelliuspaiement.labanquepostale.fr/vads-merchant/
- 2. Enter your username.

Your connection identifiers (username and password) are sent to you in an e-mail with the subject **Connection identifiers - [your shop name]**.

3. Enter your password.

Your connection identifiers (username and password) are sent to you in an e-mail with the subject **Connection identifiers - [your shop name]**.

4. Click Sign in.

The user account is blocked after 3 wrong password entries. If your account is blocked, click **Forgotten password or locked account** to reset it.



The user password is valid for 90 days. After this period, the user must modify it by logging into their account.

- 5. Click Settings > Shop.
- 6. Select Keys.



Figure 6: Keys tab

Two types of keys are available:

- The test key that allows to generate the form signature in test mode.
- The production key that allows you to generate the form signature in production mode.

These keys can be numeric or alphanumeric.

For maximum security, it is recommended to use an alphanumeric key.

To change the format of your test key, click the **Regenerate a test key** button and select the format ("ALPHANUMERIC" or "NUMERIC").

👷 Regeneration of the test key	X
Format of the key*: ALPHANUMERIC	
You are about to generate a new ALPHANUMERIC test key for the shop.	
Once this action is done, you will have to modify your merchant website to take into account the new test key.Until the update is effective, all the test payment forms or test Web Services will be rejected by the payment gateway due to invalid signature.	
Cancel	

To change the format of your production key, click the **Regenerate a production key** button and select the format ("ALPHANUMERIC" or "NUMERIC").

Regeneration of the production key	X
Format of the key *: ALPHANUMERIC	
MUST READ BEFORE CONFIRMING	
The type of your current key is numeric. You are about to generate a new ALPHANUMERIC production key for the shop.	
- Together with your integrator, make sure that your merchant website supports this type of key.	
- If you are using a payment module provided by the gateway for open source solutions such as Prestashop, Magento, WooCommerce, etc., see the module technical documentation, where the support of alphanumeric key must be specified in the "release notes" section.	
Once this action is completed, you will have to modify your merchant website to take into account the new production key. As long as the update has not been made, all payment forms or production Web Services will be rejected by the payment gateway for invalid signature.	
I confirm that I am aware of the risks and accept them	
Confirm generation	

8.3. Choosing between Test and Production modes

The choice between **TEST** or **PRODUCTION** modes can be made using the **vads_ctx_mode** field (See chapter *Generating a payment form* on page 61).

• The **TEST** mode allows to make test payments.

It is available at all times, even after the generation of the production key.

If you create a new merchant website (or have access to the acceptance testing environment), you can make tests without impacting the website that is currently in production.

TEST transactions can be viewed in the Merchant Back Office via **Management > TEST transactions**.

• The **PRODUCTION** mode will become available only once the production key has been generated.

It allows to make real payments.

PRODUCTION transactions can be viewed in the Merchant Back Office via **Management > Transactions**.

8.4. Managing interaction with the merchant website

Two types of URLs are used to manage the dialog with the merchant website:

- Instant Payment Notification, also called the IPN,
- URL of return to the merchant website.

Instant Payment Notification - IPN

The **Notification URL** is the URL of a specific page on the merchant website that is **automatically** called by the payment gateway when certain events take place.

By default, the rules are created to manage the events below:

- end of payment (accepted or rejected),
- payment abandoned or canceled,
- token creation or update,
- recurring payment creation,
- new installment date,
- authorization made in case of a deferred payment,
- update of a transaction status by the acquirer,
- operation made via the Merchant Back Office (cancellation, refund, duplication, manual payment, etc.).

These rules must be enabled and configured according to the needs of the merchant.

With each call, the payment gateway transmits transaction details to the merchant website. It is called instant notification (or **IPN** as in Instant Payment Notification).

To guarantee the security of the exchange, the data is signed with a key known only to the merchant and the payment gateway.

URL of return to the merchant website

In the Merchant Back Office, the merchant can configure the "default" return URLs via the menu **Settings** > **Shop** > **Configuration** tab:

Return URL	The	merchant	can	set	uр	а
Return URL of the shop in test mode:						
Return URL of the shop in production mode:						
"Instant Payment Notification URL" rule status: <u>Not set</u> The return URL is called when the buyer clicks on the "Return to shop" button after the payment. It must NOT be mistaken with the Instant Payment Notification URL. To analyze the transaction result, you must ALWAYS use the Instant Payment Notification, that you can set in the <u>Notification rules</u> screen. ALWAYS think to test by closing your browser after the payment without coming back to the shop.						
different return URL for each mode.						

Figure 7: Setting up return URLs

By default, the buyer is redirected to the URL regardless of the payment result.

If no URL has been set up, the main URL of the shop will be used for redirection (**URL** parameter defined in the **Details** section of the shop).

The merchant will be able to override this setting in his/her payment form (see chapter **Setting up return URLs**).



The status of the "Instant Payment Notification at the End of Payment" (IPN) rule is displayed in this window. If the URL has not been set up, make sure to specify it (see chapter **Setting up notifications**).

8.5. Managing security

There are several ways to guarantee the security of online payments.

8.5.1. Ensuring interaction integrity

The integrity of exchanged information is preserved by the exchange of alphanumeric signatures between the payment platform and the merchant website.

The payment gateway and the merchant website interact via HTML forms.

A form contains a list of specific fields (see chapter **Generating a payment form**) used to generate a chain.

This chain is then converted to a smaller chain using a hash function (SHA-1, HMAC-SHA-256).

The merchant will be able to choose the hash algorithm in their Merchant Back Office (see chapter **Choosing** *the hash algorithm*).

The resulting chain is referred to as the **digest** (*empreinte* in French) of the initial chain.

The digest must be transmitted in the signature field (see chapter Computing the signature).

Modeling security mechanisms:



Figure 8: Diagram of a security mechanism

- 1. The merchant website builds the form data and computes the signature.
- 2. The merchant website submits the form to the gateway.
- 3. The gateway receives the form data and computes the signature.
- 4. The gateway compares the computed signature with the signature that was transmitted by the merchant website.
- 5. If the signatures are different, the payment request is rejected.

If not, the gateway proceeds to payment.

6. The gateway builds the result data and computes the response signature.

- **7.** Depending on the shop configuration (see chapter **Setting up notifications**), the payment gateway transmits the payment result to the merchant website.
- **8.** The merchant website receives the data and computes the signature. It compares the computed signature with the signature that was transmitted by the payment gateway.
- **9.** If the signatures are different, the merchant analyses the source of the error (computation error, attempted fraud, etc.).

If not, the merchant proceeds to update their database (stock status, order status, etc.).

8.5.2. Selecting the hash algorithm

In the Merchant Back Office (**Settings** > **Shop** > **Keys**), the merchant can choose the hash function to use for generating signatures.

Security of data exchange		
Signature algorithm in Test mode*:	SHA-1	~
Signature algorithm in Production mode*:	HMAC-SHA-256	
	SHA-1	

HMAC-SHA-256 signature algorithm is applied by default.

You can select a different signature algorithm for TEST mode and for PRODUCTION mode.

However, be sure to use the same method to generate your payment forms and to analyze the data transmitted by the gateway during notifications.

In order to facilitate changing the algorithm, the SHA-1 or HMAC-SHA-256 signatures will be accepted without generating rejections due to signature error for 24h.

8.5.3. Storing the production key

(i)

For security reasons, the production key will be masked after the first real payment made with a real card.

It is strongly recommended to store the key in a safe place (encrypted file, database etc.).

In case of losing the key, the merchant will be able to regenerate a new one via their Merchant Back Office.

Remember that the production key can be viewed in the Merchant Back Office via **Settings** > **Shop** > **Keys** tab.

8.5.4. Managing sensitive data

Online payment transactions are regulated by strict rules (PCI-DSS certification).

As a merchant, you have to make sure to never openly transcribe data that could resemble a credit card number. Your form will be rejected (code 999 - Sensitive data detected).

Special attention should be paid to order numbers containing between 13 and 16 numeric characters and beginning with 3, 4 or 5.

Using a configuration file allows to avoid including hard-coded values in the code.

The configuration files may contain:

- the payment page URL,
- the test and production keys,
- the shop ID,
- etc.

These files allow to sort the data to be saved.

The program that generates the payment form interrogates the configuration file to know the value of a parameter.

It is the merchant's responsibility to do anything in his or her power to limit the access to the configuration file (.htaccess file, rewrite the URL, etc.).

Example of "conf.txt" configuration file:

Example of a call to configuration file in the payment form:

```
$conf_txt = parse_ini_file("conf.txt");
if ($conf_txt['vads_ctx_mode'] == "TEST") $conf_txt['key'] = $conf_txt['TEST_key'];
if ($conf_txt['vads_ctx_mode'] == "PRODUCTION") $conf_txt['key'] = $conf_txt['PROD_key'];
```

The Merchant Back Office allows to manage the events that will generate a notification to the merchant website and to configure the URL of the contact page.

The following diagrams illustrate the transaction status sent in the notification for each event.

The following caption is used for each event:

Action required from the merchant - manual (Merchant Back Office) or automatic (via Web Services)

Action performed by the buyer

9.1. Notifications about the various statuses of an immediate payment



Event	Notified status	Name of the rule to configure
Abandoned by the buyer	ABANDONED	Instant Payment Notification URL on cancellation
Cancellation by the merchant	CANCELLED	Instant Payment Notification URL on an operation coming from the Back Office

Event	Notified status	Name of the rule to configure
Response to the authorization	AUTHORISED_TO_VALIDATE,	Instant Payment Notification URL
request	AUTHORISED, REFUSED	at the end of the payment

9.2. Notifications about the different statuses of a deferred payment



 Δ : authorization validity period

Event	Notified status	Name of the rule to configure
Abandoned by the buyer	ABANDONED	Instant Payment Notification URL on cancellation
Cancellation by the merchant	CANCELLED	Instant Payment Notification URL on an operation coming from the Back Office
Cancellation by the merchant	WAITING_AUTHORISATION	Instant Payment Notification URL on an operation coming from the Back Office
Response to the authorization request for EUR 1 (or information request about the CB network if the acquirer supports it)	REFUSED, WAITING_AUTHORISATION, WAITING_AUTHORISATION_TO_VALIDATE	Instant Payment Notification URL at the end of the payment
Response to the authorization request	AUTHORISED, REFUSED, AUTHORISED_TO_VALIDATE	Instant Payment Notification URL on batch authorization

9.3. Notifications about the various statuses of installments



 Δ : authorization validity period

Event	Notified status	Name of the rule to configure
Cancellation by the merchant	CANCELLED	Instant Payment Notification URL on an operation coming from the Back Office
Response to the authorization request	AUTHORISED, REFUSED	Instant Payment Notification URL on batch authorization

Open the Settings > Notification rules menu.

The rule configuration tab of "Instant Payment Notification URL call" type is displayed.



9.5. Setting up the Instant Payment Notification

The payment gateway notifies on the merchant website in the following cases:

- Payment accepted
- Payment refused
- Token creation or update
- Creation of a recurring payment

The **Payment accepted** event corresponds to the creation of a transaction in one of the (vads_trans_status) statuses below:

- ACCEPTED
- AUTHORISED
- AUTHORISED_TO_VALIDATE
- CAPTURED
- INITIAL
- UNDER_VERIFICATION
- WAITING_AUTHORISATION
- WAITING_AUTHORISATION_TO_VALIDATE
- WAITING_FOR_PAYMENT

This notification is required to communicate the result of the payment request.

It informs the merchant website of the payment result even if your client has not clicked the **Return to the shop** button.

- 1. Right-click Instant Payment Notification URL at the end of the payment.
- 2. Select Manage the rule.
- **3.** Enter the **E-mail address(es) to notify in case of failure** field in the "General settings" section. To specify several e-mail addresses, separate them with a semi colon (;).
- 4. To allow the platform to automatically resend the notification in the event of failure, check the Automatic retry in case of failure box. This mechanism allows up to 4 attempts to be made. For more information, see Automatic retry in case of failure on page 58.

- If you wish to receive notifications in API Form format, enter the URL of your page in URL to notify in TEST mode and URL to notify in PRODUCTION mode field in the "Instant Payment Notification URL of the API form V1, V2" section.
- 6. If you're using the clientJavaScript, specify the URL of your page in the fields Target URL of the IPN to notify in TEST mode and Target URL of the IPN to notify in PRODUCTION mode in the "REST API Instant Payment Notification URL" section.
- 7. Save the changes.

This notification is required for communicating the result of a deferred payment:

- If the payment has been accepted,
- If the payment has been refused.

It allows the merchant website to be notified when the authorization request is not made on the payment day.

Example:

For a deferred payment with a capture delay of 60 days, the authorization request is not made at the moment of the payment. The merchant website will be contacted at the moment of the authorization request by the **Instant Payment Notification URL on batch authorization** rule.

This rule is **disabled by default**.

- 1. Right-click Instant Payment Notification URL on batch authorization.
- 2. Select Manage the rule.
- **3.** Enter the **E-mail address(es) to notify in case of failure** field in the "General settings" section. To specify several e-mail addresses, separate them with a semi colon (;).
- 4. To allow the platform to automatically resend the notification in the event of failure, check the Automatic retry in case of failure box. This mechanism allows up to 4 attempts to be made. For more information, see Automatic retry in case of failure on page 58.
- If you wish to receive notifications in API Form format, enter the URL of your page in URL to notify in TEST mode and URL to notify in PRODUCTION mode field in the "Instant Payment Notification URL of the API form V1, V2" section.
- 6. If you're using the clientJavaScript, specify the URL of your page in the fields Target URL of the IPN to notify in TEST mode and Target URL of the IPN to notify in PRODUCTION mode in the "REST API Instant Payment Notification URL" section.
- 7. Save the changes.
- 8. Enable the rule by right-clicking Instant Payment Notification URL on batch authorization and select Enable the rule.

9.7. Setting up notifications in case of abandoned or canceled payments

The payment gateway notifies on the merchant website in the following cases:

- When the buyer abandons/cancels a payment via the **Cancel and return to shop** button.
- When the buyer has not completed the payment and the payment session has expired.

The maximum length of a payment session is 10 minutes.

This rule is **disabled by default**.

- 1. Right-click Instant Payment Notification URL on cancellation.
- 2. Select Manage the rule.
- **3.** Enter the **E-mail address(es) to notify in case of failure** field in the "General settings" section. To specify several e-mail addresses, separate them with a semi colon (;).
- 4. To allow the platform to automatically resend the notification in the event of failure, check the Automatic retry in case of failure box. This mechanism allows up to 4 attempts to be made. For more information, see Automatic retry in case of failure on page 58.
- 5. If you wish to receive notifications in API Form format, enter the URL of your page in URL to notify in TEST mode and URL to notify in PRODUCTION mode field in the "Instant Payment Notification URL of the API form V1, V2" section.
- 6. If you're using the clientJavaScript, specify the URL of your page in the fields **Target URL of the IPN** to notify in TEST mode and **Target URL of the IPN to notify in PRODUCTION mode** in the "REST API Instant Payment Notification URL" section.
- 7. Save the changes.
- 8. Enable the rule by right-clicking Instant Payment Notification URL on cancellation and select Enable the rule.

9.8. Instant Payment Notification URL on an operation originating from the Back Office

This rule allows to notify the merchant website about every operation made via the Merchant Back Office:

- Creation of a manual payment (accepted or rejected)
- Transaction update
- Transaction duplication
- Transaction refund
- Transaction cancellation
- Transaction validation
- Token creation
- Token update
- 1. Right-click Instant Payment Notification URL on an operation coming from the Back Office.
- 2. Select Manage the rule.
- **3.** Enter the **E-mail address(es) to notify in case of failure** field in the "General settings" section. To specify several e-mail addresses, separate them with a semi colon (;).
- Check the box Automatic retry in case of failure if you wish to authorize the gateway to automatically resend the notification in case of a failure (can be done up to 4 times).
 For more information, please see chapter Automatic retry in case of failure on page 58.
- If you wish to receive notifications in API Form format, enter the URL of your page in URL to notify in TEST mode and URL to notify in PRODUCTION mode field in the "Instant Payment Notification URL of the API form V1, V2" section.
- 6. If you're using the clientJavaScript, specify the URL of your page in the fields Target URL of the IPN to notify in TEST mode and Target URL of the IPN to notify in PRODUCTION mode in the "REST API Instant Payment Notification URL" section.
- 7. Save the changes.
- 8. Enable the rule by right-clicking Instant Payment Notification URL on an operation coming from the Back Office and select Enable the rule.

The payment gateway notifies on the merchant website in the following cases:

• When a transaction expires.

This is the case of transactions created in manual validation mode and that have not been validated in time by the merchant. The status of these transactions changes to "Expired" (EXPIRED).

- When a PayPal transaction that has been blocked due to suspected fraud is finally accepted or refused. The status of the concerned transactions changes from "Control in progress" (UNDER_VERIFICATION) to "Captured" (CAPTURED) or "Refused" (REFUSED).
- When a **Franfinance** transaction is accepted or refused.

This rule is **disabled by default**.

- 1. Right-click Instant Payment Notification URL on batch change.
- 2. Select Manage the rule.
- **3.** Enter the **E-mail address(es) to notify in case of failure** field in the "General settings" section. To specify several e-mail addresses, separate them with a semi colon (;).
- 4. To allow the platform to automatically resend the notification in the event of failure, check the Automatic retry in case of failure box. This mechanism allows up to 4 attempts to be made. For more information, see Automatic retry in case of failure on page 58.
- If you wish to receive notifications in API Form format, enter the URL of your page in URL to notify in TEST mode and URL to notify in PRODUCTION mode field in the "Instant Payment Notification URL of the API form V1, V2" section.
- 6. If you're using the clientJavaScript, specify the URL of your page in the fields Target URL of the IPN to notify in TEST mode and Target URL of the IPN to notify in PRODUCTION mode in the "REST API Instant Payment Notification URL" section.
- 7. Save the changes.
- 8. Enable the rule by right-clicking Instant Payment Notification URL on batch change and select Enable the rule.

Automatic retry does not apply to notifications manually triggered via the Merchant Back Office.

The merchant can enable a mechanism that allows the payment gateway to automatically return notifications when the merchant website is temporarily unavailable. This mechanism allows up to 4 attempts to be made.

A notification will be considered as failed if the HTTP code returned by the merchant site is not on the following list: **200**, **201**, **202**, **203**, **204**, **205**, **206**, **301**, **302**, **303**, **307**, **308**.

Call attempts are scheduled at fixed intervals every 15 minutes (00, 15, 30, 45).

After each failed attempt, a notification e-mail is sent to the e-mail address specified in the configuration of the notification rule in question.

In this case, the subject of the e-mail contains the number corresponding to the notification retry attempt. It is presented as attempt # followed by the attempt number.

• Example of an e-mail subject following a first notification failure at the end of payment:

```
[MODE TEST] My Shop - Tr. ref. 067925 / FAILURE during the call to your IPN URL [unsuccessful attempt #1]
```

• Example of an e-mail subject following a second failure:

```
[MODE TEST] My Shop - Tr. ref. 067925 / FAILURE during the call to your IPN URL [unsuccessful {\tt attempt}~{\tt \#2}]
```

• Example of an e-mail subject following a third failure:

```
[MODE TEST] My Shop - Tr. ref. 067925 / FAILURE during the call to your IPN URL [unsuccessful {\tt attempt}~{\tt \#3}]
```

• Example of an e-mail subject following the last failure:

```
[MODE TEST] My Shop - Tr. ref. 067925 / FAILURE during the call to your IPN URL [unsuccessful attempt #last]
```

To notify the merchant website of the last notification attempt, the e-mail subject will contain the mention attempt #last.

During the automatic retry, certain details are not stored in the database or are modified.

Examples of fields not available/not registered in the database:

Field name	Description
vads_page_action	Completed operation
vads_payment_config	Payment type (immediate or installment).
vads_action_mode	Acquisition mode for payment method data.

Examples of fields sent with different values:

Field name	New value
vads_url_check_src	Always set to RETRY in case of automatic retry.
vads_trans_status	The transaction status may vary between the initial call and the automatic retry (cancellation by the merchant, transaction capture at the bank, etc.).
vads_hash	The value of this field is regenerated with each call.

Field name	New value
signature	The signature value depends on the different statuses that may vary
	between the initial call and the automatic retry.

These e-mails contain:

- The encountered problem;
- Parts of analysis depending on the error;
- Its consequences;
- Instructions for manually triggering the notification from the Merchant Back Office.

6

After the fourth attempt, it is still possible to retry the IPN URL **manually** via your Merchant Back Office.

Note that during the automatic retry, any manual call to the IPN URL will affect the number of automatic attempts:

- A successful manual call will stop the automatic retry;
- A failed manual call will have no impact on the current automatic retry.

9.11. Configuring e-mails sent to the merchant

In the E-mail sent to the merchant tab:

- 1. Right-click the rule to be modified and select **Enable the rule**.
- Right-click the rule again and select Manage the rule. The rule management wizard appears.
- Customize the label of the rule and the address to notify in the General settings section. To specify several e-mail addresses, separate them with a semi-colon.
- 4. In order to customize the body of the e-mail.
 - a. Go to E-mail settings.
 - b. Select the template of the e-mail to apply
 - c. Click Customize default text values if you wish to edit the body and the subject of the "default" email message.
 - d. Click on Fields to include to display the list of fields available for e-mail customization.
 - e. Select the fields that you wish to include. A detailed summary of the request processing will be added to the body of the e-mail.



To preview the changes, click **Preview the e-mail** at the bottom of the dialog box.

5. In order to change the events that trigger the notification:

a. Click the Rule conditions tab.

A condition is composed of a variable, a comparison operator and a reference value.

Example: "mode = TEST", "amount exceeding 1000". During the execution of a rule, the value of a variable is retrieved and compared to the reference value.

- b. Double-click on an existing condition to edit it.
- c. Click Add to create a new condition.

All the conditions must be validated for the rule to be executed.

6. Click Save.

9.12. Configuring e-mails sent to the buyer

From the E-mail sent to the buyer tab:

- 1. Right-click the rule to be modified and select Enable the rule.
- 2. Right-click the rule again and select Manage the rule.

The rule management wizard appears.

- 3. In the General settings section, you can customize the label of the rule.
- **4.** To customize the e-mail content:
 - a. Click Buyer e-mail settings.
 - **b.** Select the template of the e-mail to apply
 - c. Select the language that you would like to update
 - d. Click Customize default text values if you wish to edit the body and the subject of the "default" email message.
 - e. Click on Fields to include to display the list of fields available for e-mail customization.
 - f. Select the fields that you wish to include. A detailed summary of the request processing will be added to the body of the e-mail.

G

To preview the changes, click **Preview the e-mail** at the bottom of the dialog box.

5. In order to change the events that trigger the notification:

a. Click the Rule conditions tab.

A condition is composed of a variable, a comparison operator and a reference value.

Example: "mode = TEST", "amount exceeding 1000". During the execution of a rule, the value of a variable is retrieved and compared to the reference value.

b. Double-click on an existing condition to edit it.

c. Click Add to create a new condition.

All the conditions must be validated for the rule to be executed.

6. Click Save.

You must build an HTML form as follows:

```
<form method="POST" action="https://scelliuspaiement.labanquepostale.fr/vads-payment/">
<input type="hidden" name="parameter1" value="value1" />
<input type="hidden" name="parameter2" value="value2" />
<input type="hidden" name="parameter3" value="value3" />
<input type="hidden" name="signature" value="signature"/>
<input type="submit" name="pay" value="Pay"/>
</form>
```

It contains:

- The technical elements:
 - the <form> and </form> tags that allow to create an HTML form;
 - the method="POST" attribute that defines the method used for sending data;
 - the action="https://scelliuspaiement.labanquepostale.fr/vads-payment/" attribute that defines where to send the form data.
- Form data
 - the shop ID;
 - information about the payment depending on the use case;
 - additional information depending on your needs;
 - the signature that ensures the integrity of the form.

This data is added to the form by using the <input> tag:

<input type="hidden" name="parametre1" value="valeur1"/>

For setting the name and value attributes, see chapter *Data dictionary*.

All the data in the form must be encoded in UTF-8.

This will allow for the special characters (accents, punctuation marks, etc.) to be correctly interpreted by the payment gateway. Otherwise, the signature will be computed incorrectly and the form will be rejected.

• The Pay button for submitting the data

<input type="submit" name="pay" value="Pay"/>

The use cases presented in the following chapters will enable you to build your payment form according to your needs.

Indications on the different possible formats when building your form:

Notation	Description
а	Alphabetic characters (from 'A' to 'Z' and from 'a' to 'z')
n	Numeric characters
S	Special characters
an	Alphanumeric characters
ans	Alphanumeric and special characters (except < and >)
3	Fixed length of 3 characters

Notation	Description
12	Variable length up to 12 characters
json	JavaScript Object Notation. Object containing key/value pairs separated by commas , It starts with a left brace { and ends with a right brace }. Each key/value pair contains the key name in quotation marks followed by a colon, followed by a value in quotation marks "name" : "value". The name of the key must be alphanumeric. The value can be:
	• a string of characters (in this case it must be framed by straight quotes ");
	• a number;
	• an object;
	• a table;
	• a boolean;
	• empty.
	Example: <mark>{"name1":45,"name2":"value2", "name3":false</mark> }
bool	Boolean. Can take the value <mark>true</mark> or <mark>false</mark> .
enum	Defines a field with a complete list of values. The list of possible values is given in the field definition.
Enum list	List of values separated by a ";".
	The list of possible values is given in the field definition. Example: vads_available_languages=fr;en
map	List of key / value pairs separated by a ";". Each key / value pair contains the name of the key followed by "=", followed by a value. The value can be:
	a chain of characters;
	• a boolean;
	a json object;
	an xml object.
	The list of possible values for each key/value pair is provided in the field definition. Example: vads_theme_config=SIMPLIFIED_DISPLAY=true;RESPONSIVE_MODEL=Model_1

In the immediate payment mode, the buyer pays the total amount for the purchase at once.

The payment is captured by the bank on the same day.

1. Use all the fields presented in the table below to create your payment form.

Field name	Description	Format	Value
vads_site_id	Shop ID	n8	E.g.: 12345678
vads_ctx_mode	Mode of interaction with the payment gateway	enum	TEST or PRODUCTION
vads_trans_id	Transaction number. Must be unique within the same day (from 00:00:00 UTC to 23:59:59 UTC). Warning: this field is not case sensitive.	an6	E.g.: xrT15p
vads_trans_date	Date and time of the payment form in UTC format	n14	Respect the YYYYMMDDHHMMSS format E.g.: 20200101130025
vads_amount	Payment amount in the smallest currency unit (cents for euro)	n12	E.g.: 4525 for EUR 45.25
vads_currency	Numeric currency code to be used for the payment, in compliance with the ISO 4217 standard (numeric code).	n3	E.g.: 978 for euro (EUR)
vads_action_mode	Acquisition mode for payment method data	enum	INTERACTIVE
vads_page_action	Action to perform	enum	PAYMENT
vads_version	Version of the exchange protocol with the payment gateway	enum	V2
vads_payment_config	Payment type	enum	SINGLE
vads_payment_cards	Allows to force the card type to be used. It is recommended to provide a different payment button for each payment method on the merchant website. It is recommended not to leave the field empty. See the chapter <i>Managing</i> <i>the payment methods</i> <i>offered to the buyer</i> on page 93 for more information.	enum	E.g.: CB CVCONNECT MASTERCARD VISA SDD
vads_capture_delay	Capture delay	n3	
vads_validation_mode	Validation mode	n1	0 (Automatic)

Field name	Description	Format	Value
signature	Signature guaranteeing the integrity of the requests exchanged between the merchant website and the payment gateway.	ans44	Compute the value of the signature field using all the fields of your form starting with vads_ (see chapter Computing the signature).

- 2. Set the vads_payment_config field to SINGLE.
- 3. Set the vads_capture_delay field to 0.
- Set the vads_validation_mode field to 0 for automatic validation (the payment will be automatically captured in the bank).
- 5. Populate the **vads_currency** field with the code of the desired currency using the *currency table* (E.g.: 978 for euro (EUR)).
- 6. Add the fields recommended for increasing chances of frictionless during the payment.
- 7. Add optional fields according to your requirements (see chapter Using additional features).

Example of a form for an immediate payment:

```
<form method="POST" action="https://scelliuspaiement.labanquepostale.fr/vads-payment/">
<input type="hidden" name="vads_action_mode" value="INTERACTIVE" />
<input type="hidden" name="vads_action_mode" value="INTERACTIVE" />
<input type="hidden" name="vads_capture_delay" value="0" />
<input type="hidden" name="vads_capture_delay" value="0" />
<input type="hidden" name="vads_currency" value="TEST" />
<input type="hidden" name="vads_currency" value="978" />
<input type="hidden" name="vads_order_id" value="CX-1254" />
<input type="hidden" name="vads_page_action" value="PAYMENT" />
<input type="hidden" name="vads_page_action" value="CB" />
<input type="hidden" name="vads_payment_config" value="SINGLE" />
<input type="hidden" name="vads_site_id" value="20190626101407" />
<input type="hidden" name="vads_trans_date" value="20190626101407" />
<input type="hidden" name="vads_trans_id" value="Y2" />
<input type="hidden" name="vads_version" value="Y2" />
```

A deferred payment is a payment debited all at once with a capture delay that is strictly greater than 0 days.

An information request will be made if the capture delay is greater than the validity period of an authorization request (see chapter *Authorization request validity period* on page 23).

The information request is made in order to check the card validity. For acquirers who do not support information requests, an authorization request for EUR 1 will be made.

1. Use all the fields presented in the table below to create your payment form.

Field name	Description	Format	Value
vads_site_id	Shop ID	n8	E.g.: 12345678
vads_ctx_mode	Mode of interaction with the payment gateway	enum	TEST or PRODUCTION
vads_trans_id	Transaction number. Must be unique within the same day (from 00:00:00 UTC to 23:59:59 UTC). Warning: this field is not case sensitive.	an6	E.g.: xrT15p
vads_trans_date	Date and time of the payment form in UTC format	n14	Respect the YYYYMMDDHHMMSS format E.g.: 20200101130025
vads_amount	Payment amount in the smallest currency unit (cents for euro)	n12	E.g.: 4525 for EUR 45.25
vads_currency	Numeric currency code to be used for the payment, in compliance with the ISO 4217 standard (numeric code).	n3	E.g.: 978 for euro (EUR)
vads_action_mode	Acquisition mode for payment method data	enum	INTERACTIVE
vads_page_action	Action to perform	enum	PAYMENT
vads_version	Version of the exchange protocol with the payment gateway	enum	V2
vads_payment_config	Payment type	enum	SINGLE
vads_payment_cards	Allows to force the card type to be used. It is recommended to provide a different payment button for each payment method on the merchant website. It is recommended not to leave the field empty. See the chapter <i>Managing</i> <i>the payment methods</i> <i>offered to the buyer</i> on	enum	E.g.: CB CVCONNECT MASTERCARD VISA SDD

Field name	Description	Format	Value
	page 93 for more information.		
vads_capture_delay	Delay before capture in the bank, the value must be greater than 0	n3	E.g.: <mark>3</mark>
vads_validation_mode	Specifies the validation mode of the transaction (manually by the merchant, or automatically by the payment gateway).	n1	0 or 1 or absent or empty
signature	Signature guaranteeing the integrity of the requests exchanged between the merchant website and the payment gateway.	ans44	Compute the value of the signature field using all the fields of your form starting with vads_ (see chapter Computing the signature).

- 2. Set the vads_payment_config field to SINGLE.
- 3. Set the vads_capture_delay field to a value greater than 0.
- 4. Set the vads_validation_mode field to 0 for an automatic validation (the payment will be automatically captured at the bank) or to 1 for a manual validation (the payment will be captured in the bank after a manual validation in the Merchant Back Office).
- Fill in the vads_currency field with the code of the desired currency using the currency table (E.g.: 978 for euro (EUR)
- 6. Add the fields recommended for increasing chances of frictionless during the payment.
- 7. Add optional fields according to your requirements (see chapter Using additional features).

Example of a form for a deferred payment:

```
<form method="POST" action="https://scelliuspaiement.labanquepostale.fr/vads-payment/">
<input type="hidden" name="vads_action_mode" value="INTERACTIVE" />
<input type="hidden" name="vads_amount" value="3000" />
<input type="hidden" name="vads_capture_delay" value="3" />
<input type="hidden" name="vads_ctx_mode" value="TEST" />
<input type="hidden" name="vads_currency" value="978" />
<input type="hidden" name="vads_page_action" value="PAYMENT" />
<input type="hidden" name="vads_pagment_cards" value="CB" />
<input type="hidden" name="vads_site_id" value="SINGLE" />
<input type="hidden" name="vads_site_id" value="20190629130025" />
<input type="hidden" name="vads_trans_date" value="20190629130025" />
<input type="hidden" name="vads_version" value="V2" />
```



Under PSD2, strong authentication is required upon the payment of the first installment. The vads_threeds_mpi field is ignored and the CHALLENGE_MANDATE value is automatically applied.

This payment mode allows the merchant to offer payment facilities to the buyer.

The payment form defines the number of installments and the interval between them.

The first installment works the same way as an immediate payment.

The next installment(s) is similar to (a) deferred payment(s).

Reminder:

Notification rules have to be activated depending on the installment. See chapter *Setting up notifications* for more information.

Details:

The **vads_amount** field contains the total amount of the order. This is the amount that will be split according to the value of the **vads_payment_config** field.

The date of the last installment cannot exceed one year after the date of the form submission. Otherwise, an error message will appear and the form will be rejected.

Field name	Description	Format	Value
vads_site_id	Shop ID	n8	E.g.: 12345678
vads_ctx_mode	Mode of interaction with the payment gateway	enum	TEST or PRODUCTION
vads_trans_id	Transaction number. Must be unique within the same day (from 00:00:00 UTC to 23:59:59 UTC). Warning: this field is not case sensitive.	an6	E.g.: xrT15p
vads_trans_date	Date and time of the payment form in UTC format	n14	Respect the YYYYMMDDHHMMSS format E.g.: 20200101130025
vads_amount	Payment amount in the smallest currency unit (cents for euro)	n12	E.g.: 4525 for EUR 45.25
vads_currency	Numeric currency code to be used for the payment, in compliance with the ISO 4217 standard (numeric code).	n3	E.g.: 978 for euro (EUR)
vads_action_mode	Acquisition mode for payment method data	enum	INTERACTIVE
vads_page_action	Action to perform	enum	PAYMENT
vads_version	Version of the exchange protocol with the payment gateway	enum	V2

1. Use all the fields below to create your payment form.

Field name	Description	Format	Value
vads_payment_config	Payment type	enum	See step 2.
vads_payment_cards	Allows to force the card type to be used. It is recommended to provide a different payment button for each payment method on the merchant website. It is recommended not to leave the field empty. See the chapter <i>Managing</i> <i>the payment methods</i> <i>offered to the buyer</i> on page 93 for more information.	enum	E.g.: • CB • MASTERCARD • VISA
vads_capture_delay	Capture delay	n3	
vads_validation_mode	Specifies the validation mode of the transaction (manually by the merchant, or automatically by the payment gateway).	n1	0 or 1 or absent or empty
signature	Signature guaranteeing the integrity of the requests exchanged between the merchant website and the payment gateway.	ans44	Compute the value of the signature field using all the fields of your form starting with vads_ (see chapter Computing the signature).

2. Populate the vads_payment_config field using the following syntax:

• Fixed payment amounts and dates:

MULTI:first=1000;count=3;period=30 where:

"first" corresponds to the amount (in the smallest currency unit) of the first installment made on the day of payment,

"count" represents the total number of installments,

"period" determines the interval between each installment.

• Custom installment amounts and dates:

MULTI_EXT:date1=amount1;date2=amount2;date3=amount3 where:

date1=amount1 defines the date and the amount of the first transfer.

The amounts are presented in the smallest currency unit. The total amount must be equal to the value of the **vads_amount** field.

The dates are presented in the YYYYMMDD format.

- 3. Set the vads_capture_delay field to 0. The first payment will be captured in the bank on the same day.
- Set the vads_validation_mode field to 0 for automatic validation (the payment will be automatically captured in the bank) or to 1 for manual validation (manual operation performed via the Merchant Back Office).

The validation mode applies to all the installments.

- Populate the vads_currency field with the code of the desired currency using the currency table (E.g.: 978 for euro (EUR)).
- 6. Add the fields recommended for increasing chances of frictionless during the payment.
- 7. Add optional fields according to your requirements (see chapter Using additional features).

Example of installment payment form (fixed amounts and payment dates):

```
<form method="POST" action="https://scelliuspaiement.labanquepostale.fr/vads-payment/">
<input type="hidden" name="vads_action_mode" value="INTERACTIVE" />
<input type="hidden" name="vads_amount" value="3000" />
<input type="hidden" name="vads_ctx_mode" value="TEST" />
<input type="hidden" name="vads_currency" value="978" />
<input type="hidden" name="vads_page_action" value="PAYMENT" />
<input type="hidden" name="vads_page_action" value="MULTI:first=1000;count=3;period=30"/>
<input type="hidden" name="vads_site_id" value="12345678" />
<input type="hidden" name="vads_trans_date" value="20190629180150" />
<input type="hidden" name="vads_trans_id" value="1N015m" />
<input type="hidden" name="vads_version" value="V2" />
<input type="hidden" name="vads_version" value="V2" />
<input type="hidden" name="signature" value="zrhUNkAciZSE16mS4BbhV3qkYUBB9RYJQCdg1kU0ELU="/>
</form>
```

Example of installment payment form (custom amounts and payment dates):

```
<form method="POST" action="https://scelliuspaiement.labanquepostale.fr/vads-payment/">
<input type="hidden" name="vads_action_mode" value="INTERACTIVE" />
<input type="hidden" name="vads_amount" value="3000" />
<input type="hidden" name="vads_capture_delay" value="0" />
<input type="hidden" name="vads_ctx_mode" value="TEST" />
<input type="hidden" name="vads_currency" value="TEST" />
<input type="hidden" name="vads_page_action" value="PAYMENT" />
<input type="hidden" name="vads_page_action" value="PAYMENT" />
<input type="hidden" name="vads_page_action" value="After type"
MULTI_EXT:20140201=1000;20140301=1000;20140401=1000" />
<input type="hidden" name="vads_site_id" value="12345678" />
<input type="hidden" name="vads_trans_date" value="20190629130025" />
<input type="hidden" name="vads_trans_id" value="130025" />
<input type="hidden" name="vads_trans_id" value="V2" />
<input type="hidden" name="vads_version" value="V2" />
<input type="hidden" name="signature" value="75ds6Z+R1Q1axRsb1pChyQh50U3oCle5F0irD4V/Bzk="/>
```

This payment mode allows to make sure that the buyer's card data is correct without debiting it.

If needed, the merchant will be able to debit the desired amount from the card account by using the **Duplicate** function of the **Merchant Back Office.** To do this:

- the manual validation mode is used,
- the merchant must not validate transactions manually.
- 1. Use all the fields of the table below to create your payment form.

Field name	Description	Format	Value
vads_site_id	Shop ID	n8	E.g.: 12345678
vads_ctx_mode	Mode of interaction with the payment gateway	enum	TEST or PRODUCTION
vads_trans_id	Transaction number. Must be unique within the same day (from 00:00:00 UTC to 23:59:59 UTC). Warning: this field is not case sensitive.	an6	E.g.: xrT15p
vads_trans_date	Date and time of the payment form in UTC format	n14	Respect the YYYYMMDDHHMMSS format E.g.: 20200101130025
vads_amount	Payment amount in the smallest currency unit (cents for euro)	n12	E.g.: 4525 for EUR 45.25
vads_currency	Numeric currency code to be used for the payment, in compliance with the ISO 4217 standard (numeric code).	n3	E.g.: 978 for euro (EUR)
vads_action_mode	Acquisition mode for payment method data	enum	INTERACTIVE
vads_page_action	Action to perform	enum	PAYMENT
vads_version	Version of the exchange protocol with the payment gateway	enum	V2
vads_payment_config	Payment type	enum	<mark>SINGLE</mark>
vads_capture_delay	Capture delay	n3	
vads_validation_mode	Validation mode	n1	1 (Manual)
signature	Signature guaranteeing the integrity of the requests exchanged between the merchant website and the payment gateway.	ans44	Compute the value of the signature field using all the fields of your form starting with vads_ (see chapter Computing the signature).

- 2. Set the value of the vads_amount field to a small amount. It will not affect the authorization limit of the card.
- 3. Set the vads_validation_mode field to 1.
- 4. Populate the **vads_currency** field with the code of the desired currency using the *currency table* (E.g.: 978 for euro (EUR)).

5. Add optional fields according to your requirements (see chapter Using additional features).

Example of a form for an authorization without capture:

<form a<="" method="POST" th=""><th>action="https://scelliuspaiement.labanquepostale.fr/vads-payment/"></th></form>	action="https://scelliuspaiement.labanquepostale.fr/vads-payment/">
<input <="" td="" type="hidden"/> <td><pre>name="vads action mode" value="INTERACTIVE" /></pre></td>	<pre>name="vads action mode" value="INTERACTIVE" /></pre>
<input <="" td="" type="hidden"/> <td>name="vads amount" value="100" /></td>	name="vads amount" value="100" />
<input <="" td="" type="hidden"/> <td>name="vads capture delay" value="0" /></td>	name="vads capture delay" value="0" />
<input <="" td="" type="hidden"/> <td>name="vads ctx mode" value="TEST" /></td>	name="vads ctx mode" value="TEST" />
<input <="" td="" type="hidden"/> <td>name="vads currency" value="978" /></td>	name="vads currency" value="978" />
<input <="" td="" type="hidden"/> <td>name="vads page action" value="PAYMENT" /></td>	name="vads page action" value="PAYMENT" />
<input <="" td="" type="hidden"/> <td>name="vads validation mode" value="1"/></td>	name="vads validation mode" value="1"/>
<input <="" td="" type="hidden"/> <td>name="vads site id" value="12345678" /></td>	name="vads site id" value="12345678" />
<input <="" td="" type="hidden"/> <td>name="vads trans date" value="20190628073753" /></td>	name="vads trans date" value="20190628073753" />
<input <="" td="" type="hidden"/> <td>name="vads trans id" value="3jj7A8" /></td>	name="vads trans id" value="3jj7A8" />
<input <="" td="" type="hidden"/> <td>name="vads version" value="V2" /></td>	name="vads version" value="V2" />
<input <="" td="" type="hidden"/> <td><pre>name="signature" value= "DvltInRYXRroOZ/KnNdJSlpVr++29ZGty4nj1Y7yczU="/></pre></td>	<pre>name="signature" value= "DvltInRYXRroOZ/KnNdJSlpVr++29ZGty4nj1Y7yczU="/></pre>
<input <="" td="" type="submit"/> <td>name="pay" value="Pay" /></td>	name="pay" value="Pay" />
11. USING ADDITIONAL FEATURES

At the end of payment, the buyer has the possibility to return to the merchant website via a return URL. This URL is called **Return URL**.

It is not to be confused with **Instant notification URL (IPN)** (see chapter *Managing the interaction with the merchant website*).

11.1.1. Defining the Return URLs

In the payment form, the merchant can override the configuration of the Merchant Back Office. To do so, the merchant can:

- Use 4 different URLs depending on the payment result:
 - Payment accepted
 - Payment declined
 - Payment abandoned
 - Payment error
- Or use a single URL independently of the payment result.

Defining the return URLs depending on the payment result

Use the optional fields presented in the table below to create a customized payment form.

If no URL is specified in the form, the value populated in the Merchant Back Office will be used.

Field name	Description	Format	Value	
vads_url_cancel	URL to which the buyer will be redirected upon clicking on "Cancel and return to shop" before proceeding to the payment.	ans1024	E.g.: http://demo.com/ cancel.php	
vads_url_error	URL to which the buyer will be redirected in case of a processing error on the payment gateway.	ans1024	E.g.: http://demo.com/ 24 error.php	
vads_url_refused	_refused URL to which the buyer will be redirected in case of a declined payment after having clicked on "Return to shop".		E.g.: http://demo.com/ refused.php	
vads_url_success	URL to which the buyer will be redirected in case of an accepted payment after having clicked on "Return to shop".	ans1024	E.g.: http://demo.com/ success.php	

Example of a payment form with configuration of a return URL depending on the payment result:

<form a<br="" method="POST"><input <="" th="" type="hidden"/><th>action="https://scelliuspaiement.labanquepostale.fr/vads-payment/"> name="vads_action_mode" value="INTERACTIVE" /></th></form>	action="https://scelliuspaiement.labanquepostale.fr/vads-payment/"> name="vads_action_mode" value="INTERACTIVE" />
<input <="" td="" type="hidden"/> <td>name="vads_amount" value="3000" /></td>	name="vads_amount" value="3000" />
<input <="" td="" type="hidden"/> <td>name="vads capture delay" value="0" /></td>	name="vads capture delay" value="0" />
<input <="" td="" type="hidden"/> <td>name="vads ctx mode" value="PRODUCTION" /></td>	name="vads ctx mode" value="PRODUCTION" />
<input <="" td="" type="hidden"/> <td>name="vads currency" value="978" /></td>	name="vads currency" value="978" />
<input <="" td="" type="hidden"/> <td>name="vads page action" value="PAYMENT" /></td>	name="vads page action" value="PAYMENT" />
<input <="" td="" type="hidden"/> <td>name="vads payment config" value="SINGLE" /></td>	name="vads payment config" value="SINGLE" />
<input <="" td="" type="hidden"/> <td>name="vads_site id" value="12345678" /></td>	name="vads_site id" value="12345678" />
<input <="" td="" type="hidden"/> <td>name="vads trans date" value="20191126101407" /></td>	name="vads trans date" value="20191126101407" />
<input <="" td="" type="hidden"/> <td>name="vads trans id" value="pm197W" /></td>	name="vads trans id" value="pm197W" />
<input <="" td="" type="hidden"/> <td>name="vads_url_cancel" value="http://demo.com/cancel.php" /></td>	name="vads_url_cancel" value="http://demo.com/cancel.php" />
<pre><input <="" pre="" type="hidden"/></pre>	<pre>name="vads url error" value="http://demo.com/error.php" /></pre>
<pre><input <="" pre="" type="hidden"/></pre>	name="vads_url_refused" value="http://demo.com/refused.php" />
<input <="" td="" type="hidden"/> <td>name="vads url success" value="http://demo.com/success.php" /></td>	name="vads url success" value="http://demo.com/success.php" />
<input <="" td="" type="hidden"/> <td>name="vads version" value="V2" /></td>	name="vads version" value="V2" />
<input <="" td="" type="hidden"/> <td><pre>name="signature" value="lZIHzigiwCc6+uLStp8I5DQnbSqXu63Jtfo6Saeq3Mc="/></pre></td>	<pre>name="signature" value="lZIHzigiwCc6+uLStp8I5DQnbSqXu63Jtfo6Saeq3Mc="/></pre>
<input <="" td="" type="submit"/> <td>name="pay" value="Pay"/></td>	name="pay" value="Pay"/>

Setting up a unique return URL regardless of the payment outcome

Use the optional field **vads_url_return** to set up a redirection URL at the end of payment.

If no URL is specified in the form, the value populated in the Merchant Back Office will be used.

Example of a payment form with a unique return URL regardless of the payment result:

<pre><form action="https://scelliuspaiement.labanquepostale.fr/vads-pa</pre></th><th>yment/" method="POST"></form></pre>	
<input name="vads action mode" type="hidden" value="INTERACTIVE"/>	
<input name="vads amount" type="hidden" value="3000"/>	
<pre><input name="vads capture delay" type="hidden" value="0"/></pre>	
<input name="vads ctx mode" type="hidden" value="PRODUCTION"/>	
<pre><input name="vads currency" type="hidden" value="978"/></pre>	
<input name="vads page action" type="hidden" value="PAYMENT"/>	
<input name="vads payment config" type="hidden" value="SINGLE"/>	
<input name="vads site id" type="hidden" value="12345678"/>	
<pre><input name="vads trans date" type="hidden" value="20191126101407"/></pre>	
<input name="vads trans id" type="hidden" value="xrTYh2"/>	
<pre><input <="" name="vads url return" pre="" type="hidden" value="http://demo.com/return.php"/></pre>	/>
<input name="vads version" type="hidden" value="V2"/>	
<input name="signature" type="hidden" value="ZI/GhI0GbeqqoXGeoZuPOy55SKQSYzR01i</td><td>.6r5ku6vOs="/>	
<input name="pay" type="submit" value="Pay"/>	

For statistical purposes or to display customized pages, the merchant site must be able to analyze certain data transmitted to the buyer's browser.

By default, the payment gateway does not transmit any data when redirecting to the return URL.

However, the merchant website may activate the transmission of data to the return URL via the payment form.

Use the **vads_return_mode** optional field to specify the method for submitting data to the merchant website.

Value	Description
Absent, empty or NONE	No data is transmitted.
GET	The data is transmitted in the browser URL.
POST	The date is transmitted via an HTTP in POST request.

The **GET** method allows to keep a notification message from appearing when the return is done from an **insecure environment (http)**.

Security	Warning	
?	Although this page is encrypted, the information you have entered is to be sent over an unencrypted connection and could easily be read by a third party.	
	Are you sure you want to continue sending this information?	
	Continue	

Example of a payment form with definition of the mode for data transmission:

<form a<="" method="POST" th=""><th>action="https://scelliuspaiement.labanquepostale.fr/vads-payment/"></th></form>	action="https://scelliuspaiement.labanquepostale.fr/vads-payment/">
<input <="" td="" type="hidden"/> <td>name="vads_action_mode" value="INTERACTIVE" /></td>	name="vads_action_mode" value="INTERACTIVE" />
<input <="" td="" type="hidden"/> <td>name="vads amount" value="3000" /></td>	name="vads amount" value="3000" />
<input <="" td="" type="hidden"/> <td>name="vads_capture_delay" value="0" /></td>	name="vads_capture_delay" value="0" />
<input <="" td="" type="hidden"/> <td>name="vads_ctx_mode" value="PRODUCTION" /></td>	name="vads_ctx_mode" value="PRODUCTION" />
<input <="" td="" type="hidden"/> <td>name="vads currency" value="978" /></td>	name="vads currency" value="978" />
<input <="" td="" type="hidden"/> <td>name="vads_page_action" value="PAYMENT" /></td>	name="vads_page_action" value="PAYMENT" />
<input <="" td="" type="hidden"/> <td>name="vads payment config" value="SINGLE" /></td>	name="vads payment config" value="SINGLE" />
<input <="" td="" type="hidden"/> <td>name="vads_return_mode" value="GET" /></td>	name="vads_return_mode" value="GET" />
<input <="" td="" type="hidden"/> <td>name="vads site id" value="12345678" /></td>	name="vads site id" value="12345678" />
<input <="" td="" type="hidden"/> <td>name="vads trans date" value="20190626101407" /></td>	name="vads trans date" value="20190626101407" />
<input <="" td="" type="hidden"/> <td>name="vads trans id" value="239848" /></td>	name="vads trans id" value="239848" />
<input <="" td="" type="hidden"/> <td><pre>name="vads url return" value="http://demo.com/return.php" /></pre></td>	<pre>name="vads url return" value="http://demo.com/return.php" /></pre>
<input <="" td="" type="hidden"/> <td>name="vads_version" value="V2" /></td>	name="vads_version" value="V2" />
<input <="" td="" type="hidden"/> <td><pre>name="signature" value="oTCT+70c+xttdGmcp9qa6/0pSSfNxoMtl8U1J11+LtE="/></pre></td>	<pre>name="signature" value="oTCT+70c+xttdGmcp9qa6/0pSSfNxoMtl8U1J11+LtE="/></pre>
<input <="" td="" type="submit"/> <td>name="pay" value="Pay"/></td>	name="pay" value="Pay"/>

In the payment form, the merchant can indicate if he/she wishes to automatically redirect the buyer to the merchant website at the end of payment.

If you use a tracking code (e.g. Google Analytics[™]) on your website, you must implement this function.

1. Use optional fields according to your requirements.

Field name	Description
vads_redirect_success_timeout	Defines the delay before redirection following an accepted payment. This delay is presented in seconds and must be between 0 and 300 sec.
vads_redirect_success_message	Defines the message that appears before redirection following a successful payment.
vads_redirect_error_timeout	Defines the delay before the redirection that follows a declined payment. This delay is presented in seconds and must be between 0 and 300 sec.
vads_redirect_error_message	Defines the message that appears before the redirection that follows a declined payment.

If you set the timeout to zero (= 0 delay) your redirection will be done as follows:

- For an *accepted payment*, the buyer will be redirected to *vads_url_success*.
- For a canceled payment, the buyer will be redirected to vads_url_cancel if this parameter is defined.
 - If the parameter is not defined, the buyer will be redirected to the return URL entered in the **vads_url_return** field or to the return URL entered in the Merchant Back Office.
 - If the return URL is not set, the buyer will be redirected to the merchant website.
- For a *declined payment*, the buyer will be redirected to *vads_url_refused* if the setting is defined.

2. Set the vads_return_mode field to GET.

Example of a payment form:

i)

<form action="https://scelliuspaiement.labanquepostale.fr/vads-payment/" method="POST"></form>
<input name="vads_action_mode" type="hidden" value="INTERACTIVE"/>
<input name="vads amount" type="hidden" value="3000"/>
<input name="vads capture delay" type="hidden" value="0"/>
<input name="vads ctx mode" type="hidden" value="PRODUCTION"/>
<pre><input name="vads currency" type="hidden" value="978"/></pre>
<pre><input name="vads page action" type="hidden" value="PAYMENT"/></pre>
<input name="vads payment config" type="hidden" value="SINGLE"/>
<pre><input name="vads_redirect_error_message" type="hidden" value="You will be redirected to your</pre></td></tr><tr><td>merchant website"/></pre>
\leq input type="hidden" name="wads redirect error timeout" value="0" />
tinpat type midden mame tab_rearrest_error_ermedut tarde t //
<pre><input hidden"="" name="vads_redirect_success_message" type="hidden" value="You will be redirected to your
merchant website"/></pre>
<pre><input name="vads_redirect_success_message" type="hidden" value="You will be redirected to your merchant website"/> <input name="vads_redirect_success_timeout" type="hidden" value="0"/></pre>
<pre><input name="vads_redirect_success_message" type="hidden" value="You will be redirected to your merchant website"/> <input name="vads_redirect_success_timeout" type="hidden" value="0"/> <input name="vads_return_mode" type="hidden" value="GET"/></pre>
<pre><input name="vads_redirect_success_message" type="hidden" value="You will be redirected to your merchant website"/> <input name="vads_redirect_success_timeout" type="hidden" value="0"/> <input name="vads_return_mode" type="hidden" value="GET"/> <input name="vads_site id" type="hidden" value="AL3d8Q"/></pre>
<pre><input name="vads_redirect_success_message" type="hidden" value="You will be redirected to your merchant website"/> <input name="vads_redirect_success_timeout" type="hidden" value="0"/> <input name="vads_return_mode" type="hidden" value="GET"/> <input name="vads_site_id" type="hidden" value="AL3d8Q"/> <input name="vads_trans_date" type="hidden" value="20190626101407"/></pre>
<pre><input name="vads_redirect_success_message" type="hidden" value="You will be redirected to your merchant website"/> <input name="vads_redirect_success_timeout" type="hidden" value="0"/> <input name="vads_return_mode" type="hidden" value="GET"/> <input name="vads_site_id" type="hidden" value="AL3d8Q"/> <input name="vads_trans_date" type="hidden" value="20190626101407"/> <input name="vads_trans_id" type="hidden" value="239848"/></pre>
<pre><input name="vads_redirect_success_message" type="hidden" value="You will be redirected to your merchant website"/> <input name="vads_redirect_success_timeout" type="hidden" value="0"/> <input name="vads_return_mode" type="hidden" value="GET"/> <input name="vads_site_id" type="hidden" value="AL3d8Q"/> <input name="vads_trans_date" type="hidden" value="20190626101407"/> <input name="vads_trans_id" type="hidden" value="239848"/> <input name="vads_url value=" type="hidden" value="239848"/> <input name="vads_url value=" relime"="" type="hidden" value="239848"/> </pre>
<pre><input name="vads_redirect_success_message" type="hidden" value="You will be redirected to your merchant website"/> <input name="vads_redirect_success_timeout" type="hidden" value="0"/> <input name="vads_return_mode" type="hidden" value="GET"/> <input name="vads_site_id" type="hidden" value="AL3d8Q"/> <input name="vads_trans_date" type="hidden" value="20190626101407"/> <input name="vads_trans_id" type="hidden" value="239848"/> <input name="vads_url_return" type="hidden" value="http://demo.com/return.php"/> <input name="vads_version" type="hidden" value="V2"/></pre>
<pre><input name="vads_redirect_success_message" type="hidden" value="You will be redirected to your merchant website"/> <input name="vads_redirect_success_timeout" type="hidden" value="0"/> <input name="vads_return_mode" type="hidden" value="GET"/> <input name="vads_site_id" type="hidden" value="GET"/> <input name="vads_site_id" type="hidden" value="AL3d8Q"/> <input name="vads_trans_date" type="hidden" value="20190626101407"/> <input name="vads_trans_id" type="hidden" value="239848"/> <input name="vads_url_return" type="hidden" value="http://demo.com/return.php"/> <input name="vads_version" type="hidden" value="V2"/> <input name="vads_version" type="hidden" value="V2"/></pre>
<pre><input name="vads_redirect_success_message" type="hidden" value="You will be redirected to your merchant website"/> <input name="vads_redirect_success_timeout" type="hidden" value="0"/> <input name="vads_return_mode" type="hidden" value="GET"/> <input name="vads_site_id" type="hidden" value="AL3d8Q"/> <input name="vads_trans_date" type="hidden" value="20190626101407"/> <input name="vads_trans_id" type="hidden" value="239848"/> <input name="vads_url_return" type="hidden" value="http://demo.com/return.php"/> <input name="vads_version" type="hidden" value="V2"/> <input name="signature" type="hidden" value="AL3TmizSSN0muYzu63nVvCUWo0ixnMJfpqQmuEa4CSY="/> <input name="pay" type="submit" value="Pay"/></pre>

In the Merchant Back Office, the merchant can configure how payments are sent to the bank (**Settings** > **Shop** menu > **Configuration** tab):

🔅 Configuration	🦐 MOTO payment	t settings	Customization	Advanced customizatio	n 🤶 Certificates	
🌼 Détails						
	Shop ID:	91335531				
	Reference*:]	
	URL*:					
	Capture delay *:	0	day(s)			
V	alidation mode*:	Automati	c 🗸			
		Automati	с			
		Manual		-		

Figure 9: Defining the capture mode

- Automatic: no action is necessary, the payments are captured in the bank once the capture delay has been reached.
- **Manual**: the merchant must validate each payment via their Merchant Back Office or Web Services, so that it is captured in the bank before the authorization request expires.

Each transaction that has not been validated by the expected date is considered as expired and will never be captured in the bank.

By default, the Merchant Back Office is configured to automatically submit all payments to the bank.

The merchant can override this configuration in their payment form.

The merchant must implement the desired criteria (stock status, delay for stock replenishment, etc.) allowing the buyer to decide whether the transaction must be captured automatically or not.

Use the **vads_validation_mode** field to configure the capture mode (manual or automatic).

This field will be resent with the response and will include the value transmitted in the form.

Value	Description	
Missing or empty	Takes the value defined in the Merchant Back Office.	
0	Automatic capture.	
	Iransaction is automatically validated by the payment gateway.	
	Manual capture.	
1	The transaction must be validated manually by the merchant via their Merchant Back Office (or automatically via the Transaction/Validate Web Service function).	

Example of a payment form with a definition of the capture mode in INTERACTIVE mode:

<form a<br="" method="POST"><input <br="" type="hidden"/><input <br="" type="hidden"/><input <="" th="" type="hidden"/><th><pre>action="https://scelliuspaiement.labanquepostale.fr/vads-payment/"> name="vads_action_mode" value="INTERACTIVE" /> name="vads_amount" value="4000" /> name="vads_capture_delay" value="0" /></pre></th></form>	<pre>action="https://scelliuspaiement.labanquepostale.fr/vads-payment/"> name="vads_action_mode" value="INTERACTIVE" /> name="vads_amount" value="4000" /> name="vads_capture_delay" value="0" /></pre>
<input <="" td="" type="hidden"/> <td>name="vads_ctx_mode" value="TEST" /></td>	name="vads_ctx_mode" value="TEST" />
<input <="" <input="" td="" type="hidden"/> <td>name="vads_currency" value="978" /> name="vads page action" value="PAYMENT" /></td>	name="vads_currency" value="978" /> name="vads page action" value="PAYMENT" />
<input <="" td="" type="hidden"/> <td>name="vads_payment_config" value="SINGLE" /></td>	name="vads_payment_config" value="SINGLE" />
<input <="" td="" type="hidden"/> <td>name="vads_site_id" value="12345678" /></td>	name="vads_site_id" value="12345678" />
<input <="" td="" type="hidden"/> <td>name="vads_trans_date" value="2019062616414/" /></td>	name="vads_trans_date" value="2019062616414/" />
<input <="" td="" type="hidden"/> <td>name="vads_trans_td_value="v2" /></td>	name="vads_trans_td_value="v2" />
<input <="" td="" type="hidden"/> <td>name="vads_validation_mode" value="1" /></td>	name="vads_validation_mode" value="1" />
<input <="" td="" type="hidden"/> <td><pre>name="signature" value="cJFhNTLXQ4o6BgbW1pMMoM2yMilw900IqmFjJ6DeUmA= /></pre></td>	<pre>name="signature" value="cJFhNTLXQ4o6BgbW1pMMoM2yMilw900IqmFjJ6DeUmA= /></pre>
<input <br="" type="submit"/>	name="pay" value="Pay"/>

The Merchant can specify the buyer details (e-mail address, title/civil status, phone number, etc.). This information will be used to create the invoice.

All the data transmitted via the payment form can be viewed in the transaction details in the Merchant Back Office (**Buyer** tab).

Use optional fields according to your requirements. *These fields will be returned with the response and will include the value transmitted in the form.*

Field name	Description	Format	Value
vads_cust_email	Buyer's e-mail address	ans150	E.g.: abc@example.com
vads_cust_id	Buyer reference on the merchant website	Buyer reference on the an63 E.g.: C23833335	
vads_cust_national_id	National identifier	ans255	E.g.: 940992310285
vads_cust_title	Buyer's title	an63	E.g.: M
vads_cust_status	Status	enum	PRIVATE: for private clients COMPANY: for companies
vads_cust_first_name	First name	ans63	E.g.: Laurent
vads_cust_last_name	Last name	ans63	E.g.: Durant
vads_cust_legal_name	Buyer's legal name	ans100	E.g.: D. & Cie
vads_cust_phone	Phone number	an32	E.g.: 0467330222
vads_cust_cell_phone	Cell phone number	an32	E.g.: 06 12 34 56 78
vads_cust_address_number	Street number	ans64	E.g.: 109
vads_cust_address	Postal address	ans255	E.g.: Rue de l'innovation
vads_cust_address2	Address line 2	ans255	E.g.:
vads_cust_district	District	ans127	E.g.: Centre ville
vads_cust_zip	Zip code	an64	E.g.: 31670
vads_cust_city	City	an128	E.g.: Labège
vads_cust_state	State / Region	ans127	E.g.: Occitanie
vads_cust_country	Country code in compliance with the ISO 3166 alpha-2 standard	a2	E.g.: "FR" for France, "PF" for French Polynesia, "NC" for New Caledonia, "US" for the United States.

Example of payment form with buyer details:

<form n<="" th=""><th>method="POST" a</th><th>action="https://scelliuspaiement.labanquepostale.fr/vads-payment/"></th></form>	method="POST" a	action="https://scelliuspaiement.labanquepostale.fr/vads-payment/">
<input< td=""><td>type="hidden"</td><td>name="vads action mode" value="INTERACTIVE" /></td></input<>	type="hidden"	name="vads action mode" value="INTERACTIVE" />
<input< td=""><td>type="hidden"</td><td>name="vads amount" value="4000" /></td></input<>	type="hidden"	name="vads amount" value="4000" />
<input< td=""><td>type="hidden"</td><td>name="vads capture delay" value="0" /></td></input<>	type="hidden"	name="vads capture delay" value="0" />
<input< td=""><td>type="hidden"</td><td>name="vads ctx mode" value="PRODUCTION" /></td></input<>	type="hidden"	name="vads ctx mode" value="PRODUCTION" />
<input< td=""><td>type="hidden"</td><td>name="vads_currency" value="978" /></td></input<>	type="hidden"	name="vads_currency" value="978" />
<input< td=""><td>type="hidden"</td><td><pre>name="vads_cust_country" value="FR" /></pre></td></input<>	type="hidden"	<pre>name="vads_cust_country" value="FR" /></pre>
<input< td=""><td>type="hidden"</td><td><pre>name="vads_cust_email" value="smith.john@example.com" /></pre></td></input<>	type="hidden"	<pre>name="vads_cust_email" value="smith.john@example.com" /></pre>
<input< td=""><td>type="hidden"</td><td>name="vads_cust_first_name" value="John" /></td></input<>	type="hidden"	name="vads_cust_first_name" value="John" />
<input< td=""><td>type="hidden"</td><td>name="vads_cust_last_name" value="Smith" /></td></input<>	type="hidden"	name="vads_cust_last_name" value="Smith" />
<input< td=""><td>type="hidden"</td><td>name="vads_cust_title" value="Mr" /></td></input<>	type="hidden"	name="vads_cust_title" value="Mr" />
<input <input< td=""><td>type="hidden" type="hidden"</td><td><pre>name="vads_cust_title" value="Mr" /> name="vads page action" value="PAYMENT" /></pre></td></input<></input 	type="hidden" type="hidden"	<pre>name="vads_cust_title" value="Mr" /> name="vads page action" value="PAYMENT" /></pre>
<input <input <input< td=""><td>type="hidden" type="hidden" type="hidden"</td><td><pre>name="vads_cust_title" value="Mr" /> name="vads_page_action" value="PAYMENT" /> name="vads payment config" value="SINGLE" /></pre></td></input<></input </input 	type="hidden" type="hidden" type="hidden"	<pre>name="vads_cust_title" value="Mr" /> name="vads_page_action" value="PAYMENT" /> name="vads payment config" value="SINGLE" /></pre>
<input <input <input <input< td=""><td>type="hidden" type="hidden" type="hidden" type="hidden"</td><td><pre>name="vads_cust_title" value="Mr" /> name="vads_page_action" value="PAYMENT" /> name="vads_payment_config" value="SINGLE" /> name="vads_site_id" value="12345678" /></pre></td></input<></input </input </input 	type="hidden" type="hidden" type="hidden" type="hidden"	<pre>name="vads_cust_title" value="Mr" /> name="vads_page_action" value="PAYMENT" /> name="vads_payment_config" value="SINGLE" /> name="vads_site_id" value="12345678" /></pre>
<input <input <input <input <input< td=""><td>type="hidden" type="hidden" type="hidden" type="hidden" type="hidden"</td><td><pre>name="vads_cust_title" value="Mr" /> name="vads_page_action" value="PAYMENT" /> name="vads_payment_config" value="SINGLE" /> name="vads_site_id" value="12345678" /> name="vads trans_date" value="20190627133115" /></pre></td></input<></input </input </input </input 	type="hidden" type="hidden" type="hidden" type="hidden" type="hidden"	<pre>name="vads_cust_title" value="Mr" /> name="vads_page_action" value="PAYMENT" /> name="vads_payment_config" value="SINGLE" /> name="vads_site_id" value="12345678" /> name="vads trans_date" value="20190627133115" /></pre>
<pre><input <input="" <input<="" pre=""/></pre>	type="hidden" type="hidden" type="hidden" type="hidden" type="hidden"	<pre>name="vads_cust_title" value="Mr" /> name="vads_page_action" value="PAYMENT" /> name="vads_payment_config" value="SINGLE" /> name="vads_site_id" value="12345678" /> name="vads_trans_date" value="20190627133115" /> name="vads_trans_id" value="522754" /></pre>
<pre><input <input="" <input<="" pre=""/></pre>	type="hidden" type="hidden" type="hidden" type="hidden" type="hidden" type="hidden"	<pre>name="vads_cust_title" value="Mr" /> name="vads_page_action" value="PAYMENT" /> name="vads_payment_config" value="SINGLE" /> name="vads_site_id" value="12345678" /> name="vads_trans_date" value="20190627133115" /> name="vads_trans_id" value="522754" /> name="vads_version" value="V2" /></pre>
<pre><input <="" <input="" pre=""/></pre>	type="hidden" type="hidden" type="hidden" type="hidden" type="hidden" type="hidden" type="hidden"	<pre>name="vads_cust_title" value="Mr" /> name="vads_page_action" value="PAYMENT" /> name="vads_payment_config" value="SINGLE" /> name="vads_site_id" value="12345678" /> name="vads_trans_date" value="20190627133115" /> name="vads_trans_id" value="522754" /> name="vads_version" value="V2" /> name="signature" value="rEFhNTLXQ4o6BgbW1pTMoM2yMilw900IqmFjJ6DeCxP="/></pre>
<pre><input <="" <input="" pre=""/></pre>	<pre>type="hidden" type="hidden" type="hidden" type="hidden" type="hidden" type="hidden" type="hidden" type="hidden"</pre>	<pre>name="vads_cust_title" value="Mr" /> name="vads_page_action" value="PAYMENT" /> name="vads_payment_config" value="SINGLE" /> name="vads_site_id" value="12345678" /> name="vads_trans_date" value="20190627133115" /> name="vads_trans_id" value="522754" /> name="vads_version" value="V2" /> name="signature" value="rEFhNTLXQ4o6BgbW1pTMoM2yMilw900IqmFjJ6DeCxP="/> name="pay" value="Pay"/></pre>

The merchant can transmit the buyer's shipping details (e-mail address, title, phone number etc.).

This information can be found in the transaction details in the Merchant Back Office (Shipping tab).

Use optional fields according to your requirements.

These fields will be returned with the response and will include the value transmitted in the form.

Field name	Description	Format	Value	
vads_ship_to_city	City	an128	E.g.: Bordeaux	
vads_ship_to_country	Country code in compliance with the ISO 3166 standard (required for triggering one or more actions if the Shipping country control profile is enabled).	a2	E.g.: FR	
vads_ship_to_district	District	ans127	E.g.: La Bastide	
vads_ship_to_first_name	First name	ans63	E.g.: Albert	
vads_ship_to_last_name	Last name	ans63	E.g.: Durant	
vads_ship_to_legal_name	Legal name	an100	E.g.: D. & Cie	
vads_ship_to_phone_num	Phone number	ans32	E.g.: 0460030288	
vads_ship_to_state	State / Region	ans127	7 E.g.: Nouvelle Aquitaine	
vads_ship_to_status Allows to specify the type of the shipping address. PRIVATI private cOMPA compari COMPA		PRIVATE : for shipping to a private individual COMPANY : for shipping to a company		
vads_ship_to_street_number	Street number	ans64	E.g.: 2	
vads_ship_to_street	Postal address	ans255	E.g.: Rue Sainte Catherine	
vads_ship_to_street2	Address line 2	ans255		
vads_ship_to_zip	Zip code	an64	E.g.: 33000	

Example of payment form with shipping details:

form method="POS1" action="https://scelliuspatement.labanquepostate.ir/vads-payment/">
input type="hidden" name="vads_action_mode" value="INTERACTIVE" />
input type="hidden" name="vads amount" value="4000" />
input type="hidden" name="vads capture delay" value="0" />
input type="hidden" name="vads ctx mode" value="PRODUCTION" />
input type="hidden" name="vads currency" value="978" />
input type="hidden" name="vads page action" value="PAYMENT" />
input type="hidden" name="vads payment config" value="SINGLE" />
input type="hidden" name="vads_ship_to_city" value=" city of the shipping address" />
input type="hidden" name="vads_ship_to_country" value="FR" />
input type="hidden" name="vads_ship_to_name" value="location name of the shipping address" /
input type="hidden" name="vads_ship_to_street" value="street of the shipping address" />
input type="hidden" name="wade ship to street number" walue=" 10 " />
Input type indden name vads_ship_to_street_number varue iv /v
input type="hidden" name="vads_ship_to_siteet_number value="10" />
input type="hidden" name="vads_ship_to_zip" value="31670" /> input type="hidden" name="vads_ship_to_zip" value="12345678" />
input type="hidden" name="vads_ship_to_site" value="31670" /> input type="hidden" name="vads_site_id" value="12345678" /> input type="hidden" name="vads_trans_date" value="20190627143509" />
<pre>input type="hidden" name="vads_ship_to_site" value="31670" /> input type="hidden" name="vads_site_id" value="12345678" /> input type="hidden" name="vads_trans_date" value="20190627143509" /> input type="hidden" name="vads_trans_id" value="561095" /></pre>
<pre>input type="hidden" name="vads_ship_to_zip" value="31670" /> input type="hidden" name="vads_site_id" value="12345678" /> input type="hidden" name="vads_trans_date" value="20190627143509" /> input type="hidden" name="vads_trans_id" value="561095" /> input type="hidden" name="vads_version" value="V2" /></pre>
<pre>input type="hidden" name="vads_ship_to_zip" value="31670" /> input type="hidden" name="vads_site_id" value="12345678" /> input type="hidden" name="vads_trans_date" value="20190627143509" /> input type="hidden" name="vads_trans_id" value="561095" /> input type="hidden" name="vads_version" value="V2" /> input type="hidden" name="signature" value="bOIxHAgm4vYUg3oIDCdEPKOWgrB9bHzkfDBEAr1i10A="/></pre>
<pre>imput type="hidden" name="vads_ship_to_site" value="31670" /> imput type="hidden" name="vads_site_id" value="12345678" /> imput type="hidden" name="vads_trans_date" value="20190627143509" /> imput type="hidden" name="vads_trans_id" value="561095" /> imput type="hidden" name="vads_version" value="V2" /> imput type="hidden" name="signature" value="b0IxHAgm4vYUq3oIDCdEPKOWgrB9bHzkfDBEAr1i10A="/> imput type="submit" name="pay" value="Pay"/></pre>

The merchant can indicate in their payment form if they wish to transfer the order details (order reference, description, shopping cart contents, etc.).

This information can be found in the transaction details in the Merchant Back Office (Shopping cart tab).

1. Use optional fields according to your requirements.

Field name	Description	Format	Value
vads_order_id	Order ID Can contain uppercase or lowercase characters, numbers or hyphens ([A-Z] [a-z], 0-9, _, -).	ans64	E.g.: 2-XQ001
vads_order_info	Additional order info	ans255	E.g.: Door code 3125
vads_order_info2	Additional order info	ans255	E.g.: No elevator
vads_order_info3	Additional order info	ans255	E.g.: Express
vads_nb_products	Number of items in the cart	n12	E.g.: 2
vads_product_ext_idN	Product barcode on the merchant website. N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).	an100	E.g.: vads_product_ext_id0 = "0123654789123654789" vads_product_ext_id1 = "0223654789123654789" vads_product_ext_id2 = "0323654789123654789"
vads_product_labelN	Item name. N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).	ans255	E.g.: vads_product_label0 = "tee- shirt" vads_product_label1 = "Biscuit" vads_product_label2 = "Sandwich"
vads_product_amountN	Price of the item incl. VAT. N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).	n12	E.g.: vads_product_amount0 = "1200" vads_product_amount1 = "800" vads_product_amount2 = "950"
vads_product_typeN	Item type. N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).	enum	E.g.: vads_product_type0 = "CLOTHING_AND_ACCESSORIES vads_product_type1 = "FOOD_AND_GROCERY" vads_product_type2 = "FOOD_AND_GROCERY"
vads_product_refN	Item reference. N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).	an64	E.g.: vads_product_ref0 = "CAA-25-006" vads_product_ref1 = "FAG- B5-112"

Field name	Description	Format	Value
			vads_product_ref2 = "FAG- S9-650"
vads_product_qtyN	Item quantity. N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).	n12	E.g.: vads_product_qty0 = "1" vads_product_qty1 = "2" vads_product_qty2 = "2"

2. Populate thevads_nb_products field with the number of items contained in the cart.

This field becomes mandatory for the shopping cart to be taken into account.

6

When it is populated, the **Shopping cart** tab becomes available in the transaction details in the Merchant Back Office.

However, if the other fields that start with**vads_product_**are not populated, the tab will not include any information. For this reason, when populating the**vads_nb_products**field, it <u>becomes mandatory</u> to populate the other fields that start with**vads_product_**.

3. Populate the vads_product_amountN field with the amount for the items in the cart, using the smallest currency unit.

N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).

4. Populate vads_product_typeN with the value corresponding to the item type.

N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).

Value	Description
FOOD_AND_GROCERY	Food and grocery
AUTOMOTIVE	Cars / Moto
ENTERTAINMENT	Entertainment / Culture
HOME_AND_GARDEN	Home / Gardening
HOME_APPLIANCE	Household appliances
AUCTION_AND_GROUP_BUYING	Auctions / Group purchasing
FLOWERS_AND_GIFTS	Flowers / Presents
COMPUTER_AND_SOFTWARE	Computers / Software
HEALTH_AND_BEAUTY	Health / Beauty
SERVICE_FOR_INDIVIDUAL	Services for individuals
SERVICE_FOR_BUSINESS	Services for companies
SPORTS	Sports
CLOTHING_AND_ACCESSORIES	Clothes / Accessories
TRAVEL	Travel
HOME_AUDIO_PHOTO_VIDEO	Audio / Photo / Video
TELEPHONY	Telephony

- **5.** Populate **vads_product_labelN** with the name of each item contained in the cart. N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).
- **6.** Populate **vads_product_qtyN** with the quantity of each item contained in the cart. N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).
- 7. Populate vads_product_refN with the reference of each item contained in the cart.

N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).

8. Check the value of the vads_amount field. It must correspond to the total amount of the order.

Example of the payment form with "vads_product_xxx" cart description:

<form action="https://scelliuspaiement.labanquepostale.fr/vads-payment/" method="POST"></form>
<input name="vads action mode" type="hidden" value="INTERACTIVE"/>
<input name="vads amount" type="hidden" value="11000"/>
<input name="vads capture delay" type="hidden" value="0"/>
<input name="vads ctx mode" type="hidden" value="PRODUCTION"/>
<input name="vads currency" type="hidden" value="978"/>
<input name="vads_nb_products" type="hidden" value="2"/>
<input name="vads_product_amount0" type="hidden" value="5000"/>
<input name="vads product label0" type="hidden" value="produit1"/>
<input name="vads_product_qty0" type="hidden" value="2"/>
<input name="vads_product_ref0" type="hidden" value="ref1"/>
<pre><input name="vads_product_amount1" type="hidden" value="1000"/></pre>
<input name="vads_product_label1" type="hidden" value="produit2"/>
<input name="vads_product_qty1" type="hidden" value="1"/>
<input name="vads_product_ref1" type="hidden" value="ref2"/>
<input name="vads_order_id" type="hidden" value="CD100000857"/>
<input name="vads_page_action" type="hidden" value="PAYMENT"/>
<input name="vads_payment_config" type="hidden" value="SINGLE"/>
<input name="vads_site_id" type="hidden" value="12345678"/>
<input name="vads_trans_date" type="hidden" value="20190627145218"/>
<input name="vads_trans_id" type="hidden" value="571381"/>
<input name="vads_version" type="hidden" value="V2"/>
<input name="signature" type="hidden" value="xYw1UnU3BACGhf3UEyqbQzpwuvZDEkCAWAE5fgbtfxI="/>
<input name="payer" type="submit" value="Payer"/>

Use case	Values	Description
	1	Deprecated.
CHALLENGE: with	3	3DS Requestor Preference : Allows to request strong authentication for the transaction.
cardholder interaction	4	Challenge request mandate : Allows to indicate that, due to regulatory reasons, strong authentication is required for the transaction.
FRICTIONLESS: without cardholder interaction	2*	 Allows to Request an exemption from strong authentication: Low value transactions. Transactional Risk Analysis (TRA Acquéreur). LRM (Low Risk Merchant). More informations: Table of exemptions, below.
	0 or absent or empty	The choice of the preference is transferred to the
No merchant preference	5	card issuer. If the issuer decides to perform an authentication without interaction (frictionless), the payment will be guaranteed.

Use the vads_threeds_mpi field to transmit your preferences:

*Table of exemptions (value number 2):

Exemptions	Description		
Low value transactions	 In Europe, you can request an exemption from strong authentication, for transactions of less than €30, and within the limit of either 5 successive operations or a cumulative amount of less than €100. If the amount is higher than €30, the value transmitted by the merchant is ignored and the choice of the preference is transferred to the card issuer (No Preference). For payments made in a currency other than euro, a request for frictionless is transmitted to the issuer. If the frictionless request is accepted, the transaction does not benefit from liability shift dispute by the cardholder If the store does not have the "Frictionless 3DS2" option, the choice of the preference) 		
Transactional Risk Analysis (TRA Acquéreur)	the preference is transferred to the card issuer (No Preference).If your store has the "TRA Acquirer 3DS2" option, you can ask the issuer for an exemption from strong authentication if the amount is below the threshold set by your financial institution.If the frictionless request is accepted, the transaction does not benefit from liability shift dispute by the cardholderImage: The "Acquirer 3DS2 TRA" activation option is subject to the 		
LRM (Low Risk Merchant)	CB offers the LRM (=Low Risk Merchant) program. This program is designed to meet the needs of very low-risk, high-volume merchants.		
	You can request an exemption from strong authentication:		

Exemptions	Description		
	 If the amount is less than €100, the exemption is systematic for eligible merchants. 		
	 If the amount is between €100 and €250, an experiment is underway. To qualify, the merchant must : 		
	Have a CB contract.		
	Be eligible for TRA acquéreur.		
	• Transmit the required values in the 3D Secure flow, according to the rules defined by the platform.		
	If the frictionless request is accepted, the transaction does not benefit from liability shift dispute by the cardholder		
	i To benefit from CB's LRM program, you must contact the E-Banking Merchant Support Service to obtain explicit approval.		

You can override the Instant Payment Notification (also called IPN) in the payment form in case you use one shop for various sales channels, payment types, languages, etc.

This feature is not compatible with the execution of the request sent to the IPN via the Merchant Back Office. The called URL is the URL that was set up in the notification rule (see chapter *Setting up notifications*).

Use the vads_url_check field to override the URL of the page to notify.

If the value of the vads_url_check field is wrong, the form will be rejected.

Example of payment form with IPN override:

```
<form method="POST" action="https://scelliuspaiement.labanquepostale.fr/vads-payment/">
<input type="hidden" name="vads_action_mode" value="INTERACTIVE" />
<input type="hidden" name="vads_amount" value="3000" />
<input type="hidden" name="vads_capture_delay" value="0" />
<input type="hidden" name="vads_ctx_mode" value="PRODUCTION" />
<input type="hidden" name="vads_ctx_mode" value="PRODUCTION" />
<input type="hidden" name="vads_currency" value="978" />
<input type="hidden" name="vads_payment_config" value="SINGLE" />
<input type="hidden" name="vads_trans_date" value="12345678" />
<input type="hidden" name="vads_trans_id" value="239848" />
<input type="hidden" name="vads_version" value="239848" />
<input type="hidden" name="vads_version" value="Value="Laberton" />
<input type="hidden" name="vads_version" value="Value="Collaborton" />
<input type="hidden" name="vads_trans_id" value="239848" />
<input type="hidden" name="vads_version" value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Value="Val
```

In the payment form, the Merchant must specify the value of the Merchant ID (MID).

This feature is used only if you have several MIDs that accept the same currency within the same acceptance network.

Use the optional vads_contracts field to define the Merchant ID (MID) to be used.

• To define a list of MIDs, separate them with a semi-colon ";".

vads_contracts=NETWORK_CODE_A=MID_A1;NETWORK_CODE_B=MID_B2

• To exclude a network, add network name=NO.

vads_contracts=NETWORK_CODE_A=NO

• To force the TID, separate the MID number and the TID number by a colon: ": "

vads contracts=NETWORK CODE A=MID A1:TID 1

• If the field is submitted empty, the MID used will be the one defined by the priority order in the Merchant Back Office (Settings > Shop > MID association tab).

List of available networks:

Network code	Description
ACCORD_SANDBOX	Oney network (private and gift cards) - sandbox mode
ACCORD	Oney network (private and gift cards)
ALMA	ALMA network
AMEXGLOBAL	American Express network
AURORE	Cetelem Aurore network (Brand cards and universal Aurore card)
СВ	CB network
CONECS	Titre-Restaurant Conecs network
FULLCB	FULL CB Network (Payment in 3 or 4 times without fees by BNPP PF)
GATECONEX	GATECONEX Network
GIROPAY	GIROPAY network
IDEAL	IDEAL network
IP	Payment initiation (SEPA Credit Transfer and SEPA Instant Credit Transfer) network
JCB	JCB network
PAYCONIQ	Payconiq network
PAYPAL	PayPal network
PAYPAL_SB	PayPal network - sandbox mode
SEPA	SEPA network (SDD and SCT)
SOFORT	Sofort Banking network

Examples:

You have:

- Two MIDs within the A network: MID_A1 and MID_A2
- Two MIDs within the B network: MID_B1 and MID_B2

To specify which MID to use for these two networks, vads_contracts must be populated as follows:

vads_contracts=A=MID_A2;B=MID_B1

To offer a payment only for the MID_A1 contract and prevent payments within the B network, populate **vads_contracts** as follows:

vads_contracts=A=MID_A1;B=NO

In order to force the TID to be used within the A network:

vads_contracts=A=MID_A1:TID_A1

The merchant can transmit specific information in the payment form. For example, the merchant can add information in the payment confirmation e-mail that he or she will receive.

This information will be visible in the Back Office, in transaction details (**Extras** tab), and will also be returned in the notification URL.

The name must begin with vads_ext_info to be taken into account.

vads_ext_info_fieldname=value

- 1. Use the fields required for your use case (see chapter **Generating a payment form**) to create your payment form.
- 2. Use the optional field vads_ext_info depending on your needs and respecting the syntax:

vads_ext_info_fieldname=value
Where:

• fieldname

Allows to define the name of the field.

• value

Allows to define the value of the field.

There are no restrictions to the number of specific fields that can be created.

This/these field(s) will be returned with the response and will include the value transmitted in the form.

Compute the value of the signature field using all the fields of your form that start with vads_ (see chapter Computing the signature).

```
<form method="POST" action="https://scelliuspaiement.labanquepostale.fr/vads-payment/">
<input type="hidden" name="vads_action_mode" value="INTERACTIVE" />
<input type="hidden" name="vads_amount" value="4000" />
<input type="hidden" name="vads_capture_delay" value="0" />
<input type="hidden" name="vads_ctx_mode" value="TEST" />
<input type="hidden" name="vads_ctx_mode" value="TEST" />
</input type="hidden" name="vads_currency" value="978" />
[...]

[...]

input type="hidden" name="vads_ext_info_qty_articles" value="2" /> />

[...]

input type="hidden" name="vads_page_action" value="PAYMENT" />

[...]

[...]

input type="hidden" name="vads_page_action" value="SINGLE" />

input type="hidden" name="vads_site_id" value="12345678" />

input type="hidden" name="vads_trans_date" value="20150826133115" />

input type="hidden" name="vads_version" value="722754" />

input type="hidden" name="vads_version" value="72896adcaf7338930db9715afa123531f42"/>

input type="submit" name="pay" value="Pay"/>
```

The payment facilitator can transmit the details of the sub-merchant involved in the transaction.

This information can be found in the Merchant Back Office by viewing the transaction details (**Sub-merchant** tab).

Field name	Description	Format
vads_submerchant_address	Address of the sub-merchant. Transmitted by the payment facilitator.	ans255
vads_submerchant_address2	Address line 2 of the sub-merchant. Transmitted by the payment facilitator.	ans255
vads_submerchant_city	City of the sub-merchant. Transmitted by the payment facilitator.	ans128
vads_submerchant_company_type	Company type of the sub-merchant. Transmitted by the payment facilitator.	ans60
vads_submerchant_country	Country of the sub-merchant's address (ISO 3166 alpha-2 standard). Transmitted by the payment facilitator.	a2
vads_submerchant_facilitatorId	Payment Facilitator ID. Transmitted by the payment facilitator.	ans128
vads_submerchant_legal_number	Legal Entity Identifier of the sub- merchant. Transmitted by the payment facilitator.	ans24
vads_submerchant_mcc	Merchant Category Code of the sub- merchant. Transmitted by the payment facilitator.	n4
vads_submerchant_mid	Merchant ID number of the sub- merchant. Transmitted by the payment facilitator.	n64
vads_submerchant_name	Legal name of the sub-merchant. Transmitted by the payment facilitator.	ans255
vads_submerchant_phone	Phone number of the sub-merchant. Transmitted by the payment facilitator.	ans32
vads_submerchant_soft_descriptor	Soft descriptor of the sub-merchant that appears on the buyer's bank statement. Transmitted by the payment facilitator.	ans255
vads_submerchant_state	Region of the sub-merchant address. Transmitted by the payment facilitator.	ans128
vads_submerchant_url	URL of the sub-merchant. Transmitted by the payment facilitator.	ans128
vads_submerchant_zip	Zip code of the sub-merchant. Transmitted by the payment facilitator.	an64

12. CUSTOMIZING ELEMENTS ON THE PAYMENT PAGE

Allows to customize certain elements on the payment page:

- the payment methods offered at the moment of payment,
- the language used for displaying the payment pages,
- the languages offered to the buyer on the payment pages,
- the name and the URL of the shop,
- button labels.

Thanks to the **advanced customization** option, you can also:

- create different custom templates of the payment page in order to make it look more similar to your merchant website,
- create different custom templates of e-mails sent to the buyer,
- customize certain labels that appear on the payment pages.

This will result in a better user experience during redirection to proceed to payment.

Consult the *Advanced customization* user manual for more details or contact the E-Banking Merchant Support Service.

12.1. Overriding the custom template

The Merchant Back Office allows:

- to create several custom templates of payment pages,
- to define the template that will be used by default for all your transactions.

The payment form allows to dynamically override the template to be used thanks to the **vads_theme_config** field.

For this, you must use the keyword: **RESPONSIVE_MODEL** and indicate the name of the template to be used (Model_1, Model_2, ...).

Example of use:

<input type="hidden" name="vads_theme_config" value="RESPONSIVE_MODEL=Model_1" />

See the Back Office user manual - Advanced customization for more details on template creation.

See the *vads_theme_config* chapter for more details on using this field.

It is possible to customize the payment methods offered to the buyer by using the **vads_payment_cards** field.

It is recommended to provide a different payment button for each payment method on the merchant website and to transmit the buyer's choice in the **vads_payment_cards** field.

The list of possible values is available in the *Data dictionary*.

For more information, please consult the documentation dedicated to each payment method that you wish to offer.

To offer payment by CB, Visa, Mastercard, Maestro, Visa Electron and e-CB cards, we recommend to only submit the **CB** value.

To offer payment by card via European acquirers (Elavon, Six, Concardis, VR Pay, etc.), we recommend to submit the "VISA" or "MASTERCARD" value.

Thus, the buyer is redirected to the card data entry page, and the card type is automatically detected.

It is strongly recommended not to leave this field empty. In case of adding a new payment method to your shop, it will be offered automatically, even if you do not wish to offer it.

Example of a payment form with payment method selection:

<form a<br="" method="POST"><input <br="" type="hidden"/><input <br="" type="hidden"/><input <="" th="" type="hidden"/><th><pre>action="https://scelliuspaiement.labanquepostale.fr/vads-payment/"> name="vads_action_mode" value="INTERACTIVE" /> name="vads_amount" value="30000" /> name="vads_capture_delay" value="0" /> name="vads_tx_mode" value="PRODUCTION" /></pre></th></form>	<pre>action="https://scelliuspaiement.labanquepostale.fr/vads-payment/"> name="vads_action_mode" value="INTERACTIVE" /> name="vads_amount" value="30000" /> name="vads_capture_delay" value="0" /> name="vads_tx_mode" value="PRODUCTION" /></pre>
<input <="" td="" type="hidden"/> <td>name="vads_currency" value="978" /></td>	name="vads_currency" value="978" />
<input <="" td="" type="hidden"/> <td>name="vads page action" value="PAYMENT" /></td>	name="vads page action" value="PAYMENT" />
<input <="" td="" type="hidden"/> <td>name="vads_payment_cards" value="CB" /></td>	name="vads_payment_cards" value="CB" />
<input <="" td="" type="hidden"/> <td>name="vads_payment_config" value="SINGLE" /></td>	name="vads_payment_config" value="SINGLE" />
<input <="" td="" type="hidden"/> <td>name="vads_site_id" value="12345678" /></td>	name="vads_site_id" value="12345678" />
<input <="" td="" type="hidden"/> <td>name="vads_trans_date" value="20190626101407" /></td>	name="vads_trans_date" value="20190626101407" />
<input <="" td="" type="hidden"/> <td>name="vads_trans_id" value="239848" /></td>	name="vads_trans_id" value="239848" />
<input <="" td="" type="hidden"/> <td>name="vads_version" value="V2" /></td>	name="vads_version" value="V2" />
<input <="" td="" type="hidden"/> <td><pre>name="signature" value="qqpxF6z1+Ri5jtkHNVDCCJulxxpJYehrfP10LwJ4Ysg="/></pre></td>	<pre>name="signature" value="qqpxF6z1+Ri5jtkHNVDCCJulxxpJYehrfP10LwJ4Ysg="/></pre>
<input <="" td="" type="submit"/> <td>name="pay" value="Pay"/></td>	name="pay" value="Pay"/>

You can customize the language of the payment pages.

Populate vads_language with one the values presented in the table below.

Language	ISO 639-1 standard
German	de
English	en
Chinese	zh
Spanish	es
French	fr
Italian	it
Japanese	ja
Dutch	nl
Polish	pl
Portuguese	pt
Russian	ru
Swedish	SV
Turkish	tr

- If the value of the **vads_language** field is wrong, the form will be rejected.
- If the field has not been sent or is empty, the payment page will be shown in the language of the buyer's browser.
- The buyer will be able to change the language anytime by using the language selector in the top right corner of the payment page.

Example of a payment form with a list of available languages:

<form action<="" method="POST" th=""><th><pre>u="https://scelliuspaiement.labanquepostale.fr/vads-payment/"></pre></th></form>	<pre>u="https://scelliuspaiement.labanquepostale.fr/vads-payment/"></pre>
<input name="</td" type="hidden"/> <td>"vads action mode" value="INTERACTIVE" /></td>	"vads action mode" value="INTERACTIVE" />
<input name="</td" type="hidden"/> <td>"vads amount" value="3000" /></td>	"vads amount" value="3000" />
<input name="</td" type="hidden"/> <td>"vads capture delay" value="0" /></td>	"vads capture delay" value="0" />
<input name="</td" type="hidden"/> <td>"vads_ctx mode" value="PRODUCTION" /></td>	"vads_ctx mode" value="PRODUCTION" />
<input name="</td" type="hidden"/> <td>"vads currency" value="978" /></td>	"vads currency" value="978" />
<input name="</th" type="hidden"/> <th>"vads language" value="fr" /></th>	"vads language" value="fr" />
<input name="</td" type="hidden"/> <td>"vads page action" value="PAYMENT" /></td>	"vads page action" value="PAYMENT" />
<input name="</td" type="hidden"/> <td>"vads payment config" value="SINGLE" /></td>	"vads payment config" value="SINGLE" />
<input name="</td" type="hidden"/> <td>"vads site id" value="12345678" /></td>	"vads site id" value="12345678" />
<input name="</td" type="hidden"/> <td>"vads trans date" value="20190626101407" /></td>	"vads trans date" value="20190626101407" />
<input name="</td" type="hidden"/> <td>"vads trans id" value="239848" /></td>	"vads trans id" value="239848" />
<input name="</td" type="hidden"/> <td>"vads version" value="V2" /></td>	"vads version" value="V2" />
<input name="</td" type="hidden"/> <td>signature" value="PAMdHJ8FJc2CqUJLXQLxz+e77K4k1YGJmI5mHqGN74g="/>"</td>	signature" value="PAMdHJ8FJc2CqUJLXQLxz+e77K4k1YGJmI5mHqGN74g="/>"
<input name="</td" type="submit"/> <td>"pay" value="Pay"/></td>	"pay" value="Pay"/>

You can customize the list of languages offered to the buyer using the language selector at the top right of the payment page.

The last language selected by the buyer will be the default language for the payment confirmation e-mail.

Populate the vads_available_languages using the table below:

- with one single value, if you do not wish to show the page of payment method selection,
- with a list of values separated by a ";" to show the available languages.

Language	Value	Default available language
German	de	х
English	en	х
Chinese	zh	х
Spanish	es	х
French	fr	х
Italian	it	х
Japanese	ја	х
Dutch	nl	х
Polish	pl	
Portuguese	pt	х
Russian	ru	х
Swedish	sv	х
Turkish	tr	

If the value of the vads_available_languages field is wrong, the form will be rejected.

Example of a payment form with a list of available languages:

<form action<="" method="POST" th=""><th>n="https://scelliuspaiement.labanquepostale.fr/vads-payment/"></th></form>	n="https://scelliuspaiement.labanquepostale.fr/vads-payment/">
<input name:<="" td="" type="hidden"/> <td>="vads action mode" value="INTERACTIVE" /></td>	="vads action mode" value="INTERACTIVE" />
<input name:<="" td="" type="hidden"/> <td>="vads⁻amount" value="3000" /></td>	="vads ⁻ amount" value="3000" />
<input name:<="" td="" type="hidden"/> <td>="vads available languages" value="fr;en;nl;de" /></td>	="vads available languages" value="fr;en;nl;de" />
<input name:<="" td="" type="hidden"/> <td>="vads capture delay" value="0" /></td>	="vads capture delay" value="0" />
<input name:<="" td="" type="hidden"/> <td>="vads ctx mode" value="PRODUCTION" /></td>	="vads ctx mode" value="PRODUCTION" />
<input name:<="" td="" type="hidden"/> <td>="vads currency" value="978" /></td>	="vads currency" value="978" />
<input name:<="" td="" type="hidden"/> <td>="vads page action" value="PAYMENT" /></td>	="vads page action" value="PAYMENT" />
<input name:<="" td="" type="hidden"/> <td>="vads payment config" value="SINGLE" /></td>	="vads payment config" value="SINGLE" />
<input name:<="" td="" type="hidden"/> <td>="vads_site_id" value="12345678" /></td>	="vads_site_id" value="12345678" />
<input name:<="" td="" type="hidden"/> <td>="vads trans date" value="20190626101407" /></td>	="vads trans date" value="20190626101407" />
<input name:<="" td="" type="hidden"/> <td>="vads trans id" value="239848" /></td>	="vads trans id" value="239848" />
<input name:<="" td="" type="hidden"/> <td>="vads version" value="V2" /></td>	="vads version" value="V2" />
<input name:<="" td="" type="hidden"/> <td>="signature" value="aEWutqzuHH6Q8ns3a6cj5XitZCuhYsDcsKjlLpL8flA="/></td>	="signature" value="aEWutqzuHH6Q8ns3a6cj5XitZCuhYsDcsKjlLpL8flA="/>
<input name:<="" td="" type="submit"/> <td>="pay" value="Pay"/></td>	="pay" value="Pay"/>

If you have two domain names, you can modify the name and the URL of the shop to make the domain name visible.

- 1. Use the **vads_shop_name** field to override the name of the shop that appears on the summary payment page, the receipt and the confirmation e-mail.
- 2. Use the vads_shop_url field to modify the shop URL that appears on the payment pages.

This value will be used for the confirmation e-mail.

If the value of the vads_shop_url field is wrong, the form will not be rejected.

Example of a payment form including the modification of the shop name and URL:

```
<form method="POST" action="https://scelliuspaiement.labanquepostale.fr/vads-payment/">
<input type="hidden" name="vads_action_mode" value="INTERACTIVE" />
<input type="hidden" name="vads_amount" value="3000" />
<input type="hidden" name="vads_capture_delay" value="0" />
<input type="hidden" name="vads_ctx_mode" value="PRODUCTION" />
<input type="hidden" name="vads_ctx_mode" value="PRODUCTION" />
<input type="hidden" name="vads_currency" value="978" />
<input type="hidden" name="vads_page_action" value="PAYMENT" />
<input type="hidden" name="vads_page_action" value="SINGLE" />
<input type="hidden" name="vads_shop_name" value="My Shop" />
<input type="hidden" name="vads_shop_url" value="http://www.myshop.com" />
<input type="hidden" name="vads_site_id" value="12345678" />
<input type="hidden" name="vads_trans_date" value="239848" />
<input type="hidden" name="vads_version" value="V2" />
```

You can customize the text of the button "Return to the shop".

- 1. Use the vads_theme_config field to change the name of the "Return to shop" button.
- 2. Use the SUCCESS_FOOTER_MSG_RETURN keyword to change the name of the "Return to shop" button that appears if the payment has been accepted.
- 3. Use the CANCEL_FOOTER_MSG_RETURN keyword to change the name of the "Cancel and return to shop" button that appears on payment pages.

By subscribing to the **advanced customization** option, you will be able to change the names (e.g.: shop ID) of the buttons on the payment page.

See: Back Office user manual *Advanced customization* for more details or contact the E-Banking Merchant Support Service.

Example of payment form with modification of the name of the "Return to shop" button:

```
<form method="POST" action="https://scelliuspaiement.labanquepostale.fr/vads-payment/">
<input type="hidden" name="vads_action_mode" value="INTERACTIVE" />
<input type="hidden" name="vads_action_mode" value="INTERACTIVE" />
<input type="hidden" name="vads_capture_delay" value="0" />
<input type="hidden" name="vads_capture_delay" value="ODUCTION" />
<input type="hidden" name="vads_currency" value="PADUCTION" />
<input type="hidden" name="vads_currency" value="978" />
<input type="hidden" name="vads_order_id" value="CD100000858" />
<input type="hidden" name="vads_page_action" value="PAYMENT" />
<input type="hidden" name="vads_page_action" value="SINGLE" />
<input type="hidden" name="vads_payment_config" value="SINGLE" />
<input type="hidden" name="vads_theme_config"
value="CANCEL_FOOTER_MSG_RETURN=Cancel;SUCCESS_FOOTER_MSG_RETURN=Return" />
<input type="hidden" name="vads_trans_date" value="20190631092024" />
<input type="hidden" name="vads_version" value="V28248" />
<input type="hidden" name="vads_version" value="V2" />
<input type="submit" name="vads_version" value="V2" />
<input type="submit" name="vads_version" value="V2" />
```

13. COMPUTING THE SIGNATURE

To be able to compute the signature, you must have:

- all the fields that start with vads_
- the signature algorithm chosen in the shop configuration
- the **key**
- The key value is available in your Merchant Back Office via **Settings** > **Shop** > **Keys** tab.

The signature algorithm is defined in your Merchant Back Office via **Settings > Shop > Configuration** tab.



For maximum security, it is recommended to use HMAC-SHA-256 algorithm and an alphanumeric key.

The use of SHA-1 algorithm is deprecated but maintained for compliance reasons.

To compute the signature:

- 1. Sort the fields that start with vads_ alphabetically.
- 2. Make sure that all the fields are encoded in UTF-8.
- **3.** Concatenate the values of these fields separating them with the "+" character.
- 4. Concatenate the result with the test or production key separating them with a "+".
- 5. According to the signature algorithm defined in your shop configuration:
 - a. If your shop is configured to use "SHA-1", apply the **SHA-1** hash function to the chain obtained during the previous step. **Deprecated.**
 - b. If your shop is configured to use "HMAC-SHA-256", compute and encode in Base64 format the message signature using the **HMAC-SHA-256** algorithm with the following parameters:
 - the SHA-256 hash function,
 - the test or production key (depending on the value of the vads_ctx_mode field) as a shared key,
 - the result of the previous step as the message to authenticate.
- 6. Save the result of the previous step in the signature field.

Example of parameters sent to the payment gateway:

```
<form method="POST" action="https://scelliuspaiement.labanquepostale.fr/vads-payment/">
<input type="hidden" name="vads_action_mode" value="INTERACTIVE" />
<input type="hidden" name="vads_amount" value="5124" />
<input type="hidden" name="vads_ctx_mode" value="TEST" />
<input type="hidden" name="vads_currency" value="PAYMENT" />
<input type="hidden" name="vads_page_action" value="PAYMENT" />
<input type="hidden" name="vads_page_action" value="SINGLE" />
<input type="hidden" name="vads_site_id" value="SINGLE" />
<input type="hidden" name="vads_site_id" value="20170129130025" />
<input type="hidden" name="vads_trans_date" value="20170129130025" />
<input type="hidden" name="vads_trans_id" value="123456" />
<input type="hidden" name="vads_version" value="V2" />
</input type="submit" name="pay" value="Pay"/>
<
```

This sample form is analyzed as follows:

- 1. The fields whose names start with vads_ are sorted alphabetically:
 - vads_action_mode
 - vads_amount
 - vads_ctx_mode
 - vads_currency
 - vads_page_action
 - vads_payment_config
 - vads_site_id
 - vads_trans_date
 - vads_trans_id
 - vads_version
- 2. The values of these fields are concatenated using the "+" character:

INTERACTIVE+5124+TEST+978+PAYMENT+SINGLE+12345678+20170129130025+123456+V2

The value of the test key is added at the end of the chain and separated with the "+" character. In this example, the test key is 1122334455667788

INTERACTIVE+5124+TEST+978+PAYMENT+SINGLE+12345678+20170129130025+123456+V2+1122334455667788

4. If you use the SHA-1 algorithm, apply it to the obtained chain.

The result that must be transmitted in the signature field is: 59c96b34c74b9375c332b0b6a32e6deeec87de2b

- 5. If your shop is configured to use "HMAC-SHA-256", compute and encode in Base64 format the message signature using the HMAC-SHA-256 algorithm with the following parameters:
 - the SHA-256 hash function,
 - the test or production key (depending on the value of the vads_ctx_mode field) as a shared key,
 - the result of the previous step as the message to authenticate.

The result that must be transmitted in the signature field is:

ycA5Do5tNvsnKdc/eP1bj2xa19z9q3iWPy9/rpesfS0=

Definition of the utility class SHA that will include the elements required to process the HMAC-SHA-256 algorithm

```
import javax.crypto.Mac;
import javax.crypto.spec.SecretKeySpec;
import java.io.UnsupportedEncodingException;
import java.security.InvalidKeyException;
import java.security.NoSuchAlgorithmException;
import java.util.Base64;
import java.util.TreeMap;
public class VadsSignatureExample {
 /**
  * Build signature (HMAC SHA-256 version) from provided parameters and secret key.
  *
    Parameters are provided as a TreeMap (with sorted keys).
  *
 public static String buildSignature(TreeMap<String, String> formParameters, String
  secretKey) throws NoSuchAlgorithmException, InvalidKeyException, UnsupportedEncodingException
 {
   // Build message from parameters
String message = String.join("+", formParameters.values());
message += "+" + secretKey;
   // Sign
   return hmacSha256Base64 (message, secretKey);
  }
    /**
    * Actual signing operation.
    * /
 public static String hmacSha256Base64 (String message, String secretKey) throws
  NoSuchAlgorithmException, InvalidKeyException, UnsupportedEncodingException {
   // Prepare hmac sha256 cipher algorithm with provided secretKey
   Mac hmacSha256;
   trv {
    hmacSha256 = Mac.getInstance("HmacSHA256");
   } catch (NoSuchAlgorithmException nsae)
    hmacSha256 = Mac.getInstance("HMAC-SHA-256");
   SecretKeySpec secretKeySpec = new SecretKeySpec(secretKey.getBytes("UTF-8"), "HmacSHA256");
   hmacSha256.init(secretKeySpec);
   // Build and return signature
   return Base64.getEncoder().encodeToString(hmacSha256.doFinal(message.getBytes("UTF-8")));
  }
}
```

Definition of the utility class SHA that will include the elements required for processing the SHA-1 algorithm

```
import java.security.MessageDigest;
import java.security.SecureRandom;
public class Sha {
    static public final String SEPARATOR = "+" ;
    public static String encode(String src) {
        try {
            MessageDigest md;
             md = MessageDigest.getInstance( "SHA-1" );
             byte bytes[] = src.getBytes( "UTF-8" );
             md.update(bytes, 0, bytes. length);
byte[] shalhash = md.digest();
             return convertToHex(shalhash);
        catch(Exception e) {
             throw new RuntimeException(e);
    private static String convertToHex(byte[] shalhash) {
        StringBuilder builder = new StringBuilder();
             for (int i = 0; i < shalhash. length ; i++) {</pre>
                byte c = shalhash[i];
                addHex(builder, (c >> 4) & 0xf);
addHex(builder, c & 0xf);
        }
        return builder.toString();
    private static void addHex(StringBuilder builder, int c) {
        if (c < 10)
            builder.append((char) (c + '0' ));
        else
            builder.append((char) (c + 'a' - 10));
```

}

}

Function that computes the signature:

Example of signature computation using the HMAC-SHA-256 algorithm:

```
function getSignature ($params,$key)
    /**
     *Function that computes the signature.
     * $params : table containing the fields to send in the payment form.
     * $key : TEST or PRODUCTION key
    //Initialization of the variable that will contain the string to encrypt
    $signature content = "";
    //sorting fields alphabetically
    ksort($params);
    foreach($params as $name=>$value) {
        //Recovery of vads_ fields
if (substr($name,0,5) == 'vads_') {
             //Concatenation with "+"
            $signature_content .= $value."+";
         }
    }
    //Adding the key at the end
    $signature_content .= $key;
    //Encoding base64 encoded chain with SHA-256 algorithm
    $signature = base64_encode(hash_hmac('sha256',$signature_content, $key, true));
    return $signature;
 }
```

Example of signature computation using the SHA-1 algorithm:

```
function getSignature($params, $key)
    /**
     * Function that computes the signature.
     * $params : table containing the fields to send in the payment form.
     * $key : TEST or PRODUCTION key
    //Initialization of the variable that will contain the string to encrypt
    $signature_content = "" ;
    // Sorting fields alphabetically
    ksort($params);
        foreach ($params as $name =>$value)
    // Recovery of vads_ fields
    if (substr($name,0,5)=='vads_') {
        // Concatenation with "+"
             $signature_content .= $value."+";
        }
    // Adding the key at the end
    $signature content .= $key;
    // Applying SHA-1 algorithm
    $signature = sha1($signature_content);
    return $signature ;
}
```

To finalize a purchase, the buyer must be redirected to the payment page.

His browser must transmit the payment form data.

14.1. Redirecting the buyer to the payment page

The URL of the payment gateway is:

https://scelliuspaiement.labanquepostale.fr/vads-payment/

Example of parameters sent to the payment gateway:

<form n<="" th=""><th>nethod="POST" a</th><th>action="https://scelliuspaiement.labanquepostale.fr/vads-payment/"></th></form>	nethod="POST" a	action="https://scelliuspaiement.labanquepostale.fr/vads-payment/">
<input< td=""><td>type="hidden"</td><td>name="vads action mode" value="INTERACTIVE" /></td></input<>	type="hidden"	name="vads action mode" value="INTERACTIVE" />
<input< td=""><td>type="hidden"</td><td>name="vads amount" value="1315" /></td></input<>	type="hidden"	name="vads amount" value="1315" />
<input< td=""><td>type="hidden"</td><td>name="vads currency" value="978" /></td></input<>	type="hidden"	name="vads currency" value="978" />
<input< td=""><td>type="hidden"</td><td>name="vads cust id" value="1234" /></td></input<>	type="hidden"	name="vads cust id" value="1234" />
<input< td=""><td>type="hidden"</td><td>name="vads cust email" value="jg@sample.com" /></td></input<>	type="hidden"	name="vads cust email" value="jg@sample.com" />
<input< td=""><td>type="hidden"</td><td>name="vads ctx mode" value="TEST" /></td></input<>	type="hidden"	name="vads ctx mode" value="TEST" />
<input< td=""><td>type="hidden"</td><td>name="vads order id" value="CMD012859" /></td></input<>	type="hidden"	name="vads order id" value="CMD012859" />
<input< td=""><td>type="hidden"</td><td>name="vads page action" value="PAYMENT" /></td></input<>	type="hidden"	name="vads page action" value="PAYMENT" />
<input< td=""><td>type="hidden"</td><td>name="vads payment cards" value="VISA;MASTERCARD" /></td></input<>	type="hidden"	name="vads payment cards" value="VISA;MASTERCARD" />
<input< td=""><td>type="hidden"</td><td><pre>name="vads payment config" value="SINGLE" /></pre></td></input<>	type="hidden"	<pre>name="vads payment config" value="SINGLE" /></pre>
<input< td=""><td>type="hidden"</td><td>name="vads site id" value="12345678" /></td></input<>	type="hidden"	name="vads site id" value="12345678" />
<input< td=""><td>type="hidden"</td><td>name="vads trans date" value="20200326101407" /></td></input<>	type="hidden"	name="vads trans date" value="20200326101407" />
<input< td=""><td>type="hidden"</td><td>name="vads trans id" value="362812" /></td></input<>	type="hidden"	name="vads trans id" value="362812" />
<input< td=""><td>type="hidden"</td><td>name="vads version" value="V2" /></td></input<>	type="hidden"	name="vads version" value="V2" />
<input< td=""><td>type="hidden"</td><td><pre>name="signature" value="NM25DPLKEbtGEHCDHn8MBT4ki6aJI/ODaWhCzCnAfvY="/></pre></td></input<>	type="hidden"	<pre>name="signature" value="NM25DPLKEbtGEHCDHn8MBT4ki6aJI/ODaWhCzCnAfvY="/></pre>
<input< td=""><td>type="submit"</td><td><pre>name="pay" value="Pay"/></pre></td></input<>	type="submit"	<pre>name="pay" value="Pay"/></pre>
	>	

14.2. Processing errors

If the payment gateway detects an error while receiving the form, an error message is displayed and the buyer can not be to proceed to the payment.

In test mode:

The message indicates the source of the error and provides a link to the error code description to help you fix it.

In production mode:

The message indicates to the buyer that a technical problem has occurred.

In both cases, the merchant receives a warning e-mail containing the information:

- the source of the error;
- a link to possible causes to facilitate its analysis;
- all the fields of the form.

The e-mail is sent to the company administrator.

To change this address or add an address, contact the E-Banking Merchant Support Service.

You can also create a personalized notification rule to receive this e-mail at another address.

To do so:

1. Sign in to your Merchant Back Office:

https://scelliuspaiement.labanquepostale.fr/vads-merchant/

- 2. Open the Settings > Notification rules menu.
- 3. Select Advanced notification.
- 4. Select the type of E-mail sent to the merchant notification.
- 5. Click Next.
- 6. Select the trigger event for Invalid payment form.
- 7. In the General settings, fill in the fields:
 - Rule reference
 - E-mail address to notify
- 8. Click Create.

A description of the error codes with their possible causes is available on our website:

https://scelliuspaiement.labanquepostale.fr/doc/fr-FR/error-code/error-00.html

Other messages may appear during the payment process.

Here is a list of the most frequent messages:

Message	Description
Your payment request has been declined by your financial institution.	 The buyer's bank has rejected the authorization or information request. The risk assessment rules have triggered the rejection of the transaction.
Your registration request has been declined by your financial institution.	 The buyer's bank has rejected the authorization or information request. The risk assessment rules have triggered the rejection of the transaction.
This payment order is expired. Please contact your shop.	The buyer clicked on the payment link after the payment order expiration date.
This payment order has already been paid.	The buyer clicked on the payment link one more time after having already made the payment.
An error occurred during the payment request, the merchant website has been informed of the impossibility to finalize the transaction.	The payment form has been rejected. The shop administrator has received an e-mail with the details about the origin of the error.
The transaction has already been made.	The merchant website sends a transaction identifier that has already been used for another transaction (accepted or rejected). The transaction identifier must be unique within the same day (00:00:00 at 23:59:59 UTC).
Sorry, you have been disconnected due to a long period of inactivity.	• The buyer attempts to validate the card number while the payment session is expired. The session is open for about 10 minutes.

Message	Description
	• The merchant website sends a transaction identifier that has already been used but that did not result in a transaction (e.g. abandoned payment). The transaction identifier must be unique within the same day (00:00:00 at 23:59:59 UTC).
Cookies are blocked by your browser. Make sure you authorize them before retrying the operation.	The buyer has disabled cookies in his or her browser. Cookies are necessary for the payment to be processed correctly.

14.3. Managing timeouts

Payment session

A "payment session" is the time spent by a buyer on the payment page.

The payment session begins as soon as the payment gateway receives the payment form.

The delay of payment session is 10 minutes (except for certain payment methods).

This delay is:

- sufficient to enable each buyer to make his or her payment
- fixed in time: it is not reset after every action of the user
- **non-modifiable**: it is fixed by the payment gateway due to technical constraints

After this delay, the payment session times out and the session data is purged.

Expiration of the payment session

In some cases the payment session will expire while the buyer has not completed the payment.

Most frequent cases:

1. For example, once redirected to the payment page, the buyer realizes that it is time to go to lunch.

An hour later, the buyer decides to continue his or her payment and clicks on the logo corresponding to his or her payment method.

The buyer's payment session has already expired, the payment gateway displays an error message indicating that the buyer was disconnected due to an extended period of inactivity.

The buyer then has the opportunity to click a button to return to the merchant website.

The return to the shop is done via the URL specified by the merchant:

- in the vads_url_return field transmitted in the payment form,
- in the "Return URL to the merchant website" field in the buyer's Merchant Back Office, no *vads_url_return* field is transmitted in his or her payment form.
- 2. Once redirected to the payment page, the buyer closes the browser (by mistake or because he or she no longer wants to make the payment).

Notification in case of session expiration

It is possible to notify the merchant website in case of expiration of the payment session.

To do this, the merchant must set up and activate the *notification on cancellation* rule (see chapter *Setting up notifications*).

The script must include at least the following steps:

- Retrieve the field list sent with the POST response
- Compute the signature taking into account the received data
- Compare the computed signature with the received signature
- Analyze the nature of the notification
- Retrieve the payment result

The script may check the order status (or any information of your choice) to see if it has not already been updated.

Once these steps are completed, the script can update the database (new order status, stock update, registration of payment information, etc.).

In order to facilitate support and diagnosis by the merchant in the event of a notification error, we recommend to write messages that will allow you to know at which stage of processing the error occurred.

The gateway reads and stores the first 256 bytes of the HTTP response.

You can write messages throughout the processing. Here are some examples of messages that you can use:

Message	Use case
Data received.	Message to display when retrieving data. Allows to confirm that the notification has been received by the merchant website.
POST is empty.	Message to display when retrieving data. Allows to bring out a possible redirection that would have caused the parameters posted by the payment gateway to be lost.
An error occurred while computing the signature.	Message to be displayed when the verification of the response signature has failed.
Order successfully updated.	Message to be displayed at the end of the file once your processing has been successfully completed.
An error occurred while updating the order.	Message to be displayed at the end of the file if an error occurred during your processing.

15.1. Preparing your environment



The notifications of Instant Payment Notification URL call type are very important as they represent the only reliable way for the merchant website to obtain the payment result.

It is therefore necessary to make sure the notifications function properly.

Here are some guidelines:

• In order for the dialog between the payment gateway and your merchant website to work, you must make sure, together with your technical teams, that the **194.50.38.0/24** IP address range is authorized on the various devices within your system (firewalls, apache server, proxy server, etc.)

Notifications are sent from an IP address in the 194.50.38.0/24 range in Test and Production modes.

• Using redirection leads to losing data presented in POST.

This is the case if there is a configuration on your devices or on the side of your host that redirects the URLs of "http://www.example.com" type to "http://example.com" or "http://example.com" to "https://example.com".

- HTML must not be visible on the page. Access to images or CSS slows down the exchange between the payment gateway and the merchant website.
- Avoid integrating time-consuming tasks, such as PDF invoice generation or sending e-mails in your script.

The processing time has a direct influence on the time it takes to display the payment summary page.

The longer the processing of the notification, the greater the delay for displaying the page. After 35 seconds, the payment gateway considers that the call has failed (timeout).

 If your page is only accessible in https, test your URL on the Qualys SSL Labs website (https:// www.ssllabs.com/ssltest/ and, if necessary, change your configuration if necessary in order to obtain the A score.

Your SSL certificate must be signed by a certification authority known and recognized on the market.

• Make sure that you use the latest version of the TLS protocol in order to maintain a high level of security.
The data returned in the response depends on the parameters sent in the payment request, the payment type, the settings of your shop and the notification format.

The data is always sent by the payment gateway using the **POST** method.

The first step consists in retrieving the contents received via the POST method.

Examples:

- In PHP, data is stored in the super global variable \$_POST,
- In ASP.NET (C#), you must use the Form property of the HttpRequest class,
- In Java, you must use the getParameter method of the HttpServletRequest interface.

The response consists of a field list. Each field contains a response value. The field list can be updated.

The script will have to create a loop to retrieve all the transmitted fields.

It is recommended to test the presence of the **vads_hash** field, which is only present during a notification.

```
if (empty ($ POST)){
   echo 'POST is empty';
}else{
   echo 'Data Received ';
   if (isset($_POST['vads_hash'])){
    echo 'Form API notification detected';
    //Signature computation
    //Signature verification
   //Order Update
   }
}
```

The signature is computed by following the same logic as for creating the payment request.

The data submitted by the payment gateway is encoded in UTF-8. Any alteration of received data will result in signature computation error.

You must compute the signature with the fields received in the notification and not the ones that you transmitted in the payment request.

- 1. Take all the fields whose name starts with vads_.
- 2. Sort these fields alphabetically.
- 3. Concatenate the values of these fields separating them with the "+" character.
- 4. Concatenate the result with the test or production key separating them with a "+".
- 5. According to the signature algorithm defined in your shop configuration:
 - a. If your shop is configured to use "SHA-1", apply the **SHA-1** hash function to the chain obtained during the previous step. **Deprecated.**
 - b. If your shop is configured to use "HMAC-SHA-256", compute and encode in Base64 format the message signature using the **HMAC-SHA-256** algorithm with the following parameters:
 - the SHA-256 hash function,
 - the test or production key (depending on the value of the vads_ctx_mode field) as a shared key,
 - the result of the previous step as the message to authenticate.

Examples in PHP:

```
function getSignature ($params,$key)
{
    /**
    *Function that computes the signature.
    * $params: table containing the fields received in the IPN.
    * $key : TEST or PRODUCTION key
    //Initialization of the variable that will contain the string to encrypt
    $signature contents = "";
    //Sorting fields alphabetically
    ksort($params);
    foreach($params as $name=>$value){
        //Recovery of vads fields
        if (substr($name,0,5) == 'vads ') {
            //Concatenation with "+"
            $signature_contents .= $value."+";
         }
    //Adding the key at the end
    $signature_contents .= $key;
    //Encoding base64 encoded chain with HMAC-SHA-256 algorithm
    $sign = base64_encode(hash_hmac('sha256',$signature_contents, $key, true));
    return $sign;
 }
```

15.4. Comparing signatures

To ensure the integrity of the response, you must compare the signature contained in the IPN with the value computed in the previous step.



You should not compare the signature of the IPN with the signature that you transmitted in your payment request.

If the signatures match

- You may consider the response as safe and proceed with the analysis.
- Otherwise, the script will have to raise an exception and notify the merchant about the anomaly.

Example in PHP:

```
if ($_POST['signature'] == $sign){
    //Processing data
}else{
    throw new Exception('An error occurred while computing the signature');
}
```

The signatures may not match in case of:

- an implementation error (error in your calculation, problem with UTF-8 encoding, etc.),
- an error in the key value or in the **vads_ctx_mode** field (frequent issue when shifting to production mode),
- a data corruption attempt.

During a notification, the **vads_url_check_src** field allows to differentiate the notifications based on their triggering event:

- creation of a transaction
- new notification sent by the merchant via the Merchant Back Office

It specifies the applied notification rule:

Value	Applied rule
PAY	The PAY value is sent in the following cases:
	• immediate payment (or first installment payment of a recurring payment)
	 payment deferred for less than 7 days Only if the merchant has configured the Instant Payment Notification URL at the end of payment rule.
	 payment abandoned or canceled by the buyer Only if the merchant has configured the Instant Payment Notification URL on cancellation rule.
во	Execution of the notification via the Merchant Back Office (right-click a transaction > Send the Instant Payment Notification).
BATCH	The BATCH value is sent in case of an update of a transaction status after its synchronization on the acquirer side. This is the case of payments with redirection to the acquirer. Only if the merchant has configured the rule Instant Payment Notification URL on batch change .
BATCH_AUTO	The BATCH_AUTO value is sent in the following cases:
	payment deferred for more than 7 days
	 installments of a recurring payment (except the first one) Only if the merchant has configured the Instant Payment Notification URL on batch authorization rule.
	The notification is sent with the authorization request for payments with "Waiting for authorization" status.
REC	The REC value is sent only for recurring payments if the merchant has configured the Instant Payment Notification URL when creating recurring payments rule.
MERCH_BO	The MERCH_BO value is sent:
	 during an operation made via the Merchant Back Office (refund, cancellation, modification, validation, duplication, creation and/or update of token), only if the merchant has configured the following notification rule: Instant Payment Notification URL on an operation coming from the Back Office
RETRY	Automatic retry of the IPN.

Table 1: Values associated with the vads_url_check_src field

After checking its value, the script can process differently depending on the nature of the notification.

For example:

If vads_url_check_src is set to PAY or BATCH_AUTO, the script will update the order status, etc.

If **vads_url_check_src** is set to **REC**, the script will retrieve the recurring payment reference and will increment the number of the expired installment payments in case the payment has been accepted, etc.

Here is an example of analysis to guide you through processing the response data.

- 1. Identify the mode (TEST or PRODUCTION) that was used for creating the transaction by analyzing the value of the **vads_ctx_mode** field.
- 2. Identify the order by retrieving the value of the **vads_order_id** field if you have transmitted it to the payment gateway.

Make sure that the order status has not been updated yet.

3. Retrieve the payment result transmitted in the vads_trans_status field.

Its value allows you to define the order status.

Value	Description
ABANDONED	Abandoned Payment abandoned by the buyer The transaction has not been created, and therefore cannot be viewed in the Merchant Back Office.
ACCEPTED	Accepted. Status of a VERIFICATION type transaction for which the authorization request or information request has been successfully completed. This status cannot evolve. Transactions with the Accepted status will never be captured.
AUTHORISED	Waiting for capture The transaction has been accepted and will be automatically captured at the bank on the expected date.
AUTHORISED_TO_VALIDATE	To be validated The transaction, created with manual validation, is authorized. The merchant must manually validate the transaction in order for it to be captured. The transaction can be validated as long as the expiration date of the authorization request has not passed. If the authorization validity period has been passed, the payment takes Expired status. This status is final.
CANCELLED	Cancelled The transaction has been canceled by the Merchant.
CAPTURED	Captured The transaction has been captured by the bank.
CAPTURE_FAILED	Capture failed Contact the technical support.
EXPIRED	Expired This status appears in the lifecycle of a payment with deferred capture. The expiry date of the authorization request has passed and the merchant has not validated the

Value	Description
	transaction. The account of the cardholder will
	therefore not be debited.
REFUSED	Refused
	The transaction is refused.
SUSPENDED	Suspended
	The capture of the transaction is temporarily
	blocked by the acquirer (AMEX GLOBAL or
	SECURE TRADING). Once the transaction has
	CAPTURED.
UNDER_VERIFICATION	Control in progress
	Waiting for the response from the acquirer.
	This status is temporary.
	A notification will be sent to the merchant
	website to inform the Merchant of the status
	change.
	Requires the activation of the instant Payment
	rule.
WAITING AUTHORISATION	Waiting for authorization
	The capture delay in the bank exceeds the
	authorization validity period.
WAITING_AUTHORISATION_TO_VALIDATE	To be validated and authorized
	The capture delay in the bank exceeds the
	authorization validity period.
	A EUR 1 (or information request about the CB
	network if the acquirer supports it) authorization
	nas been accepted.
	transaction for the authorization request and the
	capture to occur.

4. Analyze the **vads_occurrence_type** field to determine if it is a single payment or a payment that is part of a series (subscription or installment payment).

Value	Description
UNITAIRE	Single payment (immediate payment).
RECURRENT_INITIAL	First payment of a series.
RECURRENT_INTERMEDIAIRE	Nth payment of a series.
RECURRENT_FINAL	Last payment of a series.

5. Analyze the vads_payment_config field to determine whether it is an installment payment.

Field name	Value for an immediate payment	Value for a payment in installments
vads_payment_config	SINGLE	MULTI
		(the exact syntax is
		MULTI:first=X;count=Y;period=Z)

For a payment in installments, identify the installment number by retrieving the value of the **vads_sequence_number** field.

Warning: with the application of Soft Decline, the **vads_sequence_number** field no longer allows to easily identify the first installment of a payment in installments. Since the sequence number of the first installment can be different from 1, the sequence number of the second installment will not necessarily be 2.

- 6. Retrieve the value of the vads_trans_date field to identify the payment date.
- 7. Retrieve the value of the **vads_capture_delay** field to identify the number of days before the capture in the bank.

It will allow you to identify whether the payment is an immediate or a deferred payment.

8. Retrieve the used amount and currency. To do this, retrieve the values of the following fields:

Field name	Description
vads_amount	Payment amount in the smallest currency unit.
vads_currency	Code of the currency used for the payment.
vads_change_rate	Exchange rate used for calculating the effective payment amount (see vads_effective_amount).
vads_effective_amount	Payment amount in the currency used for the capture in the bank.
vads_effective_currency	Currency used for the capture in the bank.

9. Retrieve the value of the **vads_auth_result** field to identify the result of the authorization request. The complete list of returned codes can be viewed in the data dictionary.

Here is a list of frequently returned codes that can help you understand the reason of the rejection:

Value	Description	
03	Invalid acceptor	
	This code is sent by the card issuer. It refers to a configuration problem on authorization	
	servers. (e.g. closed contract, incorrect MCC declared, etc.).	
	To find out the specific reason of the rejection, the buyer must contact his or her bank.	
05	Do not honor	
	This code is sent by the card issuer. This code is used in the following cases:	
	Invalid expiry date	
	Invalid CVV	
	Exceeded credit limit	
	Insufficient funds (etc.)	
	To find out the specific reason of the rejection, the buyer must contact his or her bank.	
51	Insufficient balance or exceeded credit limit	
	This code is sent by the card issuer. This code appears if the funds on the buyer's account are insufficient for making the nurchase	
	To find out the specific reason of the rejection, the buyer must contact his or her bank	
FC	Card about from the file	
50	This code is cont by the cord iscuer	
	This coue is selle by the card issuel.	
	not exist	
	Trensection not allowed for this could allow	
5/	This code is cont by the condition of this code is used in the following second	
	This code is sent by the card issuer. This code is used in the following cases:	
	The buyer attempts to make an online payment with a cash withdrawal card	

Value	Description	
	The authorized payment limit is exceeded	
	To find out the specific reason of the rejection, the buyer must contact his or her bank.	
59	Suspected fraud	
	This code is sent by the card issuer. This code appears when an incorrect CVV code or expiration date has been entered several times.	
	To find out the specific reason of the rejection, the buyer must contact his or her bank.	
60	The acceptor of the card must contact the acquirer	
	This code is sent by the card issuer. It refers to a configuration problem on authorization	
	servers. It is used when the merchant ID does not correspond to the used sales channel	
	(e.g.: an e-commerce transaction with a distant sale contract with manual entry of contract	
	data).	
	Contact the customer service to resolve the problem.	
81	Unsecured payment is not accepted by the issuer	
	This code is sent by the card issuer. After receiving this code, the payment gateway	
	automatically makes a new payment attempt with 3D Secure authentication, when possible.	

10.Retrieve the cardholder authentication result. To do this:

a. Retrieve the value of the vads_threeds_enrolled field to identify the status of the card enrollment.

Value	Description
Empty	Incomplete 3DS authentication process (3DS disabled in the request, the merchant is not enrolled or the payment method is not eligible for 3DS).
Y	Authentication available, cardholder enrolled.
N	Cardholder not enrolled.
U	Impossible to identify the cardholder or authentication is not available for the card (e.g. commercial or prepaid cards).

b. Retrieve the result of cardholder authentication by retrieving the value of the **vads_threeds_status** field.

Value	Description
Empty	Incomplete 3DS authentication (3DS disabled in the request, the cardholder is not enrolled or the payment method is not eligible for 3DS).
Y	Cardholder authentication success.
N	Cardholder authentication error.
U	Authentication impossible.
Α	Authentication attempted but not completed.

- **11.**Retrieve the result of fraud checks by identifying the value of the **vads_risk_control** field. This field is sent only if the merchant has:
 - subscribed to the "Risk management" service,
 - enabled at least one verification process in the Merchant Back Office (Settings > Risk management menu).

It is populated with the list of values separated by ";" with the following syntax: **vads_risk_control =** control1=result1;control2=result2

The possible values for **control** are:

Value	Description
CARD_FRAUD	Verifies whether the cardholder's card number is
	on the card greylist.

Value	Description
SUSPECT_COUNTRY	Checks whether the issuing country of the buyer's card is on the list of forbidden countries.
IP_FRAUD	Verifies whether the cardholder's IP address is on the IP greylist.
CREDIT_LIMIT	Checks the purchase frequency and amounts for the same card number, or the maximum amount of an order.
BIN_FRAUD	Checks whether the BIN code of the card is on the BIN code greylist.
ECB	Checks whether the buyer's card is of "e-carte bleue" type.
COMMERCIAL_CARD	Checks whether the buyer's card is a commercial card.
SYSTEMATIC_AUTO	Checks whether the buyer's card is a MAESTRO or VISA ELECTRON card.
INCONSISTENT_COUNTRIES	Checks whether the country of the IP address, the country of the payment card and the buyer's country of residence match.
NON_WARRANTY_PAYMENT	Liability shift.
SUSPECT_IP_COUNTRY	Checks whether the buyer's country, identified by their IP address, is on the list of forbidden countries.

The possible values for **result** are:

Value	Description
ОК	OK.
WARNING	Informational control failed.
ERROR	Blocking control failed.

12.Retrieve the card type used for the payment.

Two scenarios are possible:

• For a payment processed with **only one card**. The fields to process are:

Field name	Description		
vads_card_brand	Brand of the card used for the payment, e.g.: CB, VISA, VISA_ELECTRON, MASTERCARD, MAESTRO, VPAY		
vads_brand_management	Permits to know the brand used when paying, the list of available brands and also if the buyer has changed the default brand chosen by the merchant.		
vads_card_number Card number used for the payment.			
vads_expiry_month	Expiry month between 1 and 12 (e.g.: 3 for March, 10 for October).		
vads_expiry_year	Expiry year in 4 digits (e.g.: 2023).		
vads_bank_code	Code of the issuing bank		
vads_bank_label	Name of the issuing bank		
vads_bank_product	Product code of the card		
vads_card_country	Country code of the country where the card was issued (alpha ISO 3166-2 code, e.g.: "FR" for France, "PF" for French Polynesia, "NC" for New Caledonia, "US" for the United States).		

• For a **split payment** (i.e. a transaction using several payment methods), the following fields must be processed:

Field name	Value	Description
vads_card_brand	MULTI	Several types of payment cards are used for the payment.
vads_payment_seq	In Json format, see details below.	Details of performed transactions.

The **vads_payment_seq** field (json format) describes the split payment sequence. It contains the following elements:

- 1. "trans_id": transaction identifier used for the entire payment sequence.
- 2. "transaction": table of sequence transactions. It contains the following elements:

Field name	Description				
amount	Amount of the pay	ment sequence.			
operation_type	Debit transaction.				
auth_number	Authorization number. Will not be returned if not applicable to the used payment method. Example: 949478				
auth_result	Return code of the	authorization request.			
capture_delay	 Delay before the capture (in days). For a payment by card, this parameter is the requested capture date (ISO 8601 format). If not sent in the payment form, the value defined in the Merchant Back Office will be used. 				
card_brand	Used payment met For a payment by c this parameter is se See the Payment G documentation arc	hod. ard (e.g. CB or Visa or MasterCard co-branded CB cards), et to "CB" . ateway Implementation Guide available in our online hive to see the complete list of card types.			
card_number	Payment method n	umber.			
expiry_month	Expiry month of the	e payment method.			
expiry_year	Expiry year of the p	bayment method.			
payment_certificate	Payment certificate	2.			
contract_used	Contract used for the	he payment.			
identifier	Unique identifier (t	oken) associated with a payment method.			
identifier_status	Only present if the Possible values:	nly present if the requested action is token creation or update. ossible values:			
	Value	Description			
	CREATED	The authorization request has been accepted. The token (or UMR for SEPA payment) has been successfully created.			
	NOT_CREATED	The authorization request has been declined. The token (or UMR for SEPA payment) has not been created, and therefore cannot be viewed in the Merchant Back Office.			
	UPDATED	The token (or UMR for SEPA payment) has been successfully updated.			

Field name	Description				
	Value		Description		
	NOT_U	PDATED	The token (or UMR for SEPA payment) has not been updated.		
			The action has been abandoned by the buyer (debtor). The token (or UMR for SEPA payment) has not been created, and therefore cannot be viewed in the Merchant Back Office.		
presentation_date	For a pa 8601 for	ayments by card, this parameter is the requested capture date (ISO ormat).			
trans_id	Transact	ansaction number.			
ext_trans_id	This field	d is not sent for credit card payments.			
trans_uuid	Unique paymen Guarant	reference generated by the payment gateway after the creation of a t transaction.			
extra_result	Numerio	code of th	e risk assessment result.		
	Code		Description		
	Empty	No verifica	ation completed.		
	00	All the ver	ification processes have been successfully completed.		
	02	Credit card	d velocity exceeded.		
	03	The card is	s on the Merchant's greylist.		
	04	The count	ry of origin of the card is on the Merchant's greylist.		
	05	The IP add	Iress is on the Merchant's greylist.		
	06	The BIN co	ode is on the Merchant's greylist.		
	07	Detection	of an e-carte bleue.		
	08	Detection	of a national commercial card.		
	09	Detection	of a foreign commercial card.		
	14	Detection	of a card that requires systematic authorization.		
	20	Relevance card count	verification: countries do not match (country IP address, try, buyer's country).		
	30	The count	ry of the this IP address is on the greylist.		
	99	Technical i process.	ssue encountered by the server during a local verification		
sequence_number	Sequenc	e number.			
trans_status	Status o	f the transa	ction.		

6

Canceled transactions are also displayed in the table.

13.Store the value of the **vads_trans_uuid** field. It will allow you to assign unique identification to the transaction if you use the Web Service APIs.

14.Retrieve all the order, buyer and shipping details.

These details will be provided in the response only of they have been transmitted in the payment form.

Their values are identical to the ones submitted in the form.

15. Proceed to order update.

In order to test the notifications, follow the steps below:

- 1. Make a payment (in TEST mode or in PRODUCTION mode).
- 2. Once the payment is complete, look for the transaction in your Back Office (Management > Transactions or TEST Transactions menu if you made the payment in TEST mode).
- 3. Double-click the transaction to view the transaction details.
- 4. In the transaction details, search for the section entitled **Technical data**.
- 5. Check the status of the Instant Payment Notification URL:

I Technical data	
Instant Payment Notification URL status :	Sent (permanent redirection) (💿 Display the details)
Certificate :	.0ff5ca548b5c8d

The list of possible statuses is provided below:

Status	Description
N/A	The transaction did not result in a notification or no notification rules have been enabled.
Undefined URL	An event has triggered the end of payment notification rule but the URL is not configured.
Call in progress	The notification is in progress. This status is temporary.
Sent	The notification has been successfully sent and a remote device returned an HTTP 200, 201, 202, 203, 204, 205 or 206 response status code.
Sent (permanent redirection)	The merchant website has returned an HTTP 301 or 308 response status code with a new URL to contact. A new call in POST mode has been made to the new URL.
Sent (temporary redirection)	The merchant website has returned an HTTP 302 or 307 response status code with a new URL to contact. A new call in POST mode has been made to the new URL.
Sent (redirection to another page)	The merchant website has returned an HTTP 303 response status code with a new URL to contact. A new call in GET mode has been made to the new URL.
Failed	Generic error different from the codes described below.
Server unavailable	The notification has lasted more than 35s.
SSL handshake failure	Your server is incorrectly configured. Run a test on the Qualys website (<i>https://www.ssllabs.com/ssltest/</i>) and correct the errors.
Connection interrupted	Communication error.
Connection refused	Communication error.
Server error 300	Case of redirection not supported by the gateway.
Server error 304	Case of redirection not supported by the gateway.
Server error 305	Case of redirection not supported by the gateway.
Server error 400	The merchant website returned a HTTP 400 Bad Request code.
Server error 401	The merchant website returned a HTTP 401 Unauthorized code. Make sure that the resource is not protected by an .htaccess file.
Server error 402	The merchant website returned a HTTP 402 Payment Required code.

Status	Description
Server error 403	The merchant website returned a HTTP 403 Forbidden code.
	Make sure that the resource is not protected by an .htaccess file.
Server error 404	The merchant website returned a HTTP 404 Not Found code.
	Make sure that the URL is correctly specified in the rule
	configuration.
Sonvor orror 405	The morehant website returned a HTTP 405 Method Net allowed
	code.
Server error 406	The merchant website returned a HTTP 406 Not Acceptable code.
Server error 407	The merchant website returned a HTTP 407 Proxy Authentication Required code.
Server error 408	The merchant website returned a HTTP 408 Request Time-out code.
Server error 409	The merchant website returned a HTTP 409 Conflict code.
Server error 410	The merchant website returned a HTTP 410 Gone code.
Server error 411	The merchant website returned a HTTP 411 Length Required code.
Server error 412	The merchant website returned a HTTP 412 Precondition Failed code.
Server error 413	The merchant website returned a HTTP 413 Request Entity Too Large code.
Server error 414	The merchant website returned a HTTP 414 Request-URI Too long code.
Server error 415	The merchant website returned a HTTP 415 Unsupported Media Type code.
Server error 416	The merchant website returned a HTTP 416 Requested range unsatisfiable code.
Server error 417	The merchant website returned a HTTP 417 Expectation failed code.
Server error 419	The merchant website returned a HTTP 419 Authentication Timeout code.
Server error 421	The merchant website returned a HTTP 421 Misdirected Request code.
Server error 422	The merchant website returned a HTTP 422 Unprocessable Entity code.
Server error 423	The merchant website returned a HTTP 423 Locked code.
Server error 424	The merchant website returned a HTTP 424 Failed Dependency code.
Server error 425	The merchant website returned a HTTP 425 Too Early code.
Server error 426	The merchant website returned a HTTP 426 Upgrade Required code.
Server error 429	The merchant website returned a HTTP 431 Request Header Fields Too Large code.
Server error 431	The merchant website returned a HTTP 415 Unsupported Media Type code.
Server error 451	The merchant website returned a HTTP 451 Unavailable For Legal Reasons code.
Server error 500	The merchant website returned a HTTP 500 Internal Server Error code. An application error has occurred on the level of the server hosting your shop. See the logs of your HTTP server (usually apache).

Status	Description
	The issue can only be corrected by performing an action on your
	server.
Server error 501	The merchant website returned a HTTP 501 Not Implemented code.
Server error 502	The merchant website returned a HTTP 502 Bad Gateway / Proxy Error code.
Server error 503	The merchant website returned a HTTP 503 Service Unavailable code.
Server error 504	The merchant website returned a HTTP 504 Gateway Time-out code. The merchant server has not accepted the call within the time limit of 10s.
Server error 505	The merchant website returned a HTTP 505 HTTP Version not supported code.

For more information on a notification, click the link **Display the details** or click the **Event log** tab and search for the line **Notification URL call**.

In order to help the merchant identify the source of the error, the gateway systematically analyses the 512 first characters returned by the merchant website and displays them in the **Details** column.

• Example of a successfully processed notification:

🕕 Details 🛛 🔒 3D Secure 💈 Buyer 🖉 Extra 🚱 Delivery 🖺 Risk assessment 🔲 Event log					
Date 🛩	Operation	User	Details		
)4/03/2019 10:09:10	Instant Payment Notification	E_COMMERCE	SENT, rule=URL de noti		
Complementary informat	ion: Instant Payment Notification	eeee deeee et de s ^u dical	w account of according to the second		
Complementary informat T, rule=URL de notification à gistered.	ion: Instant Payment Notification la fin du paiement, duration=~1,2s, respo	nse= <span style="displa</td><td>ay: none;">OK-Accepted payment, a			
<mark>ঊ Complementary informat</mark> NT, rule=URL de notification à gistered. ����&&	ion: Instant Payment Notification la fin du paiement, duration=~1,2s, respo	nse= <span style="displ:</td><td>ay: none;">OK-Accepted payment, a			
Complementary informat ENT, rule=URL de notification à Egistered. ♦♦♦♦&#x	ion: Instant Payment Notification la fin du paiement, duration=~1,2s, respo	nse= <span style="displ</td><td>ny: none;">OK-Accepted payment, n			

• Example of a failed notification:

X	Details of a transaction in progress: 610841					
	🕕 Details 🛛 🔒 3D S	ecure 🛛 🚨 Buyer 🖉 Extra 🎯 De	ivery 🛛 🚯 Risk assessment	Event log		
	Date 👻	Operation	User	Details		
	28/11/2016 17:5	Merchant confirmation e-mail in	BATCH	to:		
	28/11/2016 17:5	Buyer confirmation e-mail in pro	BATCH	to:		
	28/11/2016 17:5	Instant Payment Notification	E_COMMERCE	FAILED_SERVER_404_ERR		

If the payment gateway is unable to access the URL of your page, an e-mail alert will be sent to the shop administrator.

It contains:

- The HTTP code of the encountered error
- Parts of error analysis
- Its consequences
- Instructions to follow via the Merchant Back Office for resending the request to the URL specified in step 4

By default, when the buyer returns to the merchant website, no parameters will be transmitted by their browser.

However, if the **vads_return_mode** field has been transmitted in the payment form (see chapter **Managing the return to the merchant website**) it will be possible to retrieve the data:

- either via GET, the data is presented in the URL as follows: ?field1=value1&field2=value2
- or via POST: the data is sent in a POST form

The data transmitted to the browser is the same as for notifications (IPN).

The vads_url_check_src and vads_hash fields will be sent only in the instant notification.

To analyze this data, see chapter Analyzing the payment result.



The return to the shop should only allow you to display visual context to the buyer. Do not use the received data for processing in the database.

Before the shop goes into production, it is necessary to carry out tests to ensure that the merchant website and the payment gateway are working properly.

The test payment requests must:

- contain the vads_ctx_mode field set to TEST
- use the test key for signature computation

Different cases of payments can be simulated by using test card numbers specified on the payment page. The Merchant will be able to test all 3D Secure authentication results (if the Merchant is enrolled and 3DS is not disabled).

The list of tests to be performed to generate the production key is provided in the Merchant Back Office, **Settings** > **Shop** > **Keys** menu.

* manual payments are * test payments are de * the vads_page_act	e not taken into account ; leted after 30 days ; ion parameter must be s	set to PAYMENT or REGIS	TER_PAY.		
СВ	Mastercard	Maestro	Visa Electron	Payment date	Test status
4970100000000014	597010030000018	500055000000029	491748000000008		×
4970100000000055	597010030000067	500055000000052	4917480000000057		×
4970100000000063	5970100300000075	5000550000000060	4917480000000065		×
4970100000000071	597010030000083	500055000000078	491748000000073		×
Prefresh the table					

Each row of the list contains card numbers associated with the same scenario (i.e. 2 accepted payments and 2 refused payments).

Each column corresponds to a different card type: CB/VISA, MASTERCARD, MAESTRO, VISA ELECTRON.

To perform the test phase:

- 1. Make an order on your merchant website as if you were one of your buyers.
- 2. Once redirected to the payment page, select the card type of your choice.
- 3. Refer to the list of tests to identify the card number to use.
- 4. Once a test has been validated, its status is updated on the list. Click the **Refresh the table** button if the status has not been updated automatically.
- 5. Once the 4 tests have been validated, the Generate production key button becomes available.



6. Click the Generate production key button and accept the notification messages that will appear.

The production key is now available.

18.1. Generating the production key

You can generate the production key via **Settings** > **Shop** > **Keys** tab > **Generate the production key** button. Once the production key has been generated, its value appears in the **Keys** tab.

An e-mail is sent to the company administrator to confirm that the production key has been generated.

18.2. Shifting your merchant website to production mode

1. Set the vads_ctx_mode field to PRODUCTION.

- Edit the value of the test key with the value of your production key to compute the signature. You will find this value via Settings > Shop > Keys tab.
- 3. Enter the correct IPN URL in PRODUCTION mode via Settings > Notification rules.

18.3. Making the first production payment

We recommend checking the two following points:

• The correct end-to-end functioning of the production environment.

To do that, make a real transaction of at least €2.

This transaction can later be canceled via the Merchant Back Office, menu: **Management** > **Transactions** > **Transactions is progress** tab. This transaction will not be captured in the bank.

However, it is recommended to let the transaction be captured at the bank in order to confirm that the merchant's account has been credited. It will then be possible to proceed to a refund.

• The correct functioning of the IPN URL (Instant Payment Notification URL at the end of the payment) specified in the Merchant Back Office.

To do this, do not click **Return to the shop** after a payment.

View the transaction details in the Merchant Back Office and make sure that the IPN URL status is Sent.

In case of lost or corrupted production key, the merchant can generate a new one via their Merchant Back Office. To do this:

- 1. In the Merchant Back Office, select **Settings > Shop > Keys** tab.
- 2. Click Regenerate.

19. OBTAINING HELP

Looking for help? See our FAQ:

https://scelliuspaiement.labanquepostale.fr/doc/fr-FR/faq/faq-homepage.html

For any technical inquiries or if you need any help, contact *technical support*.

In view of facilitating the processing of your requests, please have your shop ID ready (an 8-digit number).

This information is available in the "registration of your shop" e-mail or in the Merchant Back Office (Settings > Shop > Configuration).

20. DATA DICTIONARY

The data dictionary lists all the fields that can be used in a payment form.

First, is presents the main categories (such as technical information, order details, etc.). All the fields that belong to a category are presented.

These tables are presented as follows:

- Field name: indicates the name of the parameter as it appears in the HTTP request
- Format: data format
- **Description**: description of the field
- Input: a field to be transmitted in the request
- **Output**: a field transmitted in the response

The data dictionary also presents the details for each field. Each field is presented as follows:

- Description: description of the field
- Format: data format (see the table List of fields and formats below)
- **Possible values**: expected values when the field must be populated with specific values
- Example: example of correct data encoding
- Error code: in case there is a error between the merchant website and the payment gateway, the payment gateway indicates the incorrect parameter in the vads_extra_result field using a numeric code
- Note: additional information, elaboration
- **Category**: category to which the field belongs

Precisions on error codes:

An **error code** corresponds to the error number when an incorrect payment form is being submitted.

- In test mode this code will be displayed on the payment page.
- In production mode a warning e-mail will be sent specifying the error code and the name of the incorrect parameter.

Example: Error 09 corresponds to a payment amount error. The submitted amount does not respect the required format.

Viewing parameters sorted by category

Go to the desired category to obtain the list of related parameters

- 3DS Authentication
- Recurring payment details
- Buyer details
- Payment method details
- Order details
- Shipping details
- Technical details
- Transaction details
- Payment page customization
- Automatic redirection

Technical information

Field name	Format	Description	Input	Output
signature	an40	Signature guaranteeing the integrity of the requests exchanged between the merchant website and the payment gateway.	х	x
vads_action_mode	enum	Acquisition mode for payment method data	х	x
vads_override_payment_cinematic	enum	Payment process to apply. Overrides the recorded value on the MID	х	
vads_contrib	ans128	Name of the e-commerce solution used on the merchant website and its version number.	х	x
vads_ctx_mode	enum	Mode of interaction with the payment gateway	x	x
vads_extra_result	n2	Risk assessment result (specific to shops that have enabled the feature). Its meaning depends on the value entered in vads_result .		x
vads_hash	an64	A unique key returned only to the Instant Payment Notification (IPN).		x
vads_page_action	enum	Defines the action to be performed.	х	х
vads_payment_error	n3	Error codes for a declined payment.		х
vads_result	n2	Return code of the requested action.		x
vads_site_id	n8	Shop ID	х	х
vads_url_check	ans1024	URL of the page to notify at the end of payment. Overrides the value entered in the notification rules settings.	х	

Field name	Format	Description	Input	Output
vads_url_check_src	enum	This parameter defines the source of the call to the notification URL (also called IPN URL).		x
vads_version	enum	Version of the exchange protocol with the payment gateway	x	x

Order details

Field name	Format	Description	Input	Output
vads_authent_paypal_protection_elig	enum	Type of merchant protection used for the transaction.		x
vads_collection_expiry_date	dateTime	Fund collection expiration date used for cash payments.		x
vads_ext_info	ans	Custom fields allowing to add optional fields to the confirmation e-mail sent to the merchant and to the IPN URL.	x	x
vads_ext_info_description	ans128	Description of the invoice, defined by the merchant during the invoice order creation.		x
vads_ext_info_soft_descriptor	ans	Allows to customize the brand name		х
vads_insurance_amount	n12	Insurance amount for the entire order.	х	
vads_nb_products	n12	Number of items in the cart	х	
vads_order_description	ans65	Order description used for cash payments.	х	х
vads_order_id	ans64	Order ID	х	х
vads_order_info	ans255	Additional order info	х	х
vads_order_info2	ans255	Additional order info	х	х
vads_order_info3	ans255	Additional order info	х	х
vads_pretax_amount	n12	Tax-free amount of the entire order		х
vads_product_amountN	n12	Price of the item incl. VAT. N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).	х	
vads_product_ext_idN	an100	Product barcode on the merchant website. N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).	х	
vads_product_labelN	an255	Item name. N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).	х	
vads_product_qtyN	n12	Item quantity. N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).	x	
vads_product_refN	an64	Item reference. N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).	x	
vads_product_typeN	enum	Item type. N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).	X	
vads_product_vatN	n12	Amount or VAT rate applied to the item. N corresponds to the index of the item (0 for the first one, 1 for the second one, etc.).	x	
vads_tax_amount	n12	Amount of taxes for the entire order	x	

Field name	Format	Description	Input	Output
vads_tax_rate	enum	VAT applied to the order	х	х
vads_totalamount_vat	n12	Total amount of taxes for the entire order	x	х

Buyer details

Field name	Format	Description	Input	Output
vads_avs_result	a1	Address verification system (AVS)		х
vads_cust_address	ans255	Postal address	х	х
vads_cust_address_number	ans64	Street number	х	x
vads_cust_address2	ans255	Address line 2	х	x
vads_cust_cell_phone	an32	Cell phone number	х	х
vads_cust_city	an128	City	х	х
vads_cust_country	a2	Country code in compliance with the ISO 3166 alpha-2 standard	х	x
vads_cust_district	ans127	District	х	х
vads_cust_email	ans150	Buyer's e-mail address	х	х
vads_cust_first_name	ans63	First name	х	х
vads_cust_id	an63	Buyer reference on the merchant website	x	x
vads_cust_last_name	ans63	Last name	х	x
vads_cust_legal_name	ans100	Buyer's legal name	х	
vads_cust_name	an127	Use vads_cust_first_name and vads_cust_last_name.	х	х
vads_cust_national_id	ans255	National identifier	х	х
vads_cust_phone	an32	Phone number	х	x
vads_cust_state	ans127	State / Region	х	х
vads_cust_status	enum	Status	х	х
vads_cust_title	an63	Buyer's title	х	х
vads_cust_zip	an64	Zip code	х	х
vads_ext_info_bil_address_compleme	ans250	Address line 2 specified for billing	х	
vads_ext_info_bil_date_of_birth	Datetime	The buyer's date of birth on the receipt	х	
vads_ext_info_bil_gender	n1	The buyer's gender on the receipt	х	
vads_ext_info_fingerprint_id	string	Unique session identifier	х	
vads_pays_ip	a2	Country code of the buyer's IP address code in the ISO 3166 alpha2 format.		х
vads_proof_of_id_number	an13	Field reserved to the entry of the buyer's ID number on the payment page.	х	
vads_proof_of_id_type	enum	This field corresponds to the type of ID selected by the buyer.	х	
vads_user_info	ans255	Information about the user who made the payment.		x

Shipping details

Field name	Format	Description	Input	Output
vads_ext_info_deadline	n	Definition of the delivery delay in days (N days)	х	
<pre>vads_ext_info_ship_address_compler</pre>	ans250	Address line 2 specified for the shipping	х	
<pre>vads_ext_info_ship_date_of_birth</pre>	Datetime	The buyer's date of birth specified for the shipping	х	
vads_ext_info_ship_gender	n1	The buyer's gender specified for the shipping	х	
vads_ship_to_city	an128	City	х	x
vads_ship_to_country	a2	Country code in compliance with the ISO 3166 standard	х	x
vads_ship_to_delay	enum	Shipping delay, mandatory for priority shipping	х	
<pre>vads_ship_to_delivery_company_nam</pre>	ans127	Transporter's name	х	
<pre>vads_ship_to_district</pre>	ans127	District	х	x
<pre>vads_ship_to_first_name</pre>	ans63	First name	х	
<pre>vads_ship_to_last_name</pre>	ans63	Last name	х	
<pre>vads_ship_to_legal_name</pre>	an100	Legal name	х	
vads_ship_to_name	ans63	Deprecated. Buyer's last name. Use vads_ship_to_first_name and vads_ship_to_last_name.	x	x
vads_ship_to_phone_num	ans32	Phone number	х	x
vads_ship_to_speed	enum	Shipping speed	х	
<pre>vads_ship_to_state</pre>	ans127	State / Region	х	x
vads_ship_to_status	enum	Allows to specify the type of the shipping address.	х	x
<pre>vads_ship_to_street</pre>	ans255	Postal address	х	x
<pre>vads_ship_to_street_number</pre>	an5	Street number	х	x
<pre>vads_ship_to_street2</pre>	ans255	Address line 2	х	x
vads_ship_to_type	enum	Transport type	х	
vads_ship_to_user_info	ans255	Buyer details (CPF/CNPJ legal identifier)	х	x
vads_ship_to_zip	an64	Zip code	х	x
vads_shipping_amount	n12	Shipping fee amount	х	

Payment method details

Field name	Format	Description	Input	Output
vads_acquirer_network	ans250	Acquirer network code.		x
vads_auth_mode	enum	Mode of the authorization request.		x
vads_auth_number	an20	Authorization number returned by the bank server.		x
vads_auth_result	an11	Return code of the authorization request returned by the issuing bank.		x
vads_bank_code	n5	Code associated with the issuing bank.		x
vads_bank_label	ans255	Name of the issuing bank of the payment card.		x
vads_bank_product	an3	Product code of the card used for the payment.		x
vads_birth_day	n2	Date of birth of the cardholder.	х	
vads_birth_month	n2	Month of birth of the cardholder.	х	
vads_birth_year	n4	Year of birth of the cardholder.	х	
vaas_brand_management	json	 whether the buyer used a different brand than the default brand defined by the merchant the brand chosen by the buyer the list of available brands 		x
vads_card_brand	an127	Payment method used, if available (empty otherwise).	х	x
vads_card_country	a2	Country code alpha-2 (ISO 3166) of the card used for the payment.		x
vads_card_holder_name	ans255	Name of the cardholder.	х	
vads_card_nature	a1	Nature of the card.		x
vads_card_number	n36	Masked card number.		x
vads_card_product_category	a1	Card product category.		x
vads_expiry_month	n2	Expiration month of the payment card.		x
vads_expiry_year	n4	Expiration year of the payment card.		x
vads_wallet	an127	Allows the merchant to identify the type of wallet that was used for the payment.		x

Transaction details

Field name	Format	Description	Input	Output
vads_acquirer_payment_reference	ans250	Payment reference that appears on the payment receipt.		x
vads_acquirer_service_supplier_id	ans250	Identifier of the entity for which the payment is made.		x
vads_acquirer_transient_data	json	Information specific to the acquirer.	х	
vads_amount	n12	Transaction amount expressed in the smallest currency unit (cents for euro).	х	х
vads_archival_reference_id	an25	Reference generated by the payment gateway and transmitted to the acquirer for remittance processing.		x
vads_authent_nsu	ans255	Unique Sequence Number. Used in Latin America.		x
vads_capture_delay	n3	Delay in days before capture in the bank.	х	x
vads_change_rate	string	Exchange rate used for calculating the effective payment amount (multi-currency payment).		x
vads_contract_used	ans250	Merchant ID used for the payment.		х
vads_contracts	map	Merchant ID to be used for the payment.	х	
vads_currency	n3	Code of the currency to use for the payment.	х	х
vads_dcc_amount	n12	Transaction amount expressed in the smallest unit of the currency chosen by the Buyer if the card is eligible for the Dynamic Currency Conversion (DCC) service.		x
vads_dcc_currency	n3	Numeric code (in accordance with the ISO 4217 standard) of the currency chosen by the Buyer if the card is eligible for the Dynamic Currency Conversion (DCC) service.		x
vads_dcc_markup	Décimal	Sales margin rate applied to the total amount when the card is eligible for the Dynamic Currency Conversion (DCC) service.		x
vads_dcc_rate_date	n14	UTC date and time, in YYYYMMDDHHMMSS format, of obtaining the conversion rate from the Dynamic Currency Conversion service (DCC).		x
vads_effective_amount	n12	The payment amount presented in the smallest unit of the currency used for the capture in the bank (cents for euro).		x

Field name	Format	Description	Input	Output
vads_effective_creation_date	n14	Date of transaction registration in UTC format (GMT+0, 24H) (YYYYMMDDHHMMSS).		х
vads_effective_currency	n3	Currency used for the capture in the bank.		x
vads_ext_trans_id	enum	External transaction reference.		x
vads_first_installment_delay	n3	Number of deferred months to be used for the first installment of payment in installments.	х	
vads_initial_issuer_transaction_ident	ans32	Unique transaction reference generated by the issuer. Called a "chaining reference", it is used in MIT transactions to indicate to the issuer that the transaction is part of a series of payments for which the cardholder authenticated himself in the first payment.		x
vads_occurrence_type	enum	Type of sequence. Allows to identify if the transaction is part of a series of payments (subscription or payment in installments).		x
vads_operation_type	enum	Type of operation: debit, credit (refund), verification.		x
vads_payment_cards	liste d'enum	Type of payment method.	х	
vads_payment_certificate	an40	Field populated by the payment gateway if the authorization has been successfully completed.		x
vads_payment_config	enum	Payment type: immediate or installment.	х	x
vads_payment_option_code	an5	Code of the used payment option.	х	x
vads_payment_seq	json	Split payment sequence.		х
vads_payment_src	enum	Entry mode for payment method data.	х	х
vads_presentation_date	n14	Requested capture date.		х
vads_requestor	enum	In order to modify the value of the " Aceite " field for a Boleto Bancario	х	x
vads_sequence_number	n3	Installment payment sequence number.		x
vads_tax_refund_amount	n12	Tax credit amount.		х
vads_tid	an255	Terminal ID. POS identifier defined within the acceptance contract.		x
vads_token_id	an32	Payment order ID associated with the transaction.		x
vads_trans_date	n14	Date and time in the GMT+0 (UTC) format on a 24-hour clock (YYYYMMDDHHMMSS).	х	x
vads_trans_id	an6	Unique ID of a transaction	х	x

Field name	Format	Description	Input	Output
vads_trans_status	enum	Status of the transaction.		х
vads_trans_uuid	ans32	Unique transaction reference generated by the payment gateway.		x
vads_validation_mode	n1	Transaction validation mode.	х	x
vads_use_case	ans50	Allows you to specify that this is a payment upon shipment.	x	x
vads_warranty_result	enum	Liability shift in case of accepted payment.		x

Cardholder authentication

Field name	Format	Description	Input	Output
vads_threeds_auth_type	enum	Indicates the authentication type of the cardholder (CHALLENGE, FRICTIONLESS or DATA ONLY) . Returned only if the buyer has correctly authenticated him/herself (vads_threeds_status is "Y" or "A").		x
vads_threeds_cavv	ans28	Designates the cardholder's authentication through the ACS. It is populated by the 3DS authentication server (ACS) when the buyer has correctly authenticated him/herself (vads_threeds_status equals "Y" or "A").		x
vads_threeds_cavvAlgorithm	an1	Algorithm used by the ACS to generate the CAVV value. It is populated by the 3DS authentication server (ACS) when the buyer has correctly authenticated him/herself (vads_threeds_status equals "Y" or "A").		x
vads_threeds_eci	an2	Indicates the E-Commerce index. It is populated by the 3DS authentication server (ACS) when the buyer has correctly authenticated him/herself (vads_threeds_status equals "Y" or "A").		x
vads_threeds_enrolled	al	Indicates the enrollment status of the cardholder. It is populated by the VISA and MASTERCARD (DS) servers during the 3D Secure authentication process.		x
vads_threeds_error_code	n2	Deprecated. Use vads_threeds_exit_status.		x
vads_threeds_exit_status	n2	Final status of 3D Secure authentication. Populated by the payment gateway.		x
vads_threeds_mpi	n1	Allows the merchant to indicate their preference when it comes to cardholder authentication. At output, indicates the merchant preference actually transmitted to the issuer.	x	
vads_threeds_sign_valid	n1	Indicates the validity of the message containing the authentication result.		x

Field name	Format	Description	Input	Output
		Populated by the payment gateway.		
vads_threeds_status	a1	Defines the cardholder's authentication status. Populated by the 3DS authentication server (ACS) during the 3D Secure authentication.		x
vads_threeds_xid	ans28	Indicates the unique 3DS authentication reference. It is populated by the authentication server (ACS) during the 3D Secure authentication process.		x

Customizing the payment page

Field name	Format	Description	Input	Output
vads_available_languages	Enum list	Allows to specify the list of languages available on the payment page.	х	x
vads_language	a2	Defines the language of the payment page (ISO 639-1 standard).	х	х
vads_iframe_options	json	Allows you to customize the background color and the font of the input fields in iframe mode.	х	
vads_shop_name	ans127	Allows to define the shop name as it appears in the summary payment page, the receipt and the confirmation payment e-mail.	х	x
vads_shop_url	ans1024	Allows to override the shop URL that appears on the payment page and in payment confirmation emails.	х	x
vads_theme_config	map	Allows to customize certain elements on the payment page.	х	

Redirection to the merchant website

Field name	Format	Description	Input	Output
vads_redirect_error_message		Automatic redirection:	х	
	ans255	Message displayed on the payment page prior to redirection after an accepted/declined payment.		
vads_redirect_error_timeout	n3	<u>Automatic redirection</u> : Delay (in seconds) before automatic redirection to the merchant website after an accepted/declined payment.	X	
vads_redirect_success_message	ans255	Automatic redirection: Specifies the message that will appear upon automatic redirection to the merchant website at the end of an accepted payment.	x	
vads_redirect_success_timeout	n3	Automatic redirection: Allows to define a delay in seconds before an automatic redirection to the merchant website at the end of an accepted payment. Its value is between 0 and 300 s.	x	
vads_return_mode	enum	Allows to specify the data transmission mode to the URLs of return to the merchant website.	X	
vads_url_cancel	ans1024	URL where the buyer will be redirected after clicking on "Cancel and return to shop" before proceeding to payment.	x	
vads_url_check	ans1024	URL of the page to notify at the end of payment. Overrides the value entered in the notification rules settings.	х	
vads_url_check_src	enum	This parameter defines the triggering event of the instant notification (also called IPN).		x
vads_url_error	ans1024	URL where the buyer will be redirected in case of an internal processing error.	X	
vads_url_post_wallet	ans1024	URL using which the merchant will be recalled if a wallet is used during the payment.	x	x
vads_url_refused	ans1024	URL where the buyer will be redirected in case of a rejected payment.	X	
vads_url_return	ans1024	Default URL where the buyer will be redirected after clicking on "Return to shop".	x	
vads_url_success	ans1024	URL where the buyer will be redirected in case of a successful transaction.	X	
Recurring payment details

Field name	Format	Description	Input	Output
vads_identifier	ans50	Unique ID (token or unique mandate reference) associated with a payment method.	х	x
vads_identifier_previously_registered	bool	Verification of the payment method uniqueness.		x
vads_identifier_status	enum	Mandate registration status.		х
vads_recurrence_number	n2	Recurrence number of the recurring payment.		x
vads_recurrence_status	enum	Recurrence creation status.		х
vads_sub_amount	n12	Amount of each installment except the ones that will be eventually defined by the vads_sub_init_amount_number.	х	x
vads_sub_currency	n3	Numeric code of the currency to be used for the recurring payment in compliance with the ISO 4217.	х	x
vads_sub_desc	ans255	Rule for recurring payments to apply according to the iCalendar RFC5545 specification.	x	x
vads_sub_effect_date	n8	Subscription start date in the UTC time zone, in YYYYMMDD format.	х	x
vads_sub_init_amount	n12	Amount of the <u>first installments</u> of the recurring payment.	х	х
vads_sub_init_amount_number	n3	Number of installments for which the amount vads_sub_init_amount should be applied.	х	x
vads_subscription	ans50	ID of the subscription ID to create.	х	x

Risk analysis details

Field name	Format	Description	Input	Output
vads_risk_analysis_result	enum	Result of risk assessment analysis performed by an external system (ClearSale, CyberSource, etc.).		x
vads_risk_assessment_result	enum	Result of advanced risk assessment analysis performed by the payment gateway.		x
vads_risk_control	map	Result of risk assessment.		x

Sub-merchant details

Field name	Format	Description	Input	Output
vads_submerchant_adress	ans255	Address of the sub-merchant. Transmitted by the payment facilitator.	х	x
vads_submerchant_adress2	ans255	Address line 2 of the sub- merchant. Transmitted by the payment facilitator.	x	x
vads_submerchant_city	an128	City of the sub-merchant. Transmitted by the payment facilitator.	х	x
vads_submerchant_company_type	ans60	Company type of the sub-merchant. Transmitted by the payment facilitator.	х	x
vads_submerchant_country	ans64	Country code of the sub- merchant's address (ISO 3166 alpha-2 standard). Transmitted by the payment facilitator.	х	x
vads_submerchant_facilitatorId	ans128	Payment Facilitator ID. Transmitted by the payment facilitator.	x	x
vads_submerchant_legal_number	ans24	Legal Entity Identifier of the sub-merchant. Transmitted by the payment facilitator.	х	x
vads_submerchant_mcc	n4	Merchant Category Code of the sub-merchant. Transmitted by the payment facilitator.	х	x
vads_submerchant_mid	n64	Merchant ID number of the sub- merchant. Transmitted by the payment facilitator.	х	х
vads_submerchant_name	ans255	Legal name of the sub-merchant. Transmitted by the payment facilitator.	x	x
vads_submerchant_phone	ans32	Phone number of the sub- merchant. Transmitted by the payment facilitator.	x	x
vads_submerchant_soft_descriptor	ans255	Soft descriptor of the sub-merchant that appears on the buyer's bank statement. Transmitted by the payment facilitator.	x	x

Field name	Format	Description	Input	Output
vads_submerchant_state	ans128	Region of the sub-merchant address. Transmitted by the payment facilitator.	X	х
vads_submerchant_url	ans128	URL of the sub-merchant. Transmitted by the payment facilitator.	X	х
vads_submerchant_zip	ans64	Zip code of the sub-merchant. Transmitted by the payment facilitator.	х	x

signature

Description	Mandatory parameter.
	Allows to verify the integrity of transmitted requests.
	This value is computed:
	 by the merchant website during the payment request,
	 by the payment gateway during the response.
	Input and output field, returned in the response (IPN and Return URL).
Format	an40
Error code	00 - signature Appears if the value of this field is incorrect,
	70-empty params if the field is absent or empty.
	Frequent errors:
	• The fields of the form have not been encoded in UTF-8.
	• The MODE (TEST or PRODUCTION) or the key used is incorrect.
	 Line break or carriage return posted in the form.
	Quotation marks ["] posted in the form.
	 The type of computation algorithm used is not the correct one.
	• The transmitted signature does not respect the rule of signature computation.
Category	Technical details

vads_acquirer_network

Description	Acquirer network code.	
	Output field, returned	in the response (IPN and Return URL).
Format	ans250	
Possible values	Network code	Description
	ACCORD_SANDBOX	Oney network (private and gift cards) - sandbox mode
	ACCORD	Oney network (private and gift cards)
	ALMA	ALMA network
	AMEXGLOBAL	American Express network
	AURORE	Cetelem Aurore network (Brand cards and universal Aurore card)
	СВ	CB network
	CONECS	Titre-Restaurant Conecs network
	FULLCB	FULL CB Network (Payment in 3 or 4 times without fees by BNPP PF)
	GATECONEX	GATECONEX Network
	GIROPAY	GIROPAY network
	IDEAL	IDEAL network
	IP	Payment initiation (SEPA Credit Transfer and SEPA Instant Credit Transfer) network

Network code	Description
JCB	JCB network
PAYCONIQ	Payconiq network
PAYPAL	PayPal network
PAYPAL_SB	PayPal network - sandbox mode
SEPA	SEPA network (SDD and SCT)
SOFORT	Sofort Banking network

Category Payment method details.

vads_acquirer_payment_reference

Description	Payment reference that appears on the payment receipt.	
	Used in particular for the Multibanco payment method.	
	Output field, returned in the response (IPN only).	
Format	ans250	
Category	Transaction details.	
vads_acquirer_serv	rice_supplier_id	
Description	Identifier of the entity for which the payment is made.	
	Used in particular for the Multibanco payment method.	
	Output field, returned in the response (IPN only).	
Format	ans250	
Category	Transaction details.	
vads_acquirer_transient_data		

Description Allows to transmit specific information to one or more networks.

An error will be sent upon submission of the form if the specified value does not respect the rules established by the acquirer.

For a Conecs transaction, this field allows to transmit the amount eligible for Meal Voucher (Titre-Restaurant) payment.

6

Format	json
Possible values	For a transaction via Conecs meal voucher, the expected JSON format is:
	<pre>vads_acquirer_transient_data={"CONECS":{"eligibleAmount":"1725"}}</pre>
	For a FULLCB transaction, the expected JSON format is:
	<pre>vads_acquirer_transient_data={"FULLCB":{"data":"DE=3#VT=12#MT=A"}}</pre>

To limit the cards accepted for payment based on the BIN code, the expected format is as follows:

{"MULTI":{"bins":["bin1","bin2","bin3"]}}

NB: Supports 6-digit BIN codes or 8-digit BIN codes.
Example:
6-digit BIN code: 4012 34XX XXXX XXXX;
8-digit BIN code: 4000 1234 XXXX XXXX.
130, 133, 134, 135, 136, 137, 175, 176
Transaction details.

Error codes

Category

vads_action_mode

Description	Mandatory parameter.
	Acquisition mode for payment method data.
	Input and output field, returned in the response (IPN and Return URL).
Format	enum
Error code	47
Possible values	INTERACTIVE : the buyer enters the payment method details on the payment page.
	IFRAME : card detail entry on a simplified and streamlined payment page that the merchant can embed into the web page of their choice.
Category	Technical information.
vads_amount	
Description	Transaction amount expressed in the smallest currency unit (cents for euro).
	Example: for a transaction of 10 euros and 28 cents, the value of the parameter is 1028.
	The payment form will be rejected in the following cases:
	 an amount equal to zero [vads_amount=0],
	 a negative amount [vads_amount=-100],
	 an amount with decimals or points vads_amount=100.50],
	 a form without the vads_amount field (amount absent).
	A message notifying of a technical error will be associated with a 09 return code (vads_extra_result).
	Input and output field, returned in the response (IPN and Return URL).
Format	n12
Error code	09
Category	Transaction details.
vads_archival_re	ference_id
Description	A reference generated by the payment gateway and sent to the acquirer for remittance processing and transaction reconciliation.
	Provided only for CB, AMEX and PAYPAL payments.
	E.g.: L18500026501
	Output field, returned in the response (IPN only).
Format	an25
Category	Transaction details.

vads_auth_mode

Description	Specifies the mode of the authorization request.
	Output field, returned in the response (IPN and Return URL).
Format	enum
Possible values	FULL: corresponds to an authorization for the total transaction amount.
	Value used for immediate payments if the period between the requested capture date and the current date is strictly shorter than the authorization validity period.
	MARK : corresponds to an authorization for EUR 1 (or information request about the CB network if the acquirer supports it).
	Value used for deferred payments if the period between the requested capture date and the current date is strictly greater than the authorization validity period.
Category	Payment method details.
vads_auth_numl	ber
Description	Authorization number returned by the authorization server, if available (otherwise, empty).
	Output field, returned in the response (IPN and Return URL).
Format	an20
Category	Payment method details.

Scellius - Hosted Payment Page - Document version 3.37.1 Copyright La Banque Postale $^{\textcircled{C}}$ - 152 / 270

Description Return code of the authorization request returned by the issuing bank, if available.

Output field, returned in the response (IPN and Return URL).

Format an..3

Possible values

Returned codes for SEPA Credit Transfer:

Codes	Description
00	The payment is accepted.
80	AC01: The account number is either invalid or does not exist.
	Incorrect IBAN/BIC, or account currency different from euro.
81	AC04: The account is closed and cannot be used.
82	AC06: The account is blocked and cannot be used.
83	AG01: Transaction forbidden for this type of account.
	E.g.: savings account.
84	AM18: The number of transactions exceeds the acceptance limit of the Account Servicing Payment Service Provider (ASPSP).
85	CH03: The requested execution date is too far in the future.
86	CUST: The reject is due to the debtor: refusal or insufficient funds.
87	DS02: An authorized user has cancelled the order.
88	FF01: The reject is due to the original payment request which is invalid (syntax, structure
	or values).
89	FRAD: The payment request is considered as fraudulent.
90	MS03: No reason specified by the Account Servicing Payment Service Provider (ASPSP).
91	NOAS: The PSU has neither accepted nor rejected the payment request and the time-out
	period has expired.
92	RR01: The account and/or debtor identification is missing or inconsistent.
93	RR03: Specification of the creditor's name and/or address needed for regulatory
	requirements is incomplete or missing.
94	RR04: Rejection for regulatory reasons.
95	RR12: Invalid or missing identification required for a particular country or payment type.
96	DUPL: Duplicate operation.
97	TECH: Technical error

Codes returned by the **CB** network:

Value	Description	Value	Description
00	Approved or successfully processed transaction	54	Expired card
02	Contact the card issuer	55	Incorrect secret code
03	Invalid acceptor	56	Card absent from the file
04	Keep the card	57	Transaction not allowed for this cardholder
05	Do not honor	58	Transaction not allowed for this cardholder
07	Keep the card, special conditions	59	Suspected fraud

Value	Description	Value	Description
08	Confirm after identification	60	The acceptor of the card must contact the acquirer
12	Incorrect Transaction Code	61	Withdrawal limit exceeded
13	Invalid amount	63	Security rules unfulfilled
14	Invalid cardholder number	65	Exceeded number of withdrawals
15	Unknown issuer	68	Response not received or received too late
17	Canceled by the buyer	75	Number of attempts for entering the secret code has been exceeded
19	Retry later	76	The cardholder is already blocked, the previous record has been saved
20	Incorrect response (error on the domain server)	78	Transaction blocked, first transaction on card not properly unblocked
24	Unsupported file update	80	Contactless payment is not accepted by the issuer
25	Unable to locate the registered elements in the file	81	Unsecured payment is not accepted by the issuer
26	Duplicate registration, the previous record has been replaced	82	CVV, dCVV, iCVV incorrect
27	File update edit error	83	Revocation of all recurring payments for the card
28	Denied access to file	84	R1 - Revocation of recurring payment for the card of a specific Merchant or for the MCC and the card
29	Unable to update	86	6P - Failure of the issuer to verify the data
30	Format error	88	A4 - Misuse of the TRA exemption
31	Unknown acquirer company ID	90	Temporary shutdown
33	Expired card	91	Unable to reach the card issuer
34	Suspected fraud	94	Duplicate transaction
38	Expired card	96	System malfunction
41	Lost card	97	Overall monitoring timeout
43	Stolen card	98	Server not available, new network route requested
46	Customer account closed	99	Initiator domain incident
51	Insufficient balance or exceeded credit limit		

Codes returned by Amex Global acquirer:

Code	Description
000	Approved
001	Approved with an ID
002	Partial approval (Prepaid Cards only)
100	Declined
101	Expired card / Invalid expiry date
106	Exceeded PIN entry attempts
107	Please Call Issuer
109	Invalid merchant
110	Incorrect Transaction Amount
111	Invalid account / Invalid MICR (Travelers Cheque)
115	Requested function not supported
117	Invalid PIN
119	Cardholder not enrolled / not allowed
122	Invalid card security code (a.k.a., CID, 4DBC, 4CSC)
125	Invalid effective date
130	Declined
181	Format error
183	Invalid currency code
187	Deny - New card issued
189	Deny - Account canceled
200	Deny - Pick up card
900	Accepted - ATC Synchronization
909	System malfunction (cryptographic error)
912	Issuer not available

Codes returned by Elavon Europe acquirer:

Code	Description
0	Approved, success
1	Refer To Card Issuer Client
2	Refer To Card Issuer, Special Condition
3	Invalid Merchant
4	Pick-Up Card
5	Do Not Honour
6	Error
7	Pick-Up Card, Special Condition
8	Honour With Identification
9	Request In Progress
10	Approved, Partial
11	Approved, VIP
12	Invalid Transaction
13	Invalid Amount
14	Invalid Card Number
15	No Such Issuer

Code	Description
16	Approved, Update Track 3
17	Operator Cancelled
18	Customer Dispute
19	Re Enter Transaction
22	Suspected Malfunction
23	Unacceptable Transaction Fee
24	File Update Not Supported
25	Unable To Locate Record
26	Duplicate Record
27	File Update Edit Error
28	File Update File Locked
30	File Update Failed
31	Bank Not Supported
32	Completed Partially
33	Expired Card, Pick-Up
34	Suspected Fraud, Pick-Up
35	Contact Acquirer, Pick-Up
36	Restricted Card, Pick-Up
37	Call Acquirer Security, Pick-Up
38	PIN Tries Exceeded, Pick-Up
39	No Credit Account
40	Function Not Supported
41	Lost Card (Contact Bank)
42	No Universal Account
43	Stolen Card
44	No Investment Account
51	Not Sufficient Funds (Client To Contact Bank)
52	No Check Account
53	No Savings Account
54	Expired Card (Contact Bank)
55	Incorrect PIN
56	No Card Record
57	Transaction Not Permitted To Cardholder
58	Transaction Not Permitted On Terminal
59	Suspected Fraud
60	Contact Acquirer
61	Exceeds Withdrawal Limit
62	Restricted card
63	Security Violation
64	Original Amount Incorrect
65	Exceeds Withdrawal Frequency
66	Call Acquirer Security
67	Hard Capture
68	Response Received Too Late

Code	Description
75	PIN Tries Exceeded
77	Intervene, Bank Approval Required
78	Intervene, Bank Approval Required For Partial Amount
90	Cut-Off In Progress
91	Issuer Or Switch Inoperative
92	Routing Error
93	Violation Of Law
94	Duplicate Transaction
95	Reconcile Error
96	Communication System Malfunction
97	Communication Error - Cannot Connect To FNB
98	Exceeds Cash Limit
76	Approved Country Club
79	Approved Administrative Transaction
80	Approved National Negative File Hit OK
81	Approved Commercial
82	No Security Module
83	Maximum Refund credit Limit exceeded
84	No PBF
85	PBF Update Error
86	Invalid Authorisation Type
87	Bad Track 2
88	PTLF Error
89	Invalid Route Service
110	1A Soft Decline requesting 3D Secure Version 2 authentication on an unsecured ecommerce transaction

Codes returned by the **ONEY_API** network:

Code	Description
0	Awaiting acceptance by Oney
1	Payment rejected by Oney
2	Payment accepted by Oney
3	Payment abandoned
4	Payment canceled
99	Unknown error

Codes returned by the **PayPal** network:

Code	Description	
0	Transaction accepted	
10001	Internal error	
10002	Restricted Account	
10009	Transaction refused for one of the following reasons:	
	 The partial refund amount must be less than or equal to the original transaction amount. 	
	• The partial refund must be in the same currency as the original transaction.	

Code	Description	
	This transaction has already been fully refunded.	
	• The time limit (60 days) for performing a refund for this transaction has been exceeded.	
10422	Customer must choose new funding sources. The customer must return to PayPal to select	
	new funding sources.	
10486	This transaction couldn't be completed. Please redirect your customer to PayPal.	
13113	The Buyer cannot pay with PayPal for this transaction. Inform the buyer that PayPal	
	declined the transaction and to contact <i>PayPal Customer Service</i> .	

Other return codes For payment methods that are different from the ones presented below:

- see the technical documentation specific to the payment method or
- contact the technical support for more information.

Category

Payment method details.

vads_authent_paypal_protection_eligibility

Description	Type of merchant protection used for the transaction.
	Three values are possible:
	• ELIGIBLE
	Merchant is protected by PayPal's Seller Protection Policy for unauthorized payments and Item Not Received.
	PARTIALLY_ELIGIBLE
	Merchant is protected by PayPal's Seller Protection Policy for Item Not Received.
	INELIGIBLE
	Merchant is not protected by PayPal's Seller Protection Policy for Item Not Received.
	Concerns only the PayPal payment method.
	Output field, returned in the response (IPN and Return URL).
Format	enum
Category	Order details.
vads_authent_n	su
Description	Unique sequence number (Latin America).

Description	Unique sequence number (Latin America).
	Output field, returned in the response (IPN and Return URL).
Format	ans255
Category	Transaction details.

vads_available_languages

Description Format Error code	 Allows to specify the list of languages available on the payment page. The elements on the list must be separated by a semi-colon (;). Allows you to modify the list of languages offered by the language selector at the top right of the payment page. <i>Input and output field, returned in the response (IPN and Return URL).</i> language1;language2;language3 71 		
		Value	Default available language
Possible values	German	de	x
	English	en	x
	Chinese	zh	x
	Spanish	es	X
	French	fr	x
	Italian	it	X
	Japanese	ја	X
	Dutch	nl	x
	Polish	pl	
	Portuguese	pt	X
	Russian	ru	X

E.g.: to limit the choice to French and English, submit vads_available_languages=fr;en

х

Category Payment page customization

a1

Swedish

Turkish

vads_avs_result

Description Transmits the result of the address verification performed by the buyer.

sv

tr

This verification only applies to the numeric part of the billing address.

The Address Verification Service is supported in the USA, Canada and United Kingdom.

Output field, returned in the response (IPN and Return URL).

Format

Possible values

es	Code	Visa	MasterCard	Discover	American Express
	Y	Address & 5- digit or 9-digit ZIP match	Address & 5- digit ZIP match	Address only matches	Address & ZIP match
	A	Address matches, ZIP does not	Address matches, ZIP does not	Address & 5- digit ZIP match	Address only matches
	S	AVS not supported	AVS not supported	AVS not supported	AVS not supported

Codo	Vice	MactorCord	Discover	American
Code	Visa	wasterCard	Discover	Express
R	System unavailable, retry	System unavailable, retry	Not applicable	System unavailable, retry
U	Information not available	Information not available	System unavailable, retry	Information not available
Z	Either 5-digit or 9-digit ZIP match, address does not	5-digit ZIP matches, address does not	5-digit ZIP matches, address does not	ZIP code only matches
N	Neither ZIP nor address match	Neither ZIP nor address match	Neither ZIP nor address match	Neither ZIP nor address match
w	Not applicable	For U.S., 9-digit ZIP matches, address does not. For non- U.S., ZIP matches, address does not	Information not available	Not applicable
x	Not applicable	For U.S., all digits match. For non- U.S., ZIP and address match.	Address & 9- digit ZIP match	Not applicable
В	Address matches, ZIP not verified	Not applicable	Not applicable	Not applicable
Т	Not applicable	Not applicable	9-digit ZIP matches, address does not	Not applicable
Ρ	ZIP matches, address not verified	Not applicable	Not applicable	Not applicable
С	Address and ZIP not verified	Not applicable	Not applicable	Not applicable
D	Address & ZIP match (International only)	Not applicable	Not applicable	Not applicable
G	Address not verified (International only)	Not applicable	Not applicable	Not applicable
1	Address not verified (International only)	Not applicable	Not applicable	Not applicable
М	Address & ZIP match	Not applicable	Not applicable	Not applicable

Code	Visa	MasterCard	Discover	American Express
	(International only)			
F	Address & ZIP match (UK only)	Not applicable	Not applicable	Not applicable

Category

Transaction details.

vads_bank_code			
Description	Code associated with the issuing bank.		
	Output field, returned in the response (IPN and Return URL).		
Format	n5		
Category	Paymen	t method details.	
vads_bank_label			
Description	Name of the issuing bank of the payment card. Output field, returned in the response (IPN and Return URL).		
Format	ans255		
	6	Alphanumeric and special characters that may contain accented characters (except '<' and '>').	
Category	Paymen	t method details	
vads_bank_prod	uct		

Description	Product code of the card used for the payment.
	Output field, returned in the response (IPN and Return URL).
Format	an20

Possible values

VISA	Designation
А	Visa Traditional
В	Visa Traditional Rewards
С	Visa Signature
D	Visa Signature Preferred
E	Proprietary ATM
F	Visa Classic
G	Visa Business
G1	Visa Signature Business
G2	Reserved
G3	Visa Business Enhanced
G4	Visa Infinite Business
G5	Visa Business Rewards
н	Reserved
1	Visa Infinite
11	Visa Infinite Privilege
12	Visa Ultra High Net Worth
1	Reserved
J1	Reserved

VISA	Designation
J2	Reserved
J3	Visa Healthcare
J4	Reserved
К	Visa Corporate T&E
K1	Visa GSA Corporate T&E
L	Electron
Ν	Visa Platinium
N1	ТВА
N2	Visa Select
Ρ	Visa Gold
Q	Private Label
Q1	Reserved
Q2	Private Label Basic
Q3	Private Label Standard
Q4	Private Label Enhanced
Q5	Private Label Specialized
Q6	Private Label Premium
R	Proprietary
S	Visa Purchasing
S1	Visa Purchasing
S2	Visa Purchasing
S3	Visa Purchasing
S4	Government Services Loan
S5	Commercial Transport EBT
S6	Business Loan
S7	Visa Distribution
Т	Reserved
U	Visa TravelMoney
v	Visa VPay
w	Reserved
X	Reserved
Y	Reserved
Z	Reserved

MASTERCARD	Designation
BPD	MASTERCARD BUSINESS PREMIUM DEBIT
CIR	CIRRUS
DAG	GOLD DEBIT MASTERCARD SALARY
DAP	PLATINUM DEBIT MASTERCARD SALARY
DAS	STANDARD DEBIT MASTERCARD SALARY
DDB	DOMESTIC DEBIT BRAND
DLG	DEBIT GOLD DELAYED DEBIT
DLH	DEBIT WORLD EMBOSSED DELAYED DEBIT
DLP	DEBIT PLATINUM DELAYED DEBIT
DLS	MASTERCARD CARD-DELAYED DEBIT
DOS	STANDARD DEBIT MASTERCARD SOCIAL
DWF	DEBIT MASTERCARD HUMANITARIAN PREPAID
М	MASTERCARD
МАВ	WORLD ELITE MASTERCARD
MAC	MASTERCARD CORPORATE WORLD ELITE
ΜΑΡ	MASTERCARD COMMERCIAL PAYMENTS ACCOUNT
MBB	MASTERCARD PREPAID CONSUMER
MBC	MASTERCARD PREPAID VOUCHER
MBD	MASTERCARD PROFESSIONAL DEBIT BUSINESS CARD
MBE	MASTERCARD ELECTRONIC BUSINESS CARD
МВК	MASTERCARD BLACK
MBP	MASTERCARD UNKNOWN PRODUCT
MBS	MASTERCARD B2B PRODUCT
МВТ	MASTERCARD CORPORATE PREPAID TRAVEL
MBW	WORLD MASTERCARD BLACK EDITION – DEBIT
МСВ	MASTERCARD BUSINESS CARD
мсс	MASTERCARD CREDIT MIXED BIN CARD
MCD	MASTERCARD DEBIT CARD
MCE	MASTERCARD ELECTRONIC CARD
MCF	MASTERCARD FLEET CARD
MCG	MASTERCARD GOLD CARD
МСН	MASTERCARD PREMIUM CHARGE
МСО	MASTERCARD CORPORATE CARD
МСР	MASTERCARD PURCHASING CARD
MCS	MASTERCARD STANDARD CARD
МСТ	TITANIUM MASTERCARD CARD
MCV	MERCHANT BRANDED PROGRAM
МСЖ	WORLD MASTERCARD CARD
MDB	DEBIT MASTERCARD BUSINESSCARD CARD
MDG	DEBIT GOLD MASTERCARD CARD
MDH	DEBIT OTHER EMBOSSED
MDJ	DEBIT OTHER 2 EMBOSSED
MDL	BUSINESS DEBIT OTHER EMBOSSED
MDN	BUSINESS DEBIT OTHER 2 EMBOSSED

MASTERCARD	Designation
MDO	DEBIT OTHER CARD
MDP	DEBIT PLATINUM CARD
MDR	DEBIT BROKERAGE CARD
MDS	DEBIT MASTERCARD CARD
MDT	MASTERCARD BUSINESS DEBIT
MDW	WORLD ELITE DEBIT MASTERCARD
MEB	MASTERCARD EXECUTIVE BUSINESS CARD
MEC	MASTERCARD ELECTRONIC COMMERCIAL CARD
MEF	ELECTRONIC PAYMENT ACCOUNT
MEO	MASTERCARD CORPORATE EXECUTIVE CARD
MET	TITANIUM DEBIT MASTERCARD CARD
MFB	FLEX WORLD ELITE
MFD	FLEX PLATINUM
MFE	FLEX CHARGE WORLD ELITE
MFH	FLEX WORLD
MFL	FLEX CHARGE PLATINUM
MFW	FLEX CHARGE WORLD
MGF	MASTERCARD GOUVERNMENT COMMERCIAL CARD
МНА	MASTERCARD HEALTHCARE PREPAID NON-TAX
МНВ	MASTERCARD HSA SUBSTANTIATED (DEBIT MASTERCARD)
MHD	HELOC DEBIT STANDARD
МНН	MASTERCARD HSA NON-SUBSTANTIATED (DEBIT MASTERCARD)
MHL	HELOC DEBIT GOLD
МНМ	HELOC DEBIT PLATINUM
MHN	HELOC DEBIT PREMIUM
MIA	PREPAID MASTERCARD UNEMBOSSED STUDENT CARD
MIP	PREPAID DEBIT MASTERCARD STUDENT CARD
MIU	DEBIT MASTERCARD UNEMBOSSED
MLA	MASTERCARD CENTRAL TRAVEL SOLUTIONS AIR CARD
MLD	MASTERCARD DISTRIBUTION CARD
MLL	MASTERCARD CENTRAL TRAVEL SOLUTIONS LAND CARD
MNF	MASTERCARD PUBLIC SECTOR COMMERCIAL CARD
MNW	MASTERCARD NEW WORLD
мос	MASTERCARD UNKNOWN PRODUCT
MOG	MAESTRO GOLD
МОР	MAESTRO PLATINIUM
MOW	MAESTRO WORLD
MPA	MASTERCARD PREPAID DEBIT STANDARD-PAYROLL
МРВ	PREFERRED BUSINESS CARD
MPC	MPC
MPD	MASTERCARD FLEX PREPAID
MPF	MASTERCARD PREPAID DEBIT STANDARD-GIFT
MPG	MASTERCARD UNEMBOSSED PREPAID STUDENT CARD
МРН	MASTERCARD CASH PREPAID

MASTERCARD	Designation
МРЈ	PREPAID DEBIT MASTERCARD CARD GOLD
МРК	PREPAID MASTERCARD GOUVERNMENT COMMERCIAL CARD
MPL	PLATINIUM MASTERCARD CARD
МРМ	MASTERCARD PREPAID DEBIT STANDARD-CONSUMER INCENTIVE
MPN	MASTERCARD PREPAID DEBIT STANDARD-INSURANCE
МРО	MASTERCARD PREPAID DEBIT STANDARD-OTHER
МРР	PRE-PAID CARD
MPR	MASTERCARD PREPAID DEBIT STANDARD-TRAVEL
МРТ	MASTERCARD PREPAID DEBIT STANDARD-TEEN
MPV	MASTERCARD PREPAID DEBIT STANDARD-GOVERNMENT
MPW	DEBIT MASTERCARD BUSINESS CARD PREPAID WORK B2B
МРХ	MASTERCARD PREPAID DEBIT STANDARD-FLEX BENEFIT
MPY	MASTERCARD PREPAID DEBIT STANDARD-EMPLOYEE INCENTIVE
MPZ	MASTERCARD PREPAID DEBIT STANDARD – GOVERNMENT CONSUMER
MRC	MASTERCARD ELECTRONIC CONSUMER PREPAID
MRF	MASTERCARD EUROPEAN REGULATED INDIVIDUAL PAY
MRG	MASTERCARD STANDARD PREPAID
MRH	MASTERCARD UNKNOWN PRODUCT
MRJ	PREPAID MASTERCARD GOLD CARD
MRK	PREPAID MASTERCARD PUBLIC SECTOR COMMERCIAL CARD
MRL	PREPAID MASTERCARD ELECTRONIC COMMERCIAL CARD (NON-US)
MRO	MASTERCARD REWARDS ONLY
MRP	STANDARD RETAILER CENTRIC PAYMENTS
MRW	MASTERCARD CREDIT BUSINESS CARD PREPAID
MSA	PREPAID MAESTRO PAYROLL CARD
MSB	MAESTRO SMALL BUSINESS CARD
MSF	PREPAID MAESTRO GIFT CARD
MSG	PREPAID MAESTRO CONSUMER RELOADABLE CARD
MSI	MAESTRO
MSJ	PREPAID MAESTRO GOLD
MSM	PREPAID MAESTRO CONSUMER PROMOTION CARD
MSN	PREPAID MAESTRO INSURANCE CARD
MSO	PREPAID MAESTRO OTHER CARD
MSQ	RESERVED FOR FUTURE USE
MSR	PREPAID MAESTRO TRAVEL CARD
MST	PREPAID MAESTRO TEEN CARD
MSV	PREPAID MAESTRO GOVERNMENT BENEFIT CARD
MSW	PREPAID MAESTRO CORPORATE CARD
MSX	PREPAID MAESTRO FLEX BENEFIT CARD
MSY	PREPAID MAESTRO EMPLOYEE INSENTIVE CARD
MSZ	PREPAID MAESTRO EMERGENCY ASSISTANCE CARD
МТР	MASTERCARD PLATINUM PREPAID TRAVEL (UK AND BRAZIL)
MUW	WORLD DOMESTIC AFFLUENT
MWB	WORLD MASTERCARD FOR BUSINESS

MASTERCARD	Designation
MWD	WORLD DEFERRED
MWE	MASTERCARD WORLD ELITE
MWF	MASTERCARD HUMANITARIAN PREPAID
MWO	MASTERCARD CORPORATE WORLD
MWR	WORLD RETAILER CENTRIC PAYMENTS
OLB	MAESTRO SMALL BUSINESS DELAYED DEBIT
OLG	MAESTRO GOLD DELAYED DEBIT
OLP	MAESTRO PLATINUM DELAYED DEBIT
OLS	MAESTRO-DELAYED DEBIT
OLW	MAESTRO WORLD DELAYED DEBIT
PVA	PRIVATE LABEL A
PVB	PRIVATE LABEL B
PVC	PRIVATE LABEL C
PVD	PRIVATE LABEL D
PVE	PRIVATE LABEL E
PVF	PRIVATE LABEL F
PVG	PRIVATE LABEL G
PVH	PRIVATE LABEL H
PVI	PRIVATE LABEL I
PVJ	PRIVATE LABEL J
PVL	PRIVATE LABEL CARD
SAG	GOLD MASTERCARD SALARY–IMMEDIATE DEBIT
SAL	STANDARD MAESTRO SALARY
SAP	PLATINUM MASTERCARD SALARY–IMMEDIATE DEBIT
SAP	PLATINUM MASTERCARD SALARY IMMEDIATE DEBIT
SAS	STANDARD MASTERCARD SALARY–IMMEDIATE DEBIT
SOS	STANDARD MASTERCARD SOCIAL–IMMEDIATE DEBIT
SUR	PREPAID MASTERCARD UNEMBOSSED (NON-US)
SUR	PREPAID UNEMBOSSED MASTERCARD CARD (NON-US)
ТВЕ	MASTERCARD ELECTRONIC BUSINESS IMMEDIATE DEBIT
тсв	MASTERCARD BUSINESS CARD-IMMEDIATE DEBIT
тсс	MASTERCARD MIXED BIN-IMMEDIATE DEBIT
TCE	MASTERCARD ELECTRONIC IMMEDIATE DEBIT
TCF	MASTERCARD FLEET CARD IMMEDIATE DEBIT
TCG	LD MASTERCARD CARD-IMMEDIATE DEBIT
тсо	MASTERCARD (CORPORATE) IMMEDIATE DEBIT
ТСР	MASTERCARD PURCHASING CARD IMMEDIATE DEBIT
TCS	MASTERCARD STANDARD CARD-IMMEDIATE DEBIT
тсw	WORLD SIGNIA MASTERCARD CARD-IMMEDIATE DEBIT
ТЕВ	MASTERCARD EXECUTIVE BUSINESS CARD IMMEDIATE DEBIT
TEC	MASTERCARD ELECTRONIC COMMERCIAL IMMEDIATE DEBIT
TEO	MASTERCARD CORPORATE EXECUTIVE IMMEDIATE DEBITCARD
TIU	
TNF	MASTERCARD PUBLIC SECTOR COMMERCIAL CARD IMMEDIATE DE

MASTERCARD	Designation
TNW	MASTERCARD NEW WORLD-IMMEDIATE DEBIT
ТРВ	PREFERRED BUSINESS CARD IMMEDIATE DEBIT
TPL	PLATINUM MASTERCARD IMMEDIATE DEBIT
тwв	WORLD MASTERCARD BLACK EDITION IMMEDIATE DEBIT
WBE	MASTERCARD UNKNOWN PRODUCT
WDR	WORLD DEBIT MASTERCARD REWARDS
WMR	WORLD MASTERCARD REWARDS

СВ	Designation
1	National cash withdrawal card
2	National cash withdrawal and payment card
3	National payment card
4	National payment and cash withdrawal card requiring systematic authorization
5	National payment card requiring systematic authorization

Other product codes	Designation
AX	AMERICAN EXPRESS
DI	DISCOVER
DN	DINERS
JC	JCB

Category	Payment method details.
cutegory	r dynnenie niectnoù detans.

vads_birth_day

Description	Date of birth of the cardholder.
	Input field.
Format	n2
Error code	76
Category	Payment method details.

vads_birth_month

Description	Month of birth of the cardholder.
	Input field.
Format	n2
Error code	76
Category	Payment method details.
vads_birth_year	
Description	Year of birth of the cardholder.

	Input field.
Format	n4
Error code	76
Category	Payment method details.

vads_brand_management

Description	Indicates to the merchant:
	 whether the user has chosen a brand (userChoice attribute),
	 the brand chosen by the buyer (brand attribute),
	 the list of available brands (brandList attribute).
	This field is returned only if brand selection is enabled for the CB contract used for the payment.
	Output field, returned in the response (IPN and Return URL).
Format	json
Possible values	Example:
	vads_brand_management={"userChoice":true,"brand":"CB","brandList":"CB VISA"}
Category	Payment method details.

vads_capture_delay

Description	Indicates the delay (in days) before the capture.	
	If the parameter is not submitted, the default value specified in the Merchant Back Office will be used. The default value can be configured in the Merchant Back Office by all authorized persons.	
	 The value of vads_capture_delay is not taken into account in the case of payment in installments MULTI_EXT. If the capture delay is higher than 365 days in the payment request, it will be automatically reset to 365 days. 	
	Input and output field (IPN and Return URL).	
Format	n3	
Error code	06	
Category	Transaction details.	
vads_card_brand		
Description	Payment method used, if available (empty otherwise).	
	The value is derived from the BIN range files.	
	Output field, returned in the response (IPN and Return URL).	

Format	an127	
Possible values	See the vads_payment_cards field.	
	The value CB will be returned for co-branded Visa and MasterCard CB cards.	
Category	Payment method details.	

vads_card_country

Description	Country code of the card in compliance with the ISO 3166 standard
	Output field, returned in the response (IPN and Return URL).
Format	ISO 3166
Category	Payment method details.

vads_card_holder_name

Description	Name of the cardholder.
	In Latin America, this parameter is required for DECIDIR and VISANET.
	Input field.
Format	ans255
Error code	45
Category	Payment method details.

vads_card_nature

Description	Nature of the card.			
	Empty field if not provided by acquirer.			
	Output field, returned in the response (IPN and Return URL).			
Format	enum			
Possible values	CONSUMER_CARD: Personal card			
	 COMMERCIAL_CARD: Commercial card 			
Category	Payment method details.			
vads_card_numbe	r			

Description	 Masked card number. Contains the 6 first digits of the number followed by "XXXXXX" and the 4 last numbers in the end.
	 IBAN and BIC used for the payment separated by "_" in case of a direct debit payment.
	The BIC is optional so the number may be the IBAN only.
	Output field returned in the response (IPN and Return URL).
Format	an36

Category Payment method details.

vads_card_produ	vads_card_product_category		
Description	Card product category.		
	The value is derived from the BIN range files.		
	Output field, returned in the response (IPN and Return URL).		
Format	enum		
Possible values	CREDIT		
	• DEBIT		
	PREPAID		
Category	Payment method details.		
vads_change_rate			
Description	Exchange rate used to calculate the effective payment amount (multi-currency payment).		
	Output field, returned in the response (IPN and Return URL).		
Format	string		
Category	Transaction details		
vads_collection_ex	xpiry_date		
Description	Fund collection expiration date in dateTime format.		
	Used in Latin America for cash payments.		
	Allows to override the expiration date of fund collection defined by default in the MID configuration.		
	E.g.: 2020-02-25T14:02:17+00:00		
	Input and output field, returned in the response (IPN and Return URL).		
Format	dateTime		
Error code	174		

Category Order details.

Description	Allows to:			
	• specify a list with the Merchant ID (MID) to use for each acceptance network,			
	exclude a network.			
	This parameter is optional and is only used when you have several e-commerce Merchant IDs (MID) within the same network and when you wish to select a different Merchant ID (MID) depending on the payment .			
	If this parameter is not specified or absent, the payment will be made with the Merchant ID(s) according to the priority order defined in the Merchant Back Office (Settings > Shop > MID association tab).			
	Input field.			
Format	map			
Error code	62			
Possible values	Syntax:			
	• To define a list of MIDs, separate them with a semi-colon ";".			
	• To define a list of MIDs, separate them with a semi-colon ";".			

vads_contracts=NETWORK_CODE_A=MID_A1;NETWORK_CODE_B=MID_B2

• To exclude a network, add network name=NO.

vads_contracts=NETWORK_CODE_A=NO

• To force the TID, separate the MID number and the TID number by a colon: ": "

vads_contracts=NETWORK_CODE_A=MID_A1:TID_1

 If the field is submitted empty, the MID used will be the one defined by the priority order in the Merchant Back Office (Settings > Shop > MID association tab).

The possible networks are:

Network code	Description
ACCORD_SANDBOX	Oney network (private and gift cards) - sandbox mode
ACCORD	Oney network (private and gift cards)
ALMA	ALMA network
AMEXGLOBAL	American Express network
AURORE	Cetelem Aurore network (Brand cards and universal Aurore card)
СВ	CB network
CONECS	Titre-Restaurant Conecs network
FULLCB	FULL CB Network (Payment in 3 or 4 times without fees by BNPP PF)
GATECONEX	GATECONEX Network
GIROPAY	GIROPAY network
IDEAL	IDEAL network
IP	Payment initiation (SEPA Credit Transfer and SEPA Instant Credit Transfer) network

	Network code	Description		
	JCB	JCB network		
	PAYCONIQ	Payconig network		
	PAYPAL	PayPal network		
	PAYPAL_SB	PayPal network - sandbox mode		
	SEPA	SEPA network (SDD and SCT)		
	SOFORT	Sofort Banking network		
	Examples:			
	In order to force the M	IID to be used:		
	vads_contracts="CB=1	<pre>vads_contracts="CB=1231231;AMEXGLOBAL=949400444"</pre>		
	In order to forbid the p	payment on a specific network:		
	vads_contracts="CB=1	231231; AMEXGLOBAL=NO"		
Category	Transaction details.			
vads_contract_use	d			
Description	This field defines the value of the Merchant ID (MID) associated with the transaction. It is populated with the Merchant ID (MID) registered by default in your shop or it takes the value of the vads_contracts field sent in the payment request.			
	Output field, returned	in the response (IPN and Return URL).		
Format	ans250			
Category	Transaction details			
vads_contrib				
Description	Optional information that indicates the name of the CMS used for the payment (Joomla, osCommerce, etc.). If you are developing your own software, this field can include your own module version for example.			
	Input and output field,	returned in the response (IPN and Return URL).		
Format	ans128			
Error code	31			
Category	Technical details			

Description	Mandatory parameter.			
	Defines the mode of interaction with the payment gateway.			
	Affects the choice of the key to be used (test or production) during signature computation.			
	The TEST mode is available at all times, even after the generation of the production key.			
	If you create a new e-commerce website (or have access to the acceptance testing environment), you can make tests without impacting the website that is currently in production.			
	The input and output field, returned in the response (IPN and Return URL).			
Format	enum			
lonnae	enum			
Error code	11			
Error code	11 Frequent errors:			
Error code	11 Frequent errors: • The mode has not been submitted to the payment gateway.			
Error code	 11 Frequent errors: The mode has not been submitted to the payment gateway. Using PROD instead of PRODUCTION. 			
Error code	 11 Frequent errors: The mode has not been submitted to the payment gateway. Using PROD instead of PRODUCTION. Writing the value in lowercase letters (test or production). This field expects values only in uppercase letters without abbreviations. 			
Error code Possible values	 11 Frequent errors: The mode has not been submitted to the payment gateway. Using PROD instead of PRODUCTION. Writing the value in lowercase letters (test or production). This field expects values only in uppercase letters without abbreviations. TEST, PRODUCTION 			

Description Numeric currency code to be used for the payment, in compliance with the ISO 4217 standard.

To use a currency other than euro (978), you must request the activation of the option.

Payment in foreign currency with conversion allows Merchants to present price catalogs in different currencies, but without having to manage their finances in currencies different from the ones specified in their contract. With this option, when the gateway receives the amount in a currency not managed by your MIDs, it makes a conversion to the company's currency based on the daily exchange rate provided by Visa. For more information, please see the **Offering payment in a foreign currency** chapter of *Hosted Payment Page* guide.

Format

Error code

n3

10

Possible values

Currency	ISO 4217 encoding	Number of digits after the decimal point
Australian Dollar (AUD)	036	2
Canadian Dollar (CAD)	124	2
Czech Crown (CZK)	203	2
Danish Crown (DKK)	208	2
Hong Kong Dollar (HKD)	344	2
Indian Rupee (INR)	356	2
Indonesian Rupiah (IDR)	360	2
Japanese Yen (JPY)	392	0
South Korean Won (KRW)	410	0
Kuwaiti Dinar (KWD)	414	3
Malaysian Ringgit (MYR)	458	2
Mexican Peso (MXN)	484	2
Norwegian Crown (NOK)	578	2
Russian Ruble (RUB)	643	2
Singapore Dollar (SGD)	702	2
Swedish Crown (SEK)	752	2
Swiss Franc (CHF)	756	2
Thai Baht (THB)	764	2
Pound Sterling (GBP)	826	2
US Dollar (USD)	840	2
Taiwan New Dollar (TWD)	901	2
Romanian Leu (RON)	946	2
New Turkish Lira (TRY)	949	2
CFA Franc (XOF)	952	0
Euro (EUR)	978	2
Polish Zloty (PLN)	985	2
Brazilian Real (BRL)	986	2

Category

Transaction details.

Description	Buyer's postal address.		
	0	Depending on the payment method, certain restrictions can change the format. Please see the technical documentation specific to the payment method for more details.	
	6	 For Oney payments, the field is mandatory and the format is ans128. Only the following special characters are authorized: space slash (/) dash (-) apostrophe (') comma (,) dot (.) 	
	•	For SEPA Direct Debit payments, the field becomes mandatory if the client has a bank account in the following regions, territories or countries: Switzerland, Monaco, San Marino, Mayotte, St. Pierre and Miquelon, Guernsey, Jersey, Isle of Man.	
	6	For Franfinance payments, only the following special characters are authorized: "'`_+@,	
	Input ar	nd output field, returned in the response (IPN and Return URL).	
Format	ans255		
	Note: The > and < special characters are not authorized.		
Error code	19		
Category	Buyer details.		
vads_cust_address2	2		
Description	Address line 2 Input and output field, returned in the response (IPN and Return URL).		
Format	·		
Error code	19		
Category	Buyer details.		
vads_cust_address_	number	•	
Description	Street n	umber.	

Input and output field, returned in the response (IPN and Return URL).

Format	ans64
Error code	112
Category	Buyer details.

vads_cust_cell_phone

Description	Buyer's cell phone number.		
	Accepts all formats:		
	Examples:		
	• 0623456789		
	• +33623456789		
	 0033623456789 (+34) 824 65 43 21 87 77 12 34 		
		Depending on the payment method, certain restrictions can change the format. Please see the technical documentation specific to the payment method for more details.	
		For Oney payments, the field is mandatory and the format is n10.	
	Input and output field, returned in the response (IPN and Return URL).		
Format	an32		
Error code	77		
Category	Buyer details.		
vads_cust_city			
Description	Buyer's city.		
	•	Depending on the payment method, certain restrictions can change the format. Please see the technical documentation specific to the payment method for more details.	

For Oney payments, the field is mandatory and the format is ans..128. Only the following special characters are authorized:

- space
 slash (/)
 - dash ()
 - apostrophe (')

Input and output field, returned in the response (IPN and Return URL).

Format	an128
Error code	21
Category	Buyer details.

vads_cust_country

Description		Allows to specify the country code in compliance with the ISO 3166 standard.						
		Input and output field, returned in the response (IPN and Return URL).						
Format		a2						
Error code		22						
Examples possible values	of	Code	Country	Code	Country			
		AT	Austria	GP	Guadeloupe			
		CI	Ivory Coast	MQ	Martinique			
		DE	Germany	NC	New Caledonia			
		ES	Spain	PF	French Polynesia			
		FR	France	РМ	St. Pierre and Miquelon			
		FR	Corsica	US	United States of America			

Category

Buyer details.

<pre>vads_cust_district</pre>					
Description	Buyer's district.				
	Input and output field, returned in the response (IPN and Return URL).				
Format	ans12	7			
Error code	113				
Category	Buyer details.				
vads_cust_email					
Description	Buyer's email address, required if you want the payment platform to send an email to the buyer.				
	6	In order for the buyer to receive an email, don't forget to post this parameter in the form when you generate a payment request.			
	Input and output field, returned in the response (IPN and Return URL).				
Format	ans150				
Error code	15				
Category	Buyer details.				
vads_cust_first_na	me				
Description	Buyer's	first name.			
	•	Depending on the payment method, certain restrictions can change the format. Please see the technical documentation specific to the payment method for more details.			
	6	For Oney payments, the field is mandatory and the format is an63.			
	Input and output field, returned in the response (IPN and Return URL).				
Format	ans63				
Error code	104				
Category	Buyer details.				
vads_cust_id					
Description	Buyer ID on the merchant side.				
	•	Depending on the payment method, certain restrictions can change the format. Please see the technical documentation specific to the payment method for more details.			
	0	For Oney payments, the field is mandatory and the format is an8.			
Input and output field, returned in the response (IPN and Return URL).

Format	an63	
Error code	16	
Category	Buyer details.	

vads_cust_last_name

Description	Buyer's last name.				
Depending on the payment method, certain restrictions can che format. Please see the technical documentation specific to the method for more details.					
	For Oney payments, the field is mandatory and the format is an63.				
	Input ar	nd output field, returned in the response (IPN and Return URL).			
Format	ans63				
Error code	105				
Category	Buyer d	etails.			

Description	Buyer's legal name.
	Input field.
Format	ans100
Error code	121
Category	Buyer details.
vads_cust_name	
Description	Buyer's name.
	This field is deprecated. It is replaced by the vads_cust_first_name and vads_cust_last_name fields.
	Input and output field, returned in the response (IPN and Return URL).
Format	an127
Error code	18
Category	Buyer details.

vads_cust_national_id

Description	National identifier.
	Allows each citizen to identify him/herself with a unique ID within a country.
	For example, in Brazil, ClearSale requires this field to be populated with the CPF/ CPNJ (in numeric format, between 11 and 20 digits long).
	Input and output field, returned in the response (IPN and Return URL).
Format	ans255
Error code	124
Category	Buyer details.

vads	cust	phone
		-

Description	Buyer's phone number.
	Accepts all formats:
	Examples:
	• 0123456789
	• +33123456789
	• 0033123456789
	• (00.571) 638.14.00
	• 40 41 42 42

6

Depending on the payment method, certain restrictions can change the format. Please see the technical documentation specific to the payment method for more details.

For Oney payments, the field is mandatory and the format is n10.

Input and output field, returned in the response (IPN and Return URL).

Format	an32
Error code	23
Category	Buyer details.
<pre>vads_cust_state</pre>	
Description	Buyer's state/region.
	Input and output field, returned in the response (IPN and Return URL).
Format	427
· •·····	ans127

Category Buyer details.

vads_cust_status				
Description	Buyer type.			
	Input a	Input and output field, returned in the response (IPN and Return URL).		
Format	enum	enum		
Error code	92			
Possible values	PRIVAT	E, COMPANY		
Category	Buyer o	letails.		
vads_cust_title				
Description	Buyer's	title (e.g. Mr, Mrs, Ms).		
	Input a	nd output field, returned in the response (IPN and Return URL).		
Format	an63			
Error code	17			
Category	Buyer o	letails.		
vads_cust_zip				
Description	Buyer's	postal code.		
	•	Depending on the payment method, certain restrictions can change the format. Please see the technical documentation specific to the payment method for more details.		
	6	For Oney payments, the field is mandatory and the format is n5.		
	Input a	Input and output field, returned in the response (IPN and Return URL).		
Format	an64			
Error code	20			
Category	Buyer o	letails.		
vads_dcc_amount	t			
Description	Transactio	on amount expressed in the smallest currency unit defined by _currency (cents for euro).		
	This field is populated only if the card is eligible for the Dynamic Currency Conversion (DCC) service and the Buyer has chosen to pay in the currency of the card.			
	The conve	ersion rate is returned in the vads_change_rate field.		
	Output fie	eld, returned in the response (IPN and Return URL).		
Format	n12			

Category Transaction details.

n3

va	ıds	dcc	cur	ren	cy
	_				•

Description Numeric code in accordance with the ISO 4217 standard of the currency chosen by the Buyer if the card is eligible for the Dynamic Currency Conversion (DCC) service.

This field is populated only if the card is eligible for the Dynamic Currency Conversion (DCC) service and the Buyer has chosen to pay in the currency of the card.

The conversion rate is returned in the **vads_change_rate** field.

Output field, returned in the response (IPN and Return URL).

Format

Possible values	Currency	ISO 4217 encoding	Number of digits after the decimal point
	Australian Dollar (AUD)	036	2
	Canadian Dollar (CAD)	124	2
	Czech Crown (CZK)	203	2
	Danish Crown (DKK)	208	2
	Hong Kong Dollar (HKD)	344	2
	Indian Rupee (INR)	356	2
	Indonesian Rupiah (IDR)	360	2
	Japanese Yen (JPY)	392	0
	South Korean Won (KRW)	410	0
	Kuwaiti Dinar (KWD)	414	3
	Malaysian Ringgit (MYR)	458	2
	Mexican Peso (MXN)	484	2
	Norwegian Crown (NOK)	578	2
	Russian Ruble (RUB)	643	2
	Singapore Dollar (SGD)	702	2
	Swedish Crown (SEK)	752	2
	Swiss Franc (CHF)	756	2
	Thai Baht (THB)	764	2
	Pound Sterling (GBP)	826	2
	US Dollar (USD)	840	2
	Taiwan New Dollar (TWD)	901	2
	Romanian Leu (RON)	946	2
	New Turkish Lira (TRY)	949	2
	CFA Franc (XOF)	952	0
	Euro (EUR)	978	2
	Polish Zloty (PLN)	985	2
	Brazilian Real (BRL)	986	2

Category

Transaction details.

vads_dcc_markup

Description	Indicates the percentage (or rate) of sales margin on the total amount.
	This field is populated only if the card is eligible for the Dynamic Currency Conversion (DCC) service and the Buyer has chosen to pay in the currency of the card.
	Output field, returned in the response (IPN and Return URL).
Format	Decimal.
	Example: "3,5%" for a margin rate of 3,5%.
Category	Transaction details
■ vads_dcc_rate_da	ite
Description	UTC date and time, in YYYYMMDDHHMMSS format, of obtaining the conversion rate from the Dynamic Currency Conversion service (DCC).
	This field is populated only if the card is eligible for the Dynamic Currency Conversion (DCC) service and the Buyer has chosen to pay in the currency of the card.
	The conversion rate is returned in the vads_change_rate field.
	Output field, returned in the response (IPN and Return URL).
Format	n14
Category	Transaction details.
vads_effective_an	nount
Description	Payment amount in the currency used for the capture in the bank.
	Output field, returned in the response (IPN and Return URL).
Format	n12
Examples	Example for a shop with capture in EUR
	Payment of EUR 45,25
	Parameters sent in the payment form
	 vads_amount = 4525
	 vads_currency = 978

Returned parameters

- vads_amount = 4525
- vads_currency = 978
- vads_effective_amount = 4525
- vads_effective_currency = 978

Payment of USD 10

Parameters sent in the payment form

- vads_amount = 1000
- vads_currency = 840

Returned parameters

- vads_amount = 1000
- vads_currency = 840
- vads_change_rate= 1.0490000000 (rate used)
- vads_effective_amount = 953 (vads_amount / vads_change_rate)
- vads_effective_currency = 978

Installment payment of EUR 75.90 in 3 installments

Parameters sent in the payment form

- vads_amount = 7590
- vads_currency = 978
- vads_payment_config=MULTI_EXT:date1=2590;date2=2500;date3=2500 <u>Note</u>: the <u>MULTI_EXT</u> value is not available for SEPA payment.

Returned parameters for the first installment

- vads_amount = 7590
- vads_currency = 978
- vads_effective_amount = 2590

Payment of USD 90 paid in 3 installments

Parameters sent in the payment form

- vads_amount = 9000
- vads_currency = 840
- vads_payment_config=MULTI_EXT:20121025=3000;20121026=2000;20121027=4000
 <u>Note</u>: the MULTI_EXT value is not available for SEPA payment.

Returned parameters for the first installment

- vads_amount = 9000
- vads_currency = 840
- vads_change_rate= 1.3118 (exchange rate)
- vads_effective_amount = 2287 (amount of the 1st installment, \$30 / vads_change_rate)

Category

Transaction details.

Description	Date of (YYYYMMDD	transaction HHMMSS).	registration	in	UTC	format	(GMT+0,	24H)
	Output field,	returned in th	ie response (IP	N and	l Returr	n URL).		
Format	n14							
Category	Transaction d	letails						
vads_effective_cur	rency							
Description	Code of the c	currency used	for the capture	Э.				
	Output field,	returned in th	ne response (IP	N and	l Returr	n URL).		
Format	n3							

Category Transaction details

vads_expiry_mont	h
Description	Expiry month of the card used for the payment.
	Output field, returned in the response (IPN and Return URL).
Format	n2
Category	Payment method details.
vads_expiry_year	
Description	Expiry year of the card used for the payment.
	Output field, returned in the response (IPN and Return URL).
Format	n4
Category	Payment method details.
vads_ext_info	
Description	Allows to add an optional field to the confirmation e-mail sent to the Merchant.
	It can be viewed:
	• In the Merchant Back Office in the transaction details section (Extras tab).
	• In the data transmitted to the merchant website when returning to the shop.
	 In the data transmitted to the merchant website during the IPN.
	• By default, in the payment confirmation e-mail sent to the Merchant.
	• In the payment confirmation e-mail sent to the Buyer, if you specify it in the notification.
	Required syntax:
	<pre>vads_ext_info_fieldname=value</pre>
	Input and output field, returned in the response (IPN and Return URL).
Format	ans
Error code	91
Category	Order details.
vads_ext_info_bil_	address_complement
Description	Specific to Brazil and to the ClearSale fraud analyzer.
	Allows to specify additional information about the billing address.

Input field.

ans..250

Buyer details.

Format

Category

Description	Allows to transmit the birth date indicated on the bill to the risk analyzer.
	Format: yyyymmdd
	Input field.
Format	n8
Category	Buyer details.
vads_ext_info_	bil_gender
Description	Specific to Brazil and to the ClearSale fraud analyzer.
	Allows to specify on the receipt whether the buyer is male or female.
	Input field.
Format	n1
Category	Buyer details.
vads_ext_info_	deadline
Description	Specific to Brazil and to the ClearSale fraud analyzer.
	Allows to specify the delivery delay in days (N days).
	Input field.
Format	n
Category	Shipping details.
vads_ext_info_	description
Description	Description of the invoice, defined by the merchant during the invoice order creation.
	Output field, returned in the response (IPN and Return URL).
Format	ans128
Category	Order details.
vads ext info	fingerprint id
Description	
Description	Specific to Brazil and to the ClearSale fraud analyzer.
	• This identifier can be generated by the payment gateway
	In this case, this narameter must not be nonulated
	 The identifier may also be generated by the merchant website.
	In this case, this parameter must be populated with the desired value of the
	identifier. The merchant website must make sure that each identifier is unique.
	Scellius - Hosted Payment Page - Document version 3.37.1

	Any registration request containing an existing identifier will be rejected and an error message will appear.
	Input field.
Format	string
	It is encoded as 128 bytes and can contain uppercase or lowercase characters, numbers or hyphens ([A-Z] [a-z], 0-9, _, -).
Category	Buyer details.
vads_ext_info_ship	_address_complement
vads_ext_info_ship Description	_address_complement Specific to Brazil and to the ClearSale fraud analyzer.
vads_ext_info_ship Description	_address_complement Specific to Brazil and to the ClearSale fraud analyzer. Allows to specify additional information about the shipping address.
vads_ext_info_ship Description	<u>address_complement</u> Specific to Brazil and to the ClearSale fraud analyzer. Allows to specify additional information about the shipping address. <i>Input field.</i>
vads_ext_info_ship Description Format	<u>address_complement</u> Specific to Brazil and to the ClearSale fraud analyzer. Allows to specify additional information about the shipping address. <i>Input field.</i> ans250

vads_ext_info_ship_date_of_birth

Description	Allows to specify the buyer's date of birth for the shipping. Format: yyyymmdd
	Input field.
Format	n8
Category	Shipping details.
vads_ext_info_shi	ip_gender
Description	Specific to Brazil and to the ClearSale fraud analyzer.
	Allows to specify for the shipping whether the buyer is male or female.
	Input field.
Format	n1
Category	Shipping details.
vads_ext_info_sof	ft_descriptor
Description	Allows to customize the brand name.
	Output field, returned in the response (IPN and Return URL).
Format	ans255
Category	Order details
vads_ext_trans_ic	1
Description	External transaction reference.
	Example: Klarna reservation number, PayPal reservation number.
	Output field, returned in the response (IPN and Return URL).
Format	ans20
Category	Transaction details

Description Risk assessment result (specific to shops that have enabled the feature). Its meaning depends on the value entered in **vads_result**.

• If **vads_result** equals 30 (request error), then **vads_extra_result** contains the numeric code of the field with an error in the value or the format. This value can be set to 99 in case of an unknown error in the request.

Example: if **vads_extra_result** contains the value 09, it means that the amount specified in **vads_amount** is incorrect .

• If vads_result equals 05 (declined) or 00 (accepted), vads_extra_result contains the numeric code of the risk management result.

Code	Description
Empty	No verification completed.
00	All the verification processes have been successfully completed.
02	Credit card velocity exceeded.
03	The card is on the Merchant's greylist.
04	The country of origin of the card is on the Merchant's greylist.
05	The IP address is on the Merchant's greylist.
06	The BIN code is on the Merchant's greylist.
07	Detection of an e-carte bleue.
08	Detection of a national commercial card.
09	Detection of a foreign commercial card.
14	Detection of a card that requires systematic authorization.
20	Relevance verification: countries do not match (country IP address,
	card country, buyer's country).
30	The country of the this IP address is on the greylist.
99	Technical issue encountered by the server during a local verification
	process.

Output field, returned in the response (IPN and Return URL).

Category Technical information.

vads first installment delay

Description	When the acquirer supports the parameter, this field allows to specify the number of deferred months to be applied on the first due date of the payment in installments (e.g.: Webpay Completa).
	The payment will be declined and the vads_payment_error field will be valued at 171 in the following cases:
	 the merchant is not allowed to defer payments,
	• the value transmitted in the request is not among the options authorized by the acquirer.
	Input field.
Format	n2
Error code	N/A

Category Transaction details

vads_hash	
Description	A unique key returned only to the Instant Payment Notification (IPN).
	Output field, returned in the response (IPN only).
Format	an64
Category	Technical information.
vads_identifier	
Description	Unique identifier (token or UMR) associated with a payment method.
	 This identifier can be generated by the payment gateway.
	In this case, this parameter must not be populated.
	 Otherwise, it can be generated by the merchant website.
	In this case, this parameter must be populated with the desired value of the identifier. The merchant website must make sure that each identifier is unique . Any registration request containing an existing identifier will be rejected and an error message will appear.
	Input and output field, returned in the response (IPN and Return URL).
Format	Two possible formats:
	• an32 : if the identifier is generated by the payment gateway. This format is only used by the payment gateway.
	• ans50 : if the identifier is generated by the merchant. Cannot be an32 in this case.
Error code	30
Category	Recurring payment details.
vads_identifier	_previously_registered
Description	When the "Check token uniqueness" option is enabled, every time a token is created the gateway checks the uniqueness of the payment method. If the payment method has already been registered (same number and expiration date), then the vads_identifier_previously_registered field is transmitted with the true value in the end of payment notification.
	The vads_identifier_previously_registered field is never returned in the end of payment notification if no duplicate payment methods are detected. Therefore, the false value is never sent to the merchant website.
	Output field, returned in the response (IPN only).
Format	bool
Category	Information about the subscription.

Only present if the requested action is token creation or update (or UMR for SEPA payment).

Output field, returned in the response (IPN and Return URL).

Format

Description

Possible values

Value	Description
CREATED	The authorization request has been accepted. The token (or UMR for SEPA payment) has been successfully created.
NOT_CREATED	The authorization request has been declined. The token (or UMR for SEPA payment) has not been created, and therefore cannot be viewed in the Merchant Back Office.
UPDATED	The token (or UMR for SEPA payment) has been successfully updated.
NOT_UPDATED	The token (or UMR for SEPA payment) has not been updated.
ABANDONED	The action has been abandoned by the buyer (debtor). The token (or UMR for SEPA payment) has not been created, and therefore cannot be viewed in the Merchant Back Office.

Category Information about the subscription.

string

vads_iframe_options

Description

Allows to customize certain elements on the payment page in iframe mode:

- fieldsBackgroundColor : background color of entry fields
- fieldsFontColor : font color in entry fields

Example of syntax:

```
vads_iframe_options =
    {"fieldsBackgroundColor":"#000000","fieldsFontColor":"#FFFFFF"}
```

The result will be:



Format

Error code	In case of a format error, the field is	ignored and the payment	form is not rejected.
------------	---	-------------------------	-----------------------

Category Payment page customization

vads_initial_issuer_transaction_identifier

Description	Unique transaction reference generated by the issuer.
	Called a "chaining reference", it is used under PSD2 for processing MIT transactions to indicate to the issuer that the transaction is part of a series of payments for which the cardholder authenticated himself in the first payment.
	Without this information, the issuer can refuse an MIT transaction for lack of authentication (soft decline).
	Output field, returned in the response (IPN and Return URL).
Format	ans32
Examples	103E58BCD2311680 2MCSYFB0QD0126 1RCB202633021958
Category	Transaction details.

vads_insurance_amount

Description	Insurance amount for the entire order. Concerns only the PayPal payment method.
	Input field.
Format	n12
Error code	110
Category	Order details.
vads_language	
Description	In the payment request:
	Defines the language of the payment page (ISO 639-1 standard).

If the field has not been sent or is empty, the payment page will be shown in the language of the buyer's browser.

In the response:

a2

12

Returns the value specified in the form if the buyer has not changed the language of the payment page.

Returns the language selected by the buyer if the buyer has changed it by clicking on a different flag.

Input and output field, returned in the response (IPN and Return URL).

Format

Error code

Possible values

Language	ISO 639-1 standard
German	de
English	en
Chinese	zh
Spanish	es
French	fr
Italian	it
Japanese	ја
Dutch	nl
Polish	pl
Portuguese	pt
Russian	ru
Swedish	sv
Turkish	tr

Category Payment page customization.

vads_nb_products

Description Allows to define the number of items in the cart.

Note:

This field becomes mandatory for the shopping cart to be taken into account.

When it is populated, the **Shopping cart** tab becomes available in the transaction details in the Merchant Back Office.

However, if the other fields that start with **vads_product_** are not populated, the tab will not include any information. For this reason, when populating the **vads_nb_products** field, it <u>is mandatory</u> to populate the other fields that start with **vads_product_**.

Input field.

Format n..12

Category Order details.

vads_occurrence_type

Description Allows to identify if the transaction is part of a series of payments (subscription or payment in installments).

Useful for accurately identifying the first payment of a series.

With the application of Soft Decline, the payment gateway automatically makes a new payment attempt with 3D Secure authentication, when possible. This changes the payment sequence number. The **vads_sequence_number** field no longer allows to easily identify the first payment of a series.

Output field, returned in the response (IPN and Return URL).

Format	enum		
Possible values	RECURRENT INITIAL: First payment of a series.		
	RECURRENT_INTERMEDIAIRE: Nth payment of a series.		
	RECURRENT_FINAL: Last payment of a series.		
	UNITAIRE: Single payment (immediate payment).		
Category	Transaction details.		
vads_operation_typ	be		
Description	Allows to identify the type of operation: debit, credit (refund) or verification when creating or updating a token without a transaction, or when requesting information as part of a payment upon shipment.		
	Output field, returned in the response (IPN and Return URL).		
	The vads_operation_type field is not returned in the response when a payment is canceled or abandoned.		
Format	enum		
Possible values	• DEBIT		
	• VERIFICATION		
	The vads_operation_type field is set to VERIFICATION in the following cases where there is no transaction:		
	 vads_page_action = REGISTER 		
	Creating a token without payment		
	• vads_page_action = REGISTER_UPDATE		
	Updating token details		
	 vads_page_action = REGISTER_SUBSCRIBE 		
	Creating a token during a recurring payment		
Category	Transaction details.		
vads_order_descrip	otion		
Description	Order description		
·	Order description. String of characters transmitted by the merchant, visible on the payment receipt and the payment confirmation e-mail sent to the buyer		
	Lisad in Colombia for all payment methods		
	Input and output field, returned in the response (IPN and Return URL).		
Format	ans65		

Error code 173

Category Order details.

Description Order ID. It is also included in the payment confirmation e-mail sent to the buyer.

The maximum field size is 64 characters.

Accepted characters are:

- abcdefghijklmnopqrstuvwxyz
- A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
- 0123456789
- •_-



Depending on the payment method, certain restrictions can change the format. Please see the technical documentation specific to the payment method for more details.

Acquirer network	Length	Accepted characters	
ACCORD	9	 abcdefghijklmnopqrstuvwxyz ABCDEFGHIJKLMNOPQRSTUV WXYZ 0123456789 	
ACCORD_SANDBOX	9	 abcdefghijklmnopqrstuvwxyz ABCDEFGHIJKLMNOPQRSTUV WXYZ 0123456789 	
ANCV	120	 abcdefghijklmnopqrstuvwxyz ABCDEFGHIJKLMNOPQRSTUV WXYZ 0123456789 	
GIROPAY	127	 abcdefghijklmnopqrstuvwxyz ABCDEFGHIJKLMNOPQRSTUV WXYZ 0123456789 	
KLARNA	132	 abcdefghijklmnopqrstuvwxyz ABCDEFGHIJKLMNOPQRSTUV WXYZ 0123456789 	
PAYDIREKT_V2	120	 abcdefghijklmnopqrstuvwxyz ABCDEFGHIJKLMNOPQRSTUV WXYZ 	

Acquirer network	Length	Accepted characters	
		• 0123456789	
		•	

Input and output field,	returned in the response (IPN and Return URL).
-------------------------	--

Format	ans64
Error code	13
Category	Order details.
vads_order_info	
Description	Order description.
	Input and output field, returned in the response (IPN and Return URL).
Format	ans255
Error code	14
Category	Order details.
vads_order_info2	
Description	Order description.
	Input and output field, returned in the response (IPN and Return URL).
Format	ans255
Error code	14
Category	Order details.
vads_order_info3	
Description	Order description.
	Input and output field, returned in the response (IPN and Return URL).
Format	ans255
Error code	14

vads_override_payment_cinematic

Category

Used by the merchant to request, on individual transactions, a payment workflow different from the one specified in his or her contract ("Payment workflow" field).

Input field.

Order details.

Note

Only certain contracts exploit this parameter. If a value is selected in a contract that does not exploit the parameter, the data is ignored and no error message is raised.

Format	enum
Error code	131
Possible values	 (empty) The MID value is used. IMMEDIATE_CAPTURE Corresponds to a workflow of immediate capture: the capture is triggered by the acquirer on the day of the transaction.
Category	 DELAYED_CAPTURE Corresponds to a workflow of deferred capture: the capture is triggered by the payment gateway, always before the expiry of the authorization request. Technical details

Scellius - Hosted Payment Page - Document version 3.37.1 Copyright La Banque Postale $^{\textcircled{0}}$ - 203 / 270

Description	Mandatory parameter.		
	Defines the action to be performed.		
	Input and output field, returned in the response (IPN and Return URL).		
Format	enum		
Error code	46		
Possible values	 PAYMENT Payment (using token or not) REGISTER Creation of a token without payment REGISTER_UPDATE Update of information associated with the token REGISTER_PAY Creation of a token during a payment REGISTER_SUBSCRIBE Creation of a token during a recurring payment REGISTER_PAY_SUBSCRIBE Creation of a token during creation of a subscription with payment SUBSCRIBE Using a token to create a recurring payment REGISTER_UPDATE_PAY Update of information associated with the token during a payment ASK_REGISTER_PAY Payment with option for the cardholder to create a token 		
Category	Technical details		

vads_payment_cards

Description	Contains the list of payment methods offered to the buyer, separated by ";".		
	Example: <mark>"VISA;MASTERCARD"</mark> .		
	If this list contains one payment method, the detail entry page for this payment method will directly appear. If not, the payment method selection page is displayed.		
	All eligible payment methods (currencies, technical constraints, etc.) associated with the shop will be displayed if vads_payment_cards is not sent or if it is sent empty.		
	Input field.		
Format	type 1;type 2;type 3		
Error code	08		
	The form has been rejected in the following cases:		
	The transmitted value does not appear on the list below.		
	• The field is populated with TOUTES, ALL.		
	To offer all payment methods, this parameter should not be posted or be posted empty.		

- The transmitted value does not correspond to the payment method available for your shop.
- Your e-commerce contract has been closed by your banking institution.
- The transmitted value is not eligible in the associated network.

Payment method	Card types (vads_payment_cards)
Alma in 2 installments	ALMA_2X
Alma in 3 installments	ALMA_3X
Alma in 4 installments	ALMA_4X
Alma in 10 installments	ALMA_10X
Alma in 12 installments	ALMA_12X
American Express	AMEX
Apple pay	APPLE_PAY
Apetiz electronic meal voucher	APETIZ
Cpay card	AURORE-MULTI
Bancontact Mistercash	BANCONTACT
СВ	СВ
Chèque Déjeuner electronic meal voucher	CHQ_DEJ
Conecs electronic meal voucher	CONECS
Chèque-Vacances Connect	CVCO
Diners	DINERS
e-carte bleue	E-CARTEBLEUE
Franfinance payment in 3X	FRANFINANCE_3X
Franfinance payment in 4X	FRANFINANCE_4X
Payment in 3 installments with no fees with BNPP PF	FULLCB3X

Possible values

Payment method	Card types (vads_payment_cards)
Payment in 4 installments with no fees with BNPP PF	FULLCB4X
Giropay	GIROPAY
iDeal Internet Banking	IDEAL
Illicado Gift Card	ILLICADO
JouéClub gift card - Sandbox mode	ILLICADO_SB
Virement SEPA	IP_WIRE
Virement SEPA instantané	IP_WIRE_INST
JCB	JCB
Maestro	MAESTRO
Mastercard	MASTERCARD
Paiement 3x 4x Oney	ONEY_3X_4X
Payment 10x 12x Oney	ONEY_10X_12X
Payment Oney Pay Later	ONEY_PAYLATER
Cartes Enseignes partenaires d'Oney.	ONEY_ENSEIGNE
PayPal	PAYPAL
PayPal - Sandbox mode	PAYPAL_SB
SEPA DIRECT DEBIT	SDD
Sodexo electronic meal voucher	SODEXO
Sofort Banking	SOFORT_BANKING
Visa	VISA
Visa Electron	VISA_ELECTRON
Vрау	VPAY

Category Transaction details.

vads_payment_certificate

DescriptionThis field is populated by the payment gateway if the authorization has been
successfully completed.Output field, returned in the response (IPN and Return URL).Formatan40CategoryTransaction details

Description Defines the type of payment: immediate or installment.					
	 For a single payment, the value must be set to SINGLE. 				
	 For an installment payment with fixed amounts and dates, the value must be set to MULTI: followed by key=value pairs separated by the ";" character. 				
	The parameters are:				
	• " first " indicates the amount of the first installment (populated in the smallest unit of the currency).				
	 "count" indicates the total number of installments. 				
	 "period" indicates the number of days between 2 installments. 				
	The field order associated with MULTI must be respected.				
	<u>Note</u> : the MULTI value is not available for SEPA payment.				
	• For an installment payment with a customized installment schedule, the value must be set to MULTI_EXT: followed by the date=amount pairs separated by the ";" character.				
	The dates must not be passed.				
	<u>Note</u> : the MULTI_EXT value is not available for SEPA payment.				
	Using the MULTI_EXT value requires a subscription to the Advanced installment payment option.				
<u>Note</u> : The value of vads_capture_delay is not taken into account payment in installments MULTI_EXT .					
	Input and output field, returned in the response (IPN and Return URL).				
Format	enum				
Error code	07				
Possible values	• SINGLE				
 MULTI:first= initial_amount;count=installments_nb ;period=inter Note: the MULTI value is not available for SEPA payment. 					
	 MULTI_EXT:date1=amount1;date2=amount2;date3=amount3 				
	<u>Note</u> : the <mark>MULTI_EXT</mark> value is not available for SEPA payment.				
Example 1	MULTI allows to define an installment payment.				
	The amount of each installment corresponds to the total amount divided by the number of installments.				
	The amount of the first installment can be different, it can be specified in first parameter.				
	In case the remaining amount does not equal zero, it will be added up to the amount of the last installment.				
	Payment request:				
	 vads_capture_delay=2 				
	 vads_currency=978 				

- vads_amount=20000
- vads_payment_config=MULTI:first=10000;count=4;period=30

Result:

A first payment of EUR 100.00 will be captured by the bank in 2 days (vads_capture_delay).

A second payment of EUR 33.33 will be made in 32 days (vads_capture_delay + period).

A third payment of EUR 33.33 will be made in 62 days.

A fourth payment of EUR 33.34 will be made in 92 days.

The total amount is EUR 200.00 (vads_amount= 20000). The remaining amount has been added to the amount of the last installment.

This instruction allows to immediately create 4 payments with the same transaction number but different sequence numbers (vads_sequence_number).

Example 2 MULTI_EXT allows to define a customized installment schedule. You will be able to define the amount of each installment.

MULTI_EXT : payment request:

- vads_currency=978
- vads_amount=19050
- vads_payment_config= MULTI_EXT:20150601 =10000; 20150701 =4525; 20150808 =4525

Result:

The first payment of EUR 100.00 is scheduled for June 1st 2015.

The second payment of EUR 45.25 is scheduled for July 1st 2015.

The last payment of EUR 45.25 is scheduled for August 8th 2015.

Note:

The total amount must be equal to the value of the **vads_amount** field. The date of the last installment cannot be later than 12 months after the date of submission of the form. If the last installment is scheduled later than the card expiry date, no installment will be registered and the buyer will be notified about this issue.

Category Transaction details.

n..3

Description Error codes that may appear when a payment has been declined.

Output field, returned in the response (IPN and Return URL).

Format

Possible values

Code	Message			
1	Transaction not found.			
2	Transaction not found.			
3	This action has not been authorized for a transaction with the X status.			
4	This transaction is not authorized in this context.			
5	This transaction already exists.			
6	Invalid transaction amount.			
7	This operation is no longer allowed for a transaction created on this date.			
8	The payment method exp. date does not allow to process this action.			
9	Required security code.			
10	The credit amount is higher than the initial amount.			
11	The credit amount is higher than the initial amount.			
12	Credit duplication (refund) is not authorized.			
13	A technical problem occurred. We are not able to process your request.			
14	A technical problem occurred. We are not able to process your request.			
15	A technical problem occurred. We are not able to process your request.			
16	A technical problem occurred. We are not able to process your request.			
19	Unknown currency.			
20	Invalid payment method.			
21	No Merchant ID found for this payment. Please modify the data or contact your sales			
	contact in case of repeated failures.			
22	Shop not found.			
23	Merchant ID (MID) unclear.			
24	Merchant ID (MID) invalid.			
25	A technical problem occurred. We are not able to process your request.			
26	Invalid card number			
27	Invalid card number.			
28	Invalid card number.			
29	Invalid card number.			
30	Invalid card number (Luhn).			
31	Invalid card number (length).			
32	The card number does not match the selected payment method.			
33	The card number does not match the selected payment method.			
34	Card with unconditional authorization control failed.			
35	E-carte bleue control failed.			
36	The transaction has been refused by risk management.			
37	Interruption not processed during the payment.			
38	A technical problem occurred. We are not able to process your request.			

Code	Message			
39	3D Secure was declined for this transaction			
40	A technical problem occurred. We are not able to process your request.			
41	A technical problem occurred. We are not able to process your request.			
42	An internal problem occurred during the card number checking.			
43	An internal problem occurred during the card number checking.			
44	Unauthorized action for face-to-face transactions.			
45	Invalid currency for this change.			
46	The amount exceeds the maximum authorized amount.			
47	The requested capture date is later than the authorization validity date.			
48	The required change is not valid.			
49	Invalid definition of installment payment.			
50	Unknown POS.			
51	Unknown exchange rate.			
52	This Merchant ID (MID) has been closed since aaaa/mm/dd.			
53	The TEST shop has been closed since aaaa/mm/dd.			
54	Rejected parameter that may contain sensitive data.			
55	A technical problem occurred. We are not able to process your request.			
56	The The amount is lower than the authorized minimum amount.			
57	Error retrieving the alias.			
58	The alias status is not compatible with this operation.			
59	Error retrieving the alias.			
60	This token already exists.			
61	Invalid token.			
62	Token creation failed.			
63	This recurring payment already exists.			
64	This recurring payment is already terminated.			
65	Invalid recurring payment.			
66	The rule of recurring payment is not valid.			
67	Creation of the recurring payment declined.			
68	Cancellation rejected.			
69	A technical problem occurred. We are not able to process your request.			
70	Invalid country code.			
71	Invalid web service parameter.			
72	Authorization declined by Cofinoga.			
73	Authorization declined for EUR 1 (or information request about the CB network if the acquirer supports it).			
74	Invalid payment configuration.			
75	The operation was declined by PayPal.			
76	The cardholder's name is absent.			
77	A technical problem occurred. We are not able to process your request.			
78	Transaction ID missing.			
79	This transaction ID is already used.			
80	Transaction ID expired.			
81	The content of the configuration theme is not valid.			
82	Refund is not authorized for this Merchant ID (MID).			

Code	Message			
83	Transaction amount outside the allowed values.			
84	Capture not authorized for transaction X with the order number XX because as it is not yet registered in a CNAB/Remessa file.			
85	Commission absent upon boleto capture.			
86	Capture(s) not authorized for transaction(s) X as it is not yet registered in a CNAB/Remessa			
	file.			
87	A technical problem occurred. We are not able to process your request.			
88	Refund error: PayPal does not allow transaction refunds after 60 days.			
89	The modification is not authorized.			
90	An error occurred during the refund of this transaction.			
91	No payment options have been enabled for this MID.			
92	An error occurred while calculating the payment channel.			
93	An error occurred during buyer redirection to the page of payment finalization.			
94	A technical error occurred during the call to the RSP service.			
96	An error occurred during the capture of this transaction.			
97	The requested capture date is too far.			
98	Invalid transaction date.			
99	An error occurred while calculating the payment source.			
100	Failed commercial card verification.			
101	Rejected as the first installment has been rejected.			
103	The transaction status could not be synchronized with the external system.			
104	An error occurred during the capture of this transaction.			
105	3D Secure - Invalid signature of the authentication message (Pares).			
106	Unsupported currency on this Merchant ID (MID) and/or shop.			
107	The payment method associated with the token is no longer valid.			
108	A technical problem occurred. We are not able to process your request.			
109	Timeout during buyer redirection.			
110	Payment method not supported by the Merchant ID (MID).			
111	Refusal of transactions without Liability shift.			
112	Cancellation is not authorized.			
113	Duplication is not authorized.			
115	Refund is not authorized.			
116	Manual payment not authorized for this payment method.			
118	Payment in installments not authorized for this payment method.			
119	The submitted date is invalid.			
120	The initial transaction option is not applicable.			
124	Inactive payment method.			
125	Payment refused by the acquirer.			
126	This action is not possible because the sequence of payment is not completed.			
128	Invalid payment method.			
129	Invalid PIN code.			
130	Out of credit.			
131	Insufficient balance.			
136	The derivative transactions have been refused without for the initial transaction.			
137	Duplicate transaction.			

Code	Message			
138	Partial refund is impossible for this transaction.			
139	Refund rejected.			
140	Due to a technical problem, we are unable to process your request.			
141	The risk analyzer rejected this transaction.			
142	The used payment method is not valid for the requested payment mode.			
143	A technical problem occurred. We are not able to process your request.			
144	A transaction in production mode has been marked as in test mode by the acquirer.			
145	A transaction in test mode has been marked as in production mode by the acquirer.			
146	Invalid SMS code.			
147	The risk assessment module asked for this transaction refusal.			
148	No compatible MIDs found.			
149	The payment session has expired (the Buyer has been redirected to the ACS and has not finalized the 3D Secure authentication).			
150	No compatible MIDs found.			
151	A Facily Pay transaction cannot be canceled/modified/refunded between 11.30 p.m. and 5.30 a.m.			
152	A technical problem occurred. We are not able to process your request.			
153	A technical error occurred during the call to the Banque Accord service.			
155	The Facily Pay transaction could not be canceled/edited/refunded: the transaction status does not allow to perform the requested action. Reminder regarding a Facily Pay transaction: a refund must be made within two days after the capture, the delay between two refunds is one day, a partial refund is limited to 20 days, a full refund is limited to 6 months.			
156	Operation not supported.			
158	A technical problem occurred. We are not able to process your request.			
159	The amount is less than the minimum amount authorized (minimum= X).			
160	It is impossible to refund the transaction X as it has been subject to chargeback.			
161	The modification failed because the chosen payment option is not available.			
162	The modification failed because the chosen payment option is no longer valid.			
163	The modification failed because the chosen payment option does not exist.			
164	Invalid payment option.			
165	The ID type is present, but its number is absent.			
166	The ID number is present, but its type is absent.			
167	The ID type is unknown.			
168	The ID number is invalid.			
169	The specific data that must be transmitted to the acquirer is invalid.			
170	Deferred payment is not authorized.			
171	The number of months for the deferred payment is not authorized.			
172	The selected payment process is invalid.			
1/3	Error within the Express Checkout PayPal service.			
1/4	Card Issuer unavailable.			
1/5	Cancellation impossible, please try a refund.			
1/6	Return impossible, please try a cancellation.			
170	No response to the authorization request was received within the fixed time-frame.			
1/8	Cancellation impossible, the transaction has already been canceled.			

Code	Message			
179	The transaction status is unknown.			
182	The customer's national identifier is absent.			
183	The format of the customer's national identifier is incorrect.			
184	The e-mail is absent.			
186	The minimum authorized amount cannot make up less than 80% of the initial amount.			
187	In order to refund the transaction, please contact RBM at solicitudes@rbm.com.co.			
188	In order to refund the transaction, please contact Credibanco at atrecom@credibanco.com.			
189	In order to refund the transaction, please contact Davivienda at wemedellin@davivienda.com.			
190	The reason for refusal does not allow transaction duplication.			
191	The billing address is absent or incomplete.			
192	Manual capture is not allowed for this type of contract.			
193	Amplification refused by the issuer. This amplification authorization refusal does not affect the initial authorization, which is still valid.			
194	Credit is not allowed for this transaction type.			
195	The amount eligible in TRD is invalid.			
196	The amount eligible in TRD is negative.			
197	The amount eligible in TRD is greater than the order amount.			
198	The data transmitted to the CONECS network in the vads_acquirer_transient_data field does not contain the eligibleAmount key.			
199	The amount eligible in TRD is lower than €1.50.			
200	The specific data that must be transmitted to the acquirer is invalid.			
201	The Buyer's name is absent or incomplete.			
202	Payment token canceled.			
203	Payment method verification rejected.			
204	An error occurred during the cancellation of this transaction.			
205	3D Secure - cannot reach DS or ACS.			
206	3D Secure - A technical error occurred during the process. For more details, see the <i>Transaction with failed 3D Secure authentication</i> article via the <i>Retrieving the cardholder authentication result</i> chapter.			
207	3D Secure - Refusal of the authentication by the issuer For more details, see the <i>Transaction with failed 3D Secure authentication</i> article via the <i>Retrieving the cardholder authentication result</i> chapter.			
208	3D Secure - Refusal as authentication by the issuer is impossible.			
210	Duplication of verification type transactions forbidden.			
211	In order to refund the transaction, please contact Tuya.			
212	In order to refund the transaction, please contact BigPass Edenred Colombia at sercliente- co@edenred.com.			
213	3D Secure - Session altered by the ACS.			
214	The card number is not eligible for this payment.			
215	Internal error acquirer on the acquirer's side.			
216	Expired OTP code.			
217	Invalid OTP code.			
218	Invalid data transmitted to the authentication validation service.			
219	A technical error occurred during the authentication.			

Code	Message		
220	An internal error occurred during the authentication.		
221	The address is required following the entry of an IBAN outside the EEA zone.		
222	The authentication has been canceled.		
223	The selected token cannot be used by the Visanet network.		
224	Unknown cardholder		
225	The data received from the wallet is not consistent.		
226	Unable to access the wallet.		
227	Authentication impossible.		

Category Technical information.

vads_payment_option_code

Description	Code of the used payment option.		
	Input and output field, returned in the response (IPN and Return URL).		
Format	an5		
Error code	103		
Category	Transaction details		

Description	Details of performed transactions.
-------------	------------------------------------

json

Output field, returned in the response (IPN and Return URL).

Format

The **vads_payment_seq** field (json format) describes the split payment sequence. It contains:

- "trans_id": transaction identifier used for the entire payment sequence.
- "transaction": transaction table of the sequence. It contains:

Field name	Description		
amount	Amount of the payment sequence.		
operation_type	Debit transactio)n.	
auth_number	Authorization number. Will not be returned if not applicable to the used payment method.		
	Example: 94947	/8	
auth_result	Return code of	the authorization request.	
capture_delay	 Delay before the capture (in days). For a payment by card, this parameter is the requested capture date (ISO 8601 format). If not sent in the payment form, the value defined in the Merchant Back Office will be used. 		
card_brand	Used payment method. For a payment by card (e.g. CB or Visa or MasterCard co- branded CB cards), this parameter is set to "CB" . See the Payment Gateway Implementation Guide available in our online documentation archive to see the complete list of card types.		
card_number	Payment metho	od number.	
expiry_month	Expiry month of the payment method.		
expiry_year	Expiry year of the payment method.		
payment_certific	Payment certificate.		
contract_used	Contract used for the payment.		
identifier	Unique identifier (token) associated with a payment method.		
identifier_status	Only present if the requested action is token creation or update. Possible values:		
	Value	Description	
	CREATED	The authorization request has been accepted. The token (or UMR for SEPA payment) has been successfully created.	
	NOT_CREATED	The authorization request has been declined. The token (or UMR for SEPA payment) has not been created, and therefore cannot be viewed in the Merchant Back Office.	

Field name	Description			
	Value		Description	
	UPDA	TED	The token (or UMR for SEPA payment) has	
			been successfully updated.	
	NOT_	UPDATED	The token (or UMR for SEPA payment) has	
			not been updated.	
	ABAN	DONED	The action has been abandoned by the	
			buyer (debtor).	
			not been created, and therefore cannot be	
			viewed in the Merchant Back Office.	
presentation_da	For a payments by card, this parameter is the requested			
	captur –	e date (IS	.0 8601 format).	
trans_id	Transa		nber.	
ext_trans_id	This fie	eld is not	sent for credit card payments.	
trans_uuid	Unique	e referen	ce generated by the payment gateway after	
	Guarar	tees that	a payment transaction.	
extra result	Suarantees that each transaction is unique.			
extra_result	Numeric code of the risk assessment result.			
	Code	Descript	tion	
	Empty	No verif	ication completed.	
	00	All the v	erification processes have been successfully	
	02	complet	ea.	
	02		ard velocity exceeded.	
	03	The card	a is on the Merchant's greylist.	
	04	Ine cou Merchai	ntry of origin of the card is on the	
	05	The IP a	ddress is on the Merchant's grevilist	
	06	The BIN	code is on the Merchant's greylist	
	00	Detection of an a carte blave		
	07	Detectio	on of a national commercial card	
	00	Detectio	on of a foreign commercial card	
	14	Detection of a cord that requires sustaination		
	14	authoriz	ration.	
	20	Relevan	ce verification: countries do not match	
		(country	/ IP address, card country, buyer's country).	
	30	The cou	ntry of the this IP address is on the greylist.	
	99	Technica	al issue encountered by the server during a	
		local verification process.		
sequence_numb	J Sequence number.			
trans_status	Status of the transaction.			

Table 2: JSON object content

<u>Note</u>: canceled transactions also appear in the table (information provided in the JSON trans_status parameter).

Category

Transaction details.
Description	Allows to define the entry mode of payment method details.		
	Input and output field, returned in the response (IPN and Return URL).		
Format	enum		
Error code	60		
Possible values	Value	Description	
	EC	E-commerce: Data entry on the payment page by the cardholder.	
	мото	MAIL OR TELEPHONE ORDER: Entry made by an operator. Payment method details are transmitted by post or by e-mail	
	сс	Call center: Entry made by a call center operator.	
	OTHER	Another sales channel. Returned output value for payments made	
		via the Merchant Back Office, payments by file, recurring payments, proximity payments, refunds via the Shopify CMS.	
	Missing or empty	The payment is made in e-commerce (EC) mode.	
	Only the EC	value allows to create a transaction with 3D Secure.	
	The other values must only be used for distance sales, where 3D Secure is no applicable.		
Category	Transaction details.		
vads_pays_ip			
Description	Buyer's country code and the IP address in the ISO 3166 format. Output field, returned in the response (IPN and Return URL).		
Format	a2		
Category	Buyer details.		
vads_presentation_	date		
Description	 Date and time in UTC format of requested capture in the bank, i YYYYMMDDHHMMSS format. 		
	 or Date and time in UTC format of an installment requested as part of the SEPA direct debit. 		
	Output fiel	d, returned in the response (IPN and Return URL).	
Format	n14		
Category	Transaction details.		
vads_pretax_amou	nt		
Description	Allows to d	efine the pre-tax amount of the whole order.	
	The value r	nust be specified in the smallest currency unit (cents for euro).	
	Scellius - H	osted Payment Page - Document version 3.37.1	

	Output field, returned in the response (IPN and Return URL).
Format	n12
Category	Order details.
vads_product_amo	untN
Description	Allows to define the amount of each item in the cart.

	N corresponds to the reference of the article (0 for the first item, 1 for the second item, etc.). The amount is expressed in the smallest currency unit The payment form will be rejected in the following cases:		
	 a negative amount [vads_product_amountN=-100], 		
	 an amount with decimals or points [vads_product_amountN=100.50] 		
	Input field.		
Format	n12		
Error code	102		
Category	Order details.		

vads_product_ext_idN

Description	Corresponds to the product barcode on the merchant's website.		
	N corresponds to the reference of the article (0 for the first item, 1 for the second item, etc.).		
	Field transmitted to the Konduto fraud analyzer.		
	Input field.		
Format	an100		
Error code	120		
Category	Order details.		

Description	Allows to define the label of each item in the cart.		
	N corresponds to the reference of the article (0 for the first item, 1 for the item, etc.).		
	•	Depending on the payment method, certain restrictions can change the format. Please see the technical documentation specific to the payment method for more details.	
	6	For Oney payments, the field is mandatory and the format is an127.	
	Input field.		
Format	ans255		
Error code	97		
Category	Order details.		
vads_product_qtyN	N		

Description	Allows to define the quantity of each item in the cart. N is an integer that corresponds to the index of the item (0 for the first item, 1 for the second item, etc.).
	Input field.
Format	n12
Error code	101
Category	Order details.

vads_product_refN

Description	Allows to define the reference of each item in the cart.		
	N corresponds to the reference of the article (0 for the first item, 1 for the second item, etc.).		
	Input field.		
Format	an64		
Error code	100		
Category	Order details.		

Description

Allows to define the type of each item in the cart.

N corresponds to the reference of the article (0 for the first item, 1 for the second item, etc.).

Input field.

enum

98

Format

Error code

Possible values

Value	Description
FOOD_AND_GROCERY	Food and grocery
AUTOMOTIVE	Cars / Moto
ENTERTAINMENT	Entertainment / Culture
HOME_AND_GARDEN	Home / Gardening
HOME_APPLIANCE	Household appliances
AUCTION_AND_GROUP_BUYING	Auctions / Group purchasing
FLOWERS_AND_GIFTS	Flowers / Presents
COMPUTER_AND_SOFTWARE	Computers / Software
HEALTH_AND_BEAUTY	Health / Beauty
SERVICE_FOR_INDIVIDUAL	Services for individuals
SERVICE_FOR_BUSINESS	Services for companies
SPORTS	Sports
CLOTHING_AND_ACCESSORIES	Clothes / Accessories
TRAVEL	Travel
HOME_AUDIO_PHOTO_VIDEO	Audio / Photo / Video
TELEPHONY	Telephony

Category Transaction details.

vads_product_vatN

Allows to define the tax for each item in the cart. N corresponds to the reference of the article (0 for the first item, 1 for the second item, etc.).	
Input field.	
n12	
203	
 An integer without a decimal separator To display an amount in cents applied to the product in question. E.g.: 4525 for EUR 45.25 A decimal number lower than 100 To display a percentage applied to the payment amount for the product in question with maximum 4 digits after the decimal point. 	

	Examples: 20.0 or 19.6532	
	<u>Notes:</u>	
	• The decimal separator is mandatory for displaying a percentage.	
	• The decimal separator is represented by the "." symbol.	
Category	Order details.	
vads_proof_of_	_id_number	
Description	Field reserved to the entry of the buyer's ID number on the payment page.	
	The format depends on the ID type and allows 7 to 13 characters, digits, letters and/or points.	
	In Latin America, this parameter is required for DECIDIR.	
	Input field.	
Format	an13	
Error code	129	
Category	Buyer details.	

vads_proof_of_id_type

Description Field reserved for Latin America.

This field allows to pre-fill the buyer's ID type that is required for the payment.

The value to transmit depends on the acquirer.

Input field.

enum

Format

Possible values

Country	Value	Description
Argentina	DNI	Documento Nacional de Identidad
Brasil	CNPJ	Cadastro Nacional da Pessoa Jurídica
	CPF	Cadastro de Pessoas Físicas
Colombia	СС	Cédula de Ciudadania
	ТІ	Tarjeta de Identidad
	CE	Cédula de Extranjeria
	NI	Número de Identificación Tributaria
	PS	Pasaporte
	RN	Registro Civil de Nacimiento
	DE	Documenta de Identificacion Extranjero
	TE	Tarjeta de Extranjeria
Peru	DNI_PER	Documento National de Identidad
	PAR	Partida de Nacimiento
	PAS	Pasaporte
	LMI	Libreta Militar
	NAN	Otro

Error code 128

Category Buyer details.

vads_recurrence_number

Description	Recurrence number of the subscription	
	Output field, returned in the response (IPN and Return URL).	
Format	n2	
Category	Subscription details.	

vads_recurrence_status

Description Recurring payment status.

Appears only if the requested action concerns creating or updating a recurring payment (REGISTER_SUBSCRIBE, SUBSCRIBE, REGISTER_PAY_SUBSCRIBE, REGISTER_UPDATE_PAY).

Output field, returned in the response (IPN and Return URL).

Format string

Possible values

Value	Description	
CREATED	The recurring payment has been successfully created. The recurring payment details are visible in the Merchant Back Office.	
NOT_CREATED	The recurring payment has not been created and cannot be viewed in the Merchant Back Office.	
ABANDONED	The request for creating a recurring payment has been abandoned by the buyer (debtor).	
	The recurring payment has not been created and cannot be viewed in the Merchant Back Office.	

Category

Information about the subscription.

vads_redirect_error_message

Description	Allows to define the message that will appear before automatic redirection to the merchant website if the payment has been declined.		
	Input field.		
Format	ans255		
Error code	37		
Category	Redirection to the merchant website.		
vads_redirect_error_timeout			
Description	escription Allows to define a delay in seconds before an automatic redirection to the merc website at the end of a declined payment.		

The value of the field is between **0** and **300** s.

After this delay, the buyer will be redirected to the URL populated in the **vads_url_refused** field. If the parameter is not populated, the buyer will be redirected to the return URL entered in the **vads_url_return** field or to the return URL entered in the Merchant Back Office. If the return URL is not set, the buyer will be redirected to the merchant website.

Input field.

Format	n3
Error code	36
Category	Redirection to the merchant website.

vads_redirect_success_message

Description	Allows to specify the message that will appear upon automatic redirection to t merchant website.		
	Input field.		
Format	ans255		
Error code	35		
Redirection to the merchant website.			

vads	redirect	success	timeout

DescriptionAllows to define a delay in seconds before an automatic redirection to the merchant
website at the end of an accepted payment.

Its value is between 0 and 300s.

After this delay, the buyer will be redirected to the URL populated in the **vads_url_success** field. If the parameter is not populated, the buyer will be redirected to the return URL entered in the **vads_url_return** field or to the return URL entered in the Merchant Back Office. If the return URL is not set, the buyer will be redirected to the merchant website.

Input field.

Format	n3
Error code	34
Category	Redirection to the merchant website.

vads_requestor

Description	Allows to modify the value of the " Aceite " field for a Boleto Bancario.			
	The Aceite field can have two values:			
	• N (= No)			
	Default value			
	The boleto has been generated without an official authorization of the buyer by means of a signed document.			
	• S (= Yes)			
	The buyer's authorization is mandatory as the signed document will serve as evidence of debt.			
	Input and output field, returned in the response (IPN and Return URL).			
Format	enum			
Possible values	• BANK			
	Means that the S (= Yes) value will be applied in the Aceite field.			
	• MERCHANT			
	Means that the N (= No) value will be applied in the Aceite field.			

Category Transaction details.

vads_result	
Description	Beturn code of

n2

Return code of the requested action.

Output field, returned in the response (IPN and Return URL).

Format	
--------	--

Possible values

Value	Description
00	Action successfully completed.
05	Action rejected.
17	Action cancelled by buyer.
30	Format error in merchant request. The transaction has been created. For more information, please see the vads_extra_result field .
96	Action refused due to technical error.

Category Technical information.

vads_return_mode

Description Allows to specify the data transmission method used while returning to the merchant website.

Input field.

enum

48

Format

Error code

Possible values

	Field name	Value	Description
	vads_return_mode	absent, empty or NONE	No parameters will be transmitted to the Return URL.
,		GET	The return fields will be transmitted to the return URL in an HTTP GET form (in the "query string").
		POST	The return fields will be transmitted to the return URL in an HTTP POST form. If the return to the shop in done from an environment other than https , a security pop-up message will be displayed to the buyer.

Category

Redirection to the merchant website.

ans

Description Returns the result of the risk management process performed by an external system (Konduto, ClearSale, Cybersource, NOTO, etc.).

Output field, returned in the response (IPN and Return URL).

Format

Possible values

Values common to all risk analyzers	
INVALID_CREDENCIAL	Configuration problem of the risk management contract.
COMUNICATION_PROBLEM	Impossible to connect to the risk analyzer.
DATA_PROCESSING_PROBLEM	Problem occurred when processing the data being transmitted or the response of the risk management system.
MISSING_MANDATORY_ORDER_INFO	Order details are missing.
MISSING_MANDATORY_SHIPPING_INFO	Shipping details are missing.
MISSING_MANDATORY_SHIPPING_ADDR	Shipping address details are missing.
MISSING_MANDATORY_BILLING_INFO	Billing details are missing.
MISSING_MANDATORY_BILLING_ADDRES	Billing address details are missing.
MISSING_MANDATORY_CARD_INFO	Payment method details are missing.
MISSING_MANDATORY_CUSTOMER_INFO	Buyer details are missing.

Values return	ed by ClearSale
ΑΡΑ	The transaction is automatically approved according to the defined parameters.
ΑΡΜ	The transaction is manually approved by an analyst.
RPM	The order is reproved due to missing information related to the buyer in conformity with the policy in force.
AMA	Waiting for manual analysis. The order is waiting to be analyzed.
ERR	Error
NVO	New order. Waiting to be processed and classified.
SUS	Order manually suspended. The order is suspended for suspected fraud.
CAN	Order is canceled. The order has been canceled by the buyer.
FRD	Fraud confirmed by the credit card operator or the cardholder.
RPA	Order automatically declined. The order has been automatically declined in accordance with the parameters of the external risk analyzer.
RPP	Order automatically declined. The order is reproved based on the customer or ClearSale policy.

Category Transaction details.

Description	Returns the list of actions performed on the transaction, following the activation of
	the advanced risk assessment activated in the Merchant Back Office.

When triggering multiple rules, the **vads_risk_assessment_result** field will consist of multiple keywords separated by a ";".

Example:

ans

vads_risk_assessment_result="ENABLE_3DS;MANUAL_VALIDATION"

Output field, returned in the response (IPN and Return URL).

Format

Possible values

Values	Description
ENABLE_3DS	• The risk module has requested an authentication with cardholder interaction (challenge).
DISABLE_3DS	• The risk module has requested an authentication without cardholder interaction (frictionless).
NO_PREFERENCE	• The risk module has requested 3DS authentication. The choice of the preference is transferred to the card issuer.
NO_CHALLENGE_REQUESTED	The risk module has requested an authentication without cardholder interaction (frictionless).
CHALLENGE_REQUESTED	The risk module has requested an authentication with cardholder interaction (challenge).
CHALLENGE_MANDATE	• The risk module has requested an authentication with cardholder interaction (challenge for regulatory reasons) for regulatory reasons.
MANUAL_VALIDATION	The transaction has been created via manual validation.
	• The payment capture is temporarily blocked to allow the merchant to perform all the desired verification processes.
REFUSE	The transaction is refused.
RUN_RISK_ANALYSIS	 Call to an external risk analyzer if the Merchant has a contract. Refer to the FraudManagement.RiskAnalysis object in TransactionDetails field to identify the list of possible values and their description.
INFORM	A warning message appears.
	• The Merchant is notified that a potential problem has been identified.

Values	Description		
	 The Merchant is informed via one or several notification center rules (Instant Payment Notification (IPN), e-mail or SMS). 		

Category Transaction details

Description	Allows to define the result of the risk management process.			
	Output field, returned in the response (IPN and Return URL).			
Format	control1=result1;control2=result2			
Possible values	Value	Description		
	CARD_FRAUD	Verifies whether the cardholder's card number is on the card greylist.		
	SUSPECT_COUNTRY	Verifies whether the cardholder's card number is on the list of forbidden countries.		
	IP_FRAUD	Verifies whether the cardholder's IP address is on the IP greylist.		
	CREDIT_LIMIT	 Verifies the purchase frequency and amounts for the same card number, or the maximum amount of an order. Verifies whether the BIN code of the card is on the greylist for BIN codes. Verifies whether the buyer's card is an "e-carte bleue". 		
	BIN_FRAUD			
	ECB			
	COMMERCIAL_CARD	Verifies whether the buyer's card is a corporate credit card.		
	SYSTEMATIC_AUTO	Verifies whether the buyer's card is a MAESTRO or VISA ELECTRON credit card.		
	INCONSISTENT_COUNTRIES	Verifies whether the country of the IP address, the country of the payment card and the country of residence of the buyer match.		
	NON_WARRANTY_PAYMENT	Verifies the liability shift of the transaction.		
	SUSPECT_IP_COUNTRY	Verifies whether the cardholder's country, identified by his/her IP address, is on the list of forbidden countries.		

The possible values for **result** are:

Value	Description	
ОК	ОК	
WARNING	Informational control failed	
ERROR	Blocking control failed	

Category Transaction details

vads_sequence_number

Description

Transaction sequence number.

Case of single payment (vads_payment_config=SINGLE)

vads_sequence_number is populated with 1 in case of single payment.

However, if the merchant has authorized several payment attempts after a rejected payment, the sequence number will be incremented upon each new attempt.

The number of additional attempts after a rejected payment can be configured via the Merchant Back Office (menu **Settings** > **Shop** > **Configuration**).

If vads_payment_config = SINGLE:

vads_url_check_sro	vads_sequence_nu	Description
	1	Payment made in 1 attempt
PAY	2	Payment made in 2 attempts
	3	Payment made in 3 attempts
	1	Deferred payment made in 1 attempt
BATCH_AUTO	2	Deferred payment made in 2 attempts
	3	Deferred payment made in 3 attempts

Case of installment payment (vads_payment_config=MULTI)

With the application of Soft Decline, the **vads_sequence_number** field no longer allows to easily identify the first installment of a payment in installments.

To identify the first payment of a series, view the description of the **vads_occurrence_type** field.

Case of a cascading payment (vads_card_brand=MULTI)

In case of a cascading payment (the cart items are paid with several payment methods), the **vads_sequence_number** field is always set to **0**.

The vads_payment_seq field describes each transaction in a table in JSON format.

The **transaction[x].sequence_number** attribute takes the same values as the **vads_sequence_number** field, as described for the case of single payment.

Note:

The **vads_sequence_number** field is not returned in the response when a payment is canceled or abandoned.

Output field, returned in the response (IPN and Return URL).

Category Transaction details.

vads_ship_to_city

Description	Allows to specify the city for shipping.		
	Input and output field, returned in the response (IPN and Return URL).		
Format	an128		
Error code	83		
Category	Shipping details.		

Description		Allows you to specify the buyer's country code in the ISO 3166 standard.			
		Input and output field, returned in the response (IPN and Return URL).			
Format		a2			
Error code		86			
Examples	of	Code	Country	Code	Country
possible values		AT	Austria	GP	Guadeloupe
		CI	lvory Coast	MQ	Martinique
		DE	Germany	NC	New Caledonia
		ES	Spain	PF	French Polynesia

PΜ

US

St. Pierre and Miquelon

United States of America

Category Shipping details.

FR

FR

France

Corsica

vads_ship_to_delay

Description	Allows to define the speed depending on the shipping method when vads_ship_to_speed is set to PRIORITY .			
	Input field.			
Format	enum			
Error code	127			
Possible values	• INFERIOR_EQUALS for a shipping delay inferior or equal to 1 hour.			
	• SUPERIOR for a shipping delay exceeding 1 hour.			
	IMMEDIATE for an immediate shipping.			
	• ALWAYS for a 24/7 shipping delay.			
Category	Shipping details.			
vads_ship_to_delive	ery_company_name			
Description	Allows to define the name of the transporter.			
	Input field.			
Format	ans127			
Error code	96			
Category	Shipping details.			
vads_ship_to_distri	ct			
Description	Allows to define the shipping district.			

Input and output field, returned in the response (IPN and Return URL).

Format	ans127
Error code	115
Category	Shipping details.

vads_ship_to_first_name

Description	Allows to specify the buyer's first name.	
	Input field.	
Format	ans63	
Error code	106	
Category	Shipping details.	

vads_ship_to_last_name

Description	Allows to specify the buyer's last name.	
	Input field.	
Format	ans63	
Error code	107	
Category	Shipping details.	

vads_ship_to_legal_name

Description	Company name of the shipping location.		
	Input and output field, returned in the response (IPN and Return URL).		
Format	an100		
Error code	125		
Category	Shipping details.		

vads_ship_to_name

Allows to specify the buyer's last name.		
Deprecated . Please use vads_ship_to_first_name and vads_ship_to_last_name fields.		
Input and output field, returned in the response (IPN and Return URL).		
ans63		
80		
Shipping details.		

vads_ship_to_phone_num

Description Allows to specify buyer's phone number used for shipping.

Accepts all formats:

Examples:

- 0123456789
- +33123456789
- 0033123456789
- (00.571) 638.14.00
- 40 41 42 42

Input and output field, returned in the response (IPN and Return URL).

ans..32

Error code 87

Format

Category Shipping details.

vads_ship_to_speed

Description	Allows to specify the shipping mode.		
	Input field.		
Format	enum		
Error code	95		
Possible values	• STANDARD (Specific to 3x 4x Oney)		
	• EXPRESS (Specific to 3x 4x Oney)		
	• PRIORITY (Specific to 3x 4x Oney)		
	<u>Note:</u>		
	The use of PRIORITY as a value implies that the vads_ship_to_delay field will be used.		
Category Shipping details.			
vads_ship_to_statu	15		
Description	Allows to specify the type of the shipping address.		
	Input and output field, returned in the response (IPN and Return URL).		
Format	enum		
Error code	93		
Possible values	PRIVATE, COMPANY		
Category	Shipping details.		
vads_ship_to_state			
Description	Allows to specify the buyer's state for shipping.		
	Input and output field, returned in the response (IPN and Return URL).		
Format	ans127		
Error code	84		

Category Shipping details.

Description	Allows to specify the buyer's address.		
	Input and output field, returned in the response (IPN and Return URL).		
Format	ans255		
	Note: The > and < special characters are not authorized.		
Error code	81		
Category	Shipping details.		
vads_ship_to_stree	t2		
Description	Allows to specify the second line of the buyer's address.		
	Input and output field, returned in the response (IPN and Return URL).		
Format	ans255		
	Note: The > and < special characters are not authorized.		
Error code	82		
Category	Shipping details.		
vads_ship_to_street_number			
Description	Allows to specify the shipping street number.		
	Input and output field, returned in the response (IPN and Return URL).		
Format	ans64		
Format Error code	ans64 114		
Format Error code Category	ans64 114 Shipping details.		
Format Error code Category vads_ship_to_type	ans64 114 Shipping details.		
Format Error code Category vads_ship_to_type Description	ans64 114 Shipping details. Allows to specify the shipping type.		
Format Error code Category vads_ship_to_type Description	ans64 114 Shipping details. Allows to specify the shipping type. Input field.		
Format Error code Category vads_ship_to_type Description	ans64 114 Shipping details. Allows to specify the shipping type. <i>Input field.</i> enum		
Format Error code Category vads_ship_to_type Description Format Error code	ans64 114 Shipping details. Allows to specify the shipping type. <i>Input field.</i> enum 94		
Format Error code Category vads_ship_to_type Description Format Error code Possible values	ans64 114 Shipping details. Allows to specify the shipping type. <i>Input field.</i> enum 94 • RECLAIM_IN_SHOP for picking up the item at the shop.		
Format Error code Category vads_ship_to_type Description Format Error code Possible values	 ans64 114 Shipping details. Allows to specify the shipping type. <i>Input field.</i> enum 94 RECLAIM_IN_SHOP for picking up the item at the shop. RELAY_POINT for using a third-party pick-up network (Kiala, Alveol, etc.). 		
Format Error code Category vads_ship_to_type Description Format Error code Possible values	 ans64 114 Shipping details. Allows to specify the shipping type. <i>Input field.</i> enum 94 RECLAIM_IN_SHOP for picking up the item at the shop. RELAY_POINT for using a third-party pick-up network (Kiala, Alveol, etc.). RECLAIM_IN_STATION for picking up the item at an airport, a guard or a travel agency. 		
Format Error code Category vads_ship_to_type Description Format Error code Possible values	 ans64 114 Shipping details. Allows to specify the shipping type. <i>Input field</i>. enum 94 RECLAIM_IN_SHOP for picking up the item at the shop. RELAY_POINT for using a third-party pick-up network (Kiala, Alveol, etc.). RECLAIM_IN_STATION for picking up the item at an airport, a guard or a travel agency. PACKAGE_DELIVERY_COMPANY for shipping by the transporter (Colissimo, UPS, etc.). 		
Format Error code Category • vads_ship_to_type Description Format Error code Possible values	 ans64 114 Shipping details. Allows to specify the shipping type. <i>Input field.</i> enum 94 RECLAIM_IN_SHOP for picking up the item at the shop. RELAY_POINT for using a third-party pick-up network (Kiala, Alveol, etc.). RECLAIM_IN_STATION for picking up the item at an airport, a guard or a travel agency. PACKAGE_DELIVERY_COMPANY for shipping by the transporter (Colissimo, UPS, etc.). ETICKET for sending an electronic ticket, download. 		

Description	Information about the user who made the payment.		
	This parameter will be returned with the response and will include the water transmitted in the request.		
	Note:		
For backward compatibility, it is possible to use this field to set the CP identifier in a numeric format between 11 and 20 digits long) req ClearSale risk management module. However, vads_cust_national_ic used.			
	The input and output field, returned in the response (IPN and Return URL).		
Format	ans255		
Error code	116		
Category	Shipping details.		
vads_ship_to_zip			
Description	Allows to specify the buyer's postal code.		
	Input and output field, returned in the response (IPN and Return URL).		
Format	an64		
Error code	85		
Category	Shipping details.		
vads_shipping_amo	ount		
Description	Allows to transmit the shipping fees for the whole order.		
	Input field.		
Format	n12		
Error code	109		
Category	Shipping details.		
vads_shop_name			
Description	Allows to define the shop name as it appears in the summary at the end of payment, the receipt and the payment confirmation e-mails.		
	The input and output field, returned in the response (IPN and Return URL).		
Format	ans127		
Error code	72		
Category	Customization of the payment page.		

Description	URL that appears on the payment page and in payment confirmation e-mails. This setting overrides the default value of your shop.		
	Input and output field, returned in the response (IPN and Return URL).		
Format	ans1024		
Error code	73		
Category	Customization of the payment page.		
vads_site_id			
Description	Mandatory parameter.		
	Value generated during the subscription to the payment gateway.		
	Its value can be seen in the interface of the Merchant Back Office via Settings > Shop > Keys by all authorized individuals.		
	If the value is incorrect, the buyer will get an error message in their browser when making the payment.		
	It becomes impossible to make the payment and the transaction is definitively lost.		
	A warning e-mail is then sent to the shop administrator. It contains the form that the gateway was unable to process with the value of the signature.		
	Input and output field, returned in the response (IPN and Return URL).		
Format	n8		
Error code	02		
Category	Technical informations.		
vads_subscription			
Description	Optional parameter used for creating a recurring payment. It designates the ID of the recurring payment ID to create.		
	There are two choices:		
	 The payment gateway manages the IDs. 		
	In this case, this parameter must not be populated.		
	In case the subscription is successfully created, the response will contain the value generated by the payment gateway.		
	The merchant website manages the IDs.		
	In this case, this parameter must be populated with the desired value of the subscription ID.		
	There is no uniqueness check on the subscription ID.		
	When creating a subscription, the merchant site can fill vads_subscription with an already existing value.		

	It is possible to create multiple subscriptions, associated with the same toke with the same subscription ID.		
	Input and output field, returned in the response (IPN and Return URL).		
Format	Two possible formats:		
	 an32: when the identifier is generated by the gateway 		
	• ans50 : when the identifier is generated by the merchant		
Error code	63		
Category	Recurring payment details.		

vads_sub_amount

Description	Mandatory parameter used for creating a recurring payment.			
It refers to the amount of each installment except the ones that will be o vads_sub_init_amount_number.				
	The value cannot be negative, empty, or equal to 0.			
	The value must be expressed in the smallest currency unit .			
	Example: for a transaction of 10 euros and 28 cents, the value of the parameter is 1028.			
	Input field.			
Format	n12			
Error code	65			
Category	Information about the subscription.			

vads_sub_currency

Format		n3 The possible surrensies are:		
possible values	στ	Currency	ISO 4217 encoding	Number of digits after the decimal

Currency	ISO 4217 encoding	after the decimal point
Australian Dollar (AUD)	036	2
Canadian Dollar (CAD)	124	2
Czech Crown (CZK)	203	2
Danish Crown (DKK)	208	2
Hong Kong Dollar (HKD)	344	2
Indian Rupee (INR)	356	2
Indonesian Rupiah (IDR)	360	2
Japanese Yen (JPY)	392	0
South Korean Won (KRW)	410	0
Kuwaiti Dinar (KWD)	414	3
Malaysian Ringgit (MYR)	458	2
Mexican Peso (MXN)	484	2
Norwegian Crown (NOK)	578	2
Russian Ruble (RUB)	643	2
Singapore Dollar (SGD)	702	2
Swedish Crown (SEK)	752	2
Swiss Franc (CHF)	756	2
Thai Baht (THB)	764	2

	Currency	ISO 4217 encoding	Number of digits after the decimal point
	Pound Sterling (GBP)	826	2
	US Dollar (USD)	840	2
	Taiwan New Dollar (TWD)	901	2
	Romanian Leu (RON)	946	2
	New Turkish Lira (TRY)	949	2
	CFA Franc (XOF)	952	0
	Euro (EUR)	978	2
	Polish Zloty (PLN)	985	2
	Brazilian Real (BRL)	986	2
code	67		
gory	Information about the sub	scription.	
s_sub_desc			
ription	Mandatory parameter use	d for creating a recurring payr	nent.
	It designates the recurring	payment rule to be applied.	
	The expected value for th the iCalendar (Internet Ca <i>tools.ietf.org/html/rfc554</i> 5	is parameter is a chain of cha lendar) specification, describe 5).	aracters that comply wit ed in RFC5545 (see <i>http:,</i>
	Among other aspects, th payment rules via the RRU	nis specification allows to c I LE property.	lefine complex recurrin
	For technical reasons, it is are shorter than one day.	not possible to define recurr	ing payment periods that
	The keywords "SECONDLY'	' / "MINUTELY" / "HOURLY" ar	e not taken into account.
	Examples:		
	• To program installment 12 months, the rule is:	payments taking place on the	last day of each month fo
	RRULE:FREQ=MONTHL	Y;BYMONTHDAY=28,29,30,31	;BYSETPOS=-1;COUNT=1
	This rule means that if will take the 30th into a will take the 29th into a	the current month does not h account. If there is no 30th day account, and so on until the 28	have 31 days, the machin y in a month, the machin Bth.
	Another ve RRULE:FREQ=MONTHL	ersion of Y;COUNT=5;BYMONTHDAY= -1	this rule L
	 To program installment rule is: RRULE:FREQ=M 	payments on the 10th of each ONTHLY;COUNT=12;BYMONT	month for 12 months, th HDAY=10
	• To program installment 2016.	t payments every three mont	hs up to December 31s
	RRULE:FREQ=YEARLY;B	YMONTHDAY=-1;BYMONTH=	1,4,7,10;UNTIL=2016123
	The installment navme	nts will be due on the first day	of January April July ar

The installment payments will be due on the first day of January, April, July and October each year. The total number of installments depends on the recurring payment start date (see **vads_sub_effect_date** parameter).

	 In order to define a weekly recurring payment to be made every Monday: RRULE:FREQ=WEEKLY;BYDAY=MO
	The installments will be made every Monday. Note that the first installment will occur the nearest Monday.
	 In order to define a weekly recurring payment: RRULE:FREQ=WEEKLY
	The installments will occur on the same day if the due date is set to "today", then every 7 days.
	 In order to define a recurring payment every two weeks on Monday, with maximum 4 installments: RRULE:FREQ=WEEKLY;INTERVAL=2;COUNT=4;BYDAY=MO
	• In order to define a recurring payment every two weeks, on the same day and every 7 days: RRULE:FREQ=WEEKLY;INTERVAL=2;
	• For more information and examples, visit <i>http://recurrance.sourceforge.net/</i> .
	Input and output field, returned in the response (IPN and Return URL).
Format	string
Error code	64
Category	Recurring payment details.

vads_sub_effect_date

Description	Subscription start date (or effective date) in the UTC time zone, in YYYYMMDD format.
	Mandatory parameter used for creating a recurring payment.
	This parameter does not always match with the date of the first installment that depends only on the vads_sub_desc parameter.
	Example: for 1 February 2015, use 20150201.
	Input and output field, returned in the response (IPN and Return URL).
Format	n8
Error code	69
Category	Subscription details.

vads_sub_init_amount

Description	Optional parameter used for creating a subscription. Represents the amount of the <u>first installments</u> of the recurring payment.
	The number of these first installments is defined by the vads_sub_init_amount_number parameter.
	This amount is presented in the currency defined by the vads_sub_currency parameter and is <u>expressed in its smallest unit</u> .
	The value may be empty but cannot be negative or equal to 0.
	Input and output field, returned in the response (IPN and Return URL).
Format	n12
Error code	66
Category	Subscription details

vads_sub_init_amount_number

Description	Optional parameter used for creating a recurring payment. Number of installments for which the vads_sub_init_amount should be applied.
	Once these installments will have expired, the vads_sub_amount field will be used.
	Example : to define a recurring payment with the first 3 installments of EUR 45.25 , and the rest of the installments of EUR 75.90, the following values will be used:
	 vads_sub_currency = 978
	 vads_sub_init_amount_number = 3
	 vads_sub_init_amount = 4525
	 vads_sub_amount = 7590
	Input and output field, returned in the response (IPN and Return URL).
Format	n3
Code erreur	68

Category Information about the subscription.

vads_submercl	hant_address
Description	Address of the sub-merchant. Transmitted by the payment facilitator.
	Input and output field, returned in the response (IPN and Return URL).
Format	ans255
Error code	180
Category	Sub-merchant details.
vads_submercl	hant_address2
Description	Address line 2 of the sub-merchant. Transmitted by the payment facilitator.
	Input and output field, returned in the response (IPN and Return URL).
Format	ans255
Error code	181
Category	Sub-merchant details.
vads_submercl	hant_city
Description	City of the sub-merchant. Transmitted by the payment facilitator.
	Input and output field, returned in the response (IPN and Return URL).
Format	ans128
Error code	183
Category	Sub-merchant details.
vads_submercl	hant_company_type
Description	Company type of the sub-merchant. Transmitted by the payment facilitator. This field is used to specify which type the Legal Number corresponds to.
	Different rules may apply depending on the purchaser.
	Input and output field, returned in the response (IPN and Return URL).
Format	ans255
Error code	188
Category	Sub-merchant details.
vads_submercl	hant_country
Description	Country of the sub-merchant's address (ISO 3166 alpha-2 standard). Transmitted by the payment facilitator.

Scellius - Hosted Payment Page - Document version 3.37.1 Copyright La Banque Postale $^{\textcircled{C}}$ - 244 / 270

Format	a2
Error code	184
Category	Sub-merchant details.

vads_submerchant_facilitatorId

Description	Payment Facilitator ID. Transmitted by the payment facilitator.
	Input and output field, returned in the response (IPN and Return URL).
Format	ans128
Error code	192
Category	Sub-merchant details.

vads_submerchant_legal_number

Description	Legal Entity Identifier of the sub-merchant according to the field vads_submerchant_company_type . Transmitted by the payment facilitator.
	The identifier depends on the country of the sub-merchant.
	Input and output field, returned in the response (IPN and Return URL).
Format	ans24
Error code	189
Category	Sub-merchant details.

vads_submerchant_mcc

Description	Merchant Category Code of the sub-merchant. Transmitted by the payment facilitator.
	Allows to identify the activity of the sub-merchant.
	Input and output field, returned in the response (IPN and Return URL).
Format	n4
Error code	185
Category	Sub-merchant details.
unda aukmanakant	mid

vads_submerchant_mid

Description	Acquirer contract number (MID) of the sub-merchant. Transmitted by the payment facilitator.
	Input and output field, returned in the response (IPN and Return URL).
Format	n50
Error code	186

Category Sub-merchant details.

Description Legal na Input an Format ans255 Error code 177 Category Sub-mer vads_submerchant_phone n Accepts Example 0123 033 0033 0033 0035 04041 Input an	ame of the sub-merchant. Transmitted by the payment facilitator. <i>Ind output field, returned in the response (IPN and Return URL).</i> rchant details. number of the sub-merchant. Transmitted by the payment facilitator. all formats:
Format ans255 Error code 177 Category Sub-mer vads_submerchant_phone Description Phone n Accepts Example • 0123 • +331 • 0033 • (00.5 • 40 41 Input an	nd output field, returned in the response (IPN and Return URL).
Formatans255Error code177CategorySub-mervads_submerchant_phonePhone nDescriptionPhone nAcceptsExample0123+3310033(00.540 41Input an	5 rchant details. number of the sub-merchant. Transmitted by the payment facilitator. all formats:
Error code 177 Category Sub-mer vads_submerchant_phone Description Phone n Accepts Example • 0123 • +331 • 0033 • (00.5 • 40 41 Input an	rchant details. number of the sub-merchant. Transmitted by the payment facilitator. all formats:
CategorySub-mervads_submerchant_phoneDescriptionPhone nAcceptsExample0123+3310033(00.540 41Input an	rchant details. number of the sub-merchant. Transmitted by the payment facilitator. all formats:
vads_submerchant_phone Description Phone n Accepts Example 0123 +331 0033 (00.5 40 41 Input an	number of the sub-merchant. Transmitted by the payment facilitator. all formats:
Description Phone n Accepts Example • 0123 • +331 • 0033 • (00.5 • 40 41 Input an	number of the sub-merchant. Transmitted by the payment facilitator. all formats:
Accepts Example • 0123 • +331 • 0033 • (00.5 • 40 41 Input an	all formats:
Example • 0123 • +331 • 0033 • (00.5 • 40 41 Input an	
 0123 +331 0033 (00.5 40 41 Input an 	25:
 +331 0033 (00.5 40 41 Input an 	3456789
 0033 (00.5 40 41 Input an 	23456789
 (00.5 40 41 Input an 	3123456789
• 40 41 Input an	571) 638.14.00
Input an	1 42 42
	nd output field, returned in the response (IPN and Return URL).
Format an32	
Error code 179	
Category Sub-mer	rchant details.

Description	Transmitted by the payment facilitator.
	Input and output field, returned in the response (IPN and Return URL).
Format	ans255
Error code	187
Category	Sub-merchant details.

vads_submerchant_state

Description	Region of the sub-merchant address. Transmitted by the payment facilitator.					
	Input and output field, returned in the response (IPN and Return URL).					
Format	ans128					
Error code	191					

Category Sub-merchant details.

vads_submerchant	t_url					
Description	URL of the sub-merchant. Transmitted by the payment facilitator.					
	Input and output field, returned in the response (IPN and Return URL).					
Format	ans1024					
Error code	178					
Category	Sub-merchant details.					
vads_submerchant	t_zip					
Description	Zip code of the sub-merchant. Transmitted by the payment facilitator.					
	Input and output field, returned in the response (IPN and Return URL).					
Format	an64					
Error code	182					
Category	Sub-merchant details.					
vads_tax_amount						
Description	Parameter that allows to define the amount of taxes for the entire order.					
	The value must be specified in the smallest currency unit (cents for euro).					
	Input and output field, returned in the response (IPN and Return URL).					
Format	n12					
Error code	108					
Category	Order details.					
vads_tax_rate						
Description	Allows to define the tax rate (VAT) applied to the order.					
	The value must be expressed in XX.XX format, with a dot as the separator and without the % suffix.					
	Example: "19.00" for 19%.					
	Input and output field, returned in the response (IPN and Return URL).					
Format	XX.XX					
Error code	153					
Category	Order details.					

vads_tax_refund_amount

Description	This field is used in Uruguay and it corresponds to the tax credit amount allocated to the merchant for the transaction.			
The value is specified in the smallest currency unit (cents for euro).				
	The field is present only if the acquirer returns this information.			
	Output field, returned in the response (IPN and Return URL).			
Format	n12			
Category	Transaction details.			

vads_theme_config

Description Allows to personalize certain elements on the payment page, such as the custom template to be used, the button labels and some messages.

This parameter provides a list of keywords (codes), each associated with a value, that correspond to elements on payment pages.

Example:

vads_theme_config="SUBMIT_BUTTON_LABEL=PAY;TICKET_LABEL=PAYMENT RECEIPT"

See Back Office user manual - Advanced customization for more details on payment page personalization.

Input field.

Format map

Error code 32

Possible values

Code	Description		
Features			
RESPONSIVE_MODEL	Allows to override the custom template to be applied to the payment pages. Example of use:		
	vads_theme_config="RESPONSIVE_MODEL=Model_1"		
	The use of custom templates requires the activation of the "Advanced customization" option.		
RESPONSIVE_MAIL_MODEL	Allows to override the custom template to be used for e- mails. <u>Example of use:</u>		
	vads_theme_config="RESPONSIVE_MAIL_MODEL=Model_1"		
	The use of custom templates requires the activation of the "Advanced customization" option.		
HIGH_CONTRAST_MODE	Allows to enable the high contrast mode to enhance color contrast and display the payment page in black and white. Possible values: " true " or " false ".		

Code	Description		
	Example of use:		
	vads_theme_config="HIGH_CONTRAST_MODE=true"		
SIMPLIFIED_DISPLAY	Allows to reduce the volume of data to be loaded during the display of the payment page. Deletes the language and logo selector from the footer. Recommended for iframe and In-app integrations. Possible values: " true " or " false ". <u>Example of use:</u> vads_theme_config="SIMPLIFIED_DISPLAY=true"		
FORM_TARGET	 Allows to define or display the return page at the end of payment. Possible values: _blank: in a new window or a new tab _self: in the current frame 		
	 _parent: in the parent frame _top: on the whole page <i>framename</i>: in a specified frame <u>Example of use:</u> vads_theme_config="FORM_TARGET=_top" 		
3DS_LOGOS	Allows to mask the "Verified By Visa" and "Mastercard Secure Code" logos on the card detail entry page. Possible values: " true " or " false ". <u>Example of use:</u> vads_theme_config="3DS_LOGOS=false"		
Button labels	<u>I</u>		
SUBMIT_BUTTON_LABEL	Allows to edit the label of the "VALIDATE" button. <u>Example of use:</u> vads theme config="SUBMIT BUTTON LABEL=PAY"		
CANCEL_FOOTER_MSG_RETURN	The label of the "Cancel and return to the shop" button on the page of payment method selection, the card detail entry page, and the result page in case of payment failure. Example of use: vads_theme_config="CANCEL_FOOTER_MSG_RETURN=CANCEL"		
SUCCESS_FOOTER_MSG_RETURN	The label of the "Return to the shop" button on the result page in case of successful payment. Example of use: vads_theme_config="SUCCESS_FOOTER_MSG_RETURN=RETURN"		
TICKET_LABEL	The label of the "RECEIPT" button on the result page in case of successful payment.		

Code	Description		
	Example of use:		
	vads_theme_config="TICKET_LABEL=PAYMENT RECEIPT"		
Messages			
MERCHANT MESSAGE	Allows to display a message above the transaction summary.		
	Requires for the Display a custom message checkbox to be		
	checked via Settings > Customization > Payment pages tab >		
	Logo group.		
	Example of use:		
	<pre>vads_theme_config="MERCHANT_MESSAGE=Transaction summary"</pre>		
	-		
SECURE_ MESSAGE	Default value: The address of this payment website prefixed		
	with hitps indicates that you are on a secure page and can safely proceed to your payment		
	Example of use:		
	vads_theme_config="SECURE_ MESSAGE=You are on a website secured by TLS1.2. You can safely proceed to		
	payment."		
SECURE_MESSAGE_REGISTER	Default value: The address of this payment website prefixed		
	with https indicates that you are on a secure page and can		
	safely enter your bank details.		
REGISTER_ON_PAYMENT	Allows to customize the text of the checkbox that appears		
	during ASK_REGISTER_PAY.		
	details for a future purchase		
Labels that appear on the receipt and the	ne payment pages		
SITE_ID_LABEL	Default value: Merchant ID		
ORDER ID LABEL	Default value: Order reference		
TRANSACTION_ID_LABEL	Default value: Transaction number		
TRANSACTION_AMOUNT_LABEL	Default value: Amount		
MULTI DATE LABEL	Default value: Sale date		
	Information displayed only during an installment payment.		
CUST_ID_LABEL	Default value: Buyer reference		
	Information displayed only during a payment by token.		
CUST_ADRESS_NUMBER_LABEL	Default value: Street number		
	Information displayed only during a payment by token.		
CUST_ADRESS_LABEL	Default value: Address		
	Information displayed only during a payment by token.		
CUST_ADRESS2_LABEL	Default value: Address line 2		
	Information displayed only during a payment by token.		
	Default value: District		
	Information displayed only during a payment by token.		
	Detault Value: City		
	Default value: Country		
	Default Value: Country		
	Default value: <i>Dhone</i>		
	Information displayed only during a navment by token		
	internation displayed only during a payment by token.		

Code	Description	
CUST_NAME_LABEL	Default value: Buyer's last name	
	Information displayed only during a payment by token.	
RECURRENCE_AMOUNT_LABEL	Default value: Amount per installment	
	Information displayed only during a payment by token.	
RECURRENCE_INIT_AMOUNT_	Default value: Number of installments of initial amount	
NUMBER_LABEL	Information displayed only during a payment by token.	
RECURRENCE_INIT_AMOUNT_LABEL	Default value: Initial amount of the recurring payment	
	Information displayed only during a payment by token.	
SHOP_LABEL	Default value: SHOP	
	Information displayed only on the PDF receipt.	
SITE_URL_LABEL	Default value: URL address	
	Information displayed only on the PDF receipt.	
CUST_LANGUAGE	Default value: Language	
	Information displayed only on the PDF receipt.	

Category Payment page customization

vads_threeds_auth_type

Description	Indicates the authentication type of the cardholder.			
	Output field, returned in the response (IPN and Return URL).			
Format	enum			
Possible values	• "Empty" if the buyer is not correctly authenticated.			
	• FRICTIONLESS : cardholder authentication without interaction with the ACS. Value returned only in 3DS v2.			
	• CHALLENGE : interactive cardholder authentication (entering an OTP or replying to a series of questions). Value returned in 3DS v2.			
	• DATA ONLY : authentication handled by the DS without client interaction. This is an option of the EMV 3D Secure protocol, available only with Mastercard.			
Category	Authentication of cardholder.			
vads_threeds_cavv				
Description	Designates the cardholder's authentication through the ACS. Its value is populated by 3DS authentication server (ACS) when the buyer has been correctly authenticated (vads_threeds_status equals "Y" or "A").			
	Output field, returned in the response (IPN and Return URL).			
Format	ans28			
Category	Authentication of cardholder.			
vads_threeds_cavv	Algorithm			
Description	Algorithm used by the ACS to generate the CAVV value.			

Its value is populated by 3DS authentication server (ACS) when the buyer has been correctly authenticated (vads_threeds_status equals "Y" or "A").

Output field, returned in the response (IPN and Return URL).

Format

Possible values	Value	Description
	0	HMAC
	1	CVV
	2	CVV_ATN
	3	MasterCard SPA
	А	AV-CB

Category

Authentication of cardholder.

an1

vads_threeds_eci

Description Inc

Indicates the E-Commerce index.

It is populated by the 3DS authentication server (ACS) when the buyer has been correctly authenticated (vads_threeds_status equals « Y » or « A »).

DS	status = Y	status = A	status = U	status = N
VISA,CB,	5	6	7	-
ELO, AMEX, DINERS, DISCOVER				
MasterCard	02	01	-	-

In case of authentication without payment (e.g. card registration), Mastercard can return the following values:

DS	status = Y	status = A	status = U	status = N
MasterCard	N2	-	N0	N0

Output field, returned in the response (IPN and Return URL).

Format

Category Authentication of cardholder.

an..2

vads_threeds_enrolled

Description	Indicates the enrollment status of the cardholder. Its value is populated by the VISA and MASTERCARD (DS) servers during 3D Secure authentication. Output field, returned in the response (IPN and Return URL).	
Format	a1	
Possible values	Value	Description
	Υ	Cardholder enrolled, 3DS authentication possible.
Value	Description	
-------	--	
	Note: In the Merchant Back Office, the ENROLLED value is displayed among transaction details (Authentication tab).	
N	Cardholder not enrolled. Note: In the Merchant Back Office, the NOT_ENROLLED value is displayed among transaction details (Authentication tab).	
U	Unable to verify the cardholder's enrollment status. Note: In the Merchant Back Office, the UNAVAILABLE value is displayed among transaction details (Authentication tab).	

Category Authentication of cardholder.

n..2

vads_threeds_error_code

Description	Final status of 3D Secure authentication.
	This field is deprecated. It is replaced by the vads_threeds_exit_status field.
	Output field, returned in the response (IPN and Return URL).
Format	n2
Category	Authentication of cardholder.

vads_threeds_exit_status

Description	Final status of the cardholder authentication process.		
	Populated by the payment gateway.		

Output field, returned in the response (IPN and Return URL).

Format

Possible values	Value	Description
	0	Initial status
	1	Status non-applicable (global, reason not detailed)
	2	Status non-applicable (integrator disabled)
	3	Not an e-commerce payment
	4	Payment without 3DS
	5	Merchant not enrolled, 3DS unavailable
	6	A technical error has occurred during 3DS authentication, 3DS unavailable
	7	Cardholder not enrolled, 3DS unavailable
	8	Invalid signature
	9	Problem caused by the ACS
	10	The 3DS authentication has been successfully completed
	11	The 3DS authentication has been completed via the integrator
	12	Problem caused by DS
	13	Timeout when connecting to DS
	15	3DS disabled
	16	Payment channel not available

Value	Description
98	Initialization of 3DS authentication OK
99	Unknown status

 \ast These statuses concern 3DS payments without card detail entry (payment by token).

Category Authentication of cardholder.

vads_threeds_mpi

Description This field indicates the merchant's desire to challenge the buyer with a strong authentication during a payment. The final decision to perform strong authentication is made by the issuer.

n1

50

Format

Error code

Possible values

Use case	Values	Description
	1	Deprecated.
CHALLENGE: with cardbolder	3	3DS Requestor Preference : Allows to request strong authentication for the transaction.
interaction	4	Challenge request mandate : Allows to indicate that, due to regulatory reasons, strong authentication is required for the transaction.
		Allows to Request an exemption from strong authentication:
FRICTIONLESS: without cardholder	2*	 Low value transactions. Transactional Risk Analysis (TRA Acquéreur).
interaction		LRM (Low Risk Merchant).
		More informations: Table of exemptions, below.
	0 or absent or empty	The choice of the preference is transferred to the card issuer. If
No merchant preference	5	the issuer decides to perform an authentication without interaction (frictionless), the payment will be guaranteed.

*Table of exemptions (value number 2):

Exemptions	Description
Low value transactions	 In Europe, you can request an exemption from strong authentication, for transactions of less than €30, and within the limit of either 5 successive operations or a cumulative amount of less than €100. If the amount is higher than €30, the value transmitted by the merchant is ignored and the choice of the preference is transferred to the card issuer (No Preference). For payments made in a currency other than euro, a request for frictionless is transmitted to the issuer. If the frictionless request is accepted, the transaction does not benefit from liability shift dispute by the cardholder.

Exemptions	Description	
	If the store does not have the "Frictionless 3DS2" option, the choice of the preference is transferred to the card issuer (No Preference).	
Transactional Risk Analysis (TRA Acquéreur)	If your store has the "TRA Acquirer 3DS2" option, you can ask the issuer for an exemption from strong authentication if the amount is below the threshold set by your financial institution. If the frictionless request is accepted, the transaction does not benefit from liability shift dispute by the cardholder	
	The "Acquirer 3DS2 TRA" activation option is subject to the prior agreement of your financial institution.	
	CB offers the LRM (=Low Risk Merchant) program. This program is designed to meet the needs of very low-risk, high-volume merchants. You can request an exemption from strong authentication:	
	 If the amount is less than €100, the exemption is systematic for eligible merchants. 	
	 If the amount is between €100 and €250, an experiment is underway. To qualify, the merchant must : 	
	• Have a CB contract.	
LRM (Low Risk Merchant)	Be eligible for TRA acquéreur.	
, , , , , , , , , , , , , , , , , , ,	 Transmit the required values in the 3D Secure flow, according to the rules defined by the platform. 	
	If the frictionless request is accepted, the transaction does not benefit from liability shift dispute by the cardholder	
	i To benefit from CB's LRM program, you must contact the E-Banking Merchant Support Service to obtain explicit approval.	

Category Authentication of cardholder.

n1

vads_threeds_sign_valid

Description Indicates the signature validity of the message containing the cardholder authentication result. Populated by the payment gateway.

Output field, returned in the response (IPN and Return URL).

Format

Possible values	Value	Description
	empty	3DS unavailable.

Value	Description
0	Incorrect signature.
1	Correct signature.

Category

Authentication of cardholder.

a1

Description Defines the cardholder's authentication status. Populated by the 3DS authentication server (ACS) during the 3D Secure authentication.

Output field, returned in the response (IPN and Return URL).

Format

Possible values	Value	Description
	Υ	Successful authentication.
		Note: In the Merchant Back Office, the SUCCESS value is displayed (3D Secure tab in Transaction details).
	N	Authentication error. Note: In the Merchant Back Office, the FAILED value is displayed (3D Secure tab in Transaction details).
	U	Authentication impossible. Note: In the Merchant Back Office, the UNAVAILABLE value is displayed (3D Secure tab in Transaction details).
	A	Authentication attempt. Note: In the Merchant Back Office, the ATTEMPT value is displayed (3D Secure tab in Transaction details).
Category	Authen	tication of cardholder.

vads_threeds_xid

Description	Indicates the unique 3DS authentication reference.
	It is populated by the authentication server (ACS) during the 3D Secure authentication process.
	Output field, returned in the response (IPN and Return URL).
Format	ans28
Category	Authentication of cardholder.
vads_tid	
Description	Terminal ID. POS identifier defined within the acceptance contract.
	Corresponds to the rank number (or logical number) for a CB contract.
	Output field, returned in the response (IPN and Return URL).
Format	an255
Category	Transaction details.
vads_token_id	
Description	Payment order ID associated with the transaction.

	Corresponds to the paymentOrderId fields in the REST API. It allows the Merchant to follow-up orders that they generated using the PaymentOrder/Get Web Service.
	Output field, returned in the response (IPN and Return URL).
Format	ans255
Category	Order details.

vads_totalamount_vat

Description	Allows to define the total amount of taxes applied to the whole order. The value must be specified in the smallest currency unit (cents for euro).
	Input and output field, returned in the response (IPN and Return URL).
Format	n12
Error code	154
Category	Order details.

Description	Mandatory parameter.
	Corresponds to the timestamp in the YYYYMMDDHHMMSS format.
	The timestamp must necessarily correspond to the current date and time, in the GMT + 0 (or UTC) time zone in 24h format.
	Note:
	If you are using REST payment web services, the equivalent of the vads_trans_date parameter is transactions[0].transactionDetails.cardDetails.legacyTransDate .
	Input and output field, returned in the response (IPN and Return URL).
Format	n14
Error code	04
	Frequent errors:
	• The date has not been submitted in the YYYYMMDDHHMMSS format (year, month, day, hour, minute, second).
	• The date is not based on the UTC time zone (Coordinated Universal Time). Make sure you use date functions in your programming language that will generate a UTC hour (e.g.: gmdate in PHP).
	• The time must be calculated using the 24h format, not 12h.
	 The buyer has waited for too long before clicking on Pay.
	The buyer was using browser history.
Category	Transaction details.

Description	Mandatory parameter.
	It consists of 6 alphanumeric characters and must be unique for each transaction for a given shop on the same day.
	Note : the uniqueness of the transaction identifier is based on the universal time (UTC).
	The merchant website must guarantee this uniqueness during same the day.
	The range between 900000 and 9999999 is reserved to the payment gateway, for the transactions made via:
	• the Merchant Back Office (refunds, duplications, manual payment, etc.),
	• the data collection form,
	• a payment order.
	Input and output field, returned in the response (IPN and Return URL).
Format	an6
Error code	03
	Frequent errors:
	The form is rejected:
	 If the transmitted value contains less than 6 characters.
	If the value is null.
	If the field is absent.
	• If an identical transaction number has already been sent on the same day. If the buyer clicks "Cancel and return to the shop", the transaction number must be different for the next attempt as the previous one will be considered as already used.
	Otherwise, the "The transaction has been canceled" message will appear.
Category	Transaction details.

Description

Allows to set the status of the transaction.

Output field, returned in the response (IPN and Return URL).

Format enum

Possible values

Value	Description
ABANDONED	Abandoned Payment abandoned by the buyer The transaction has not been created, and therefore cannot be viewed in the Merchant Back Office.
ACCEPTED	Accepted. Status of a VERIFICATION type transaction for which the authorization request or information request has been successfully completed. This status cannot evolve. Transactions with the Accepted status will never be captured.
AUTHORISED	Waiting for capture The transaction has been accepted and will be automatically captured at the bank on the expected date.
AUTHORISED_TO_VALIDATE	To be validated The transaction, created with manual validation, is authorized. The merchant must manually validate the transaction in order for it to be captured. The transaction can be validated as long as the expiration date of the authorization request has not passed. If the authorization validity period has been passed, the payment takes Expired status. This status is final.
CANCELLED	Cancelled The transaction has been canceled by the Merchant.
CAPTURED	Captured The transaction has been captured by the bank.
CAPTURE_FAILED	Capture failed Contact the technical support.
EXPIRED	Expired This status appears in the lifecycle of a payment with deferred capture. The expiry date of the authorization request has passed and the merchant has not validated the transaction. The account of the cardholder will therefore not be debited.
REFUSED	Refused The transaction is refused.

Value	Description
SUSPENDED	Suspended The capture of the transaction is temporarily blocked by the acquirer (AMEX GLOBAL or SECURE TRADING). Once the transaction has been correctly captured, its status changes to CAPTURED.
UNDER_VERIFICATION	Control in progress Waiting for the response from the acquirer. This status is temporary. A notification will be sent to the merchant website to inform the Merchant of the status change. Requires the activation of the Instant Payment Notification URL on batch change notification rule.
WAITING_AUTHORISATION	Waiting for authorization The capture delay in the bank exceeds the authorization validity period.
	To be validated and authorized The capture delay in the bank exceeds the authorization validity period. A EUR 1 (or information request about the CB network if the acquirer supports it) authorization has been accepted. The merchant must manually validate the transaction for the authorization request and the capture to occur.

Category Transaction details.

vads_trans_uuid

Description	Unique transaction reference generated by the payment gateway when creating a payment transaction. Guarantees that each transaction is unique. <i>Output field, returned in the response (IPN and Return URL).</i>
Format	ans32
Example	c3f8b11c2d464d7cae76057fa63e63eb
Category	Transaction details.
vads_url_cancel	
Description	URL where the buyer will be redirected after having clicked on Cancel and return to shop before proceeding to payment.
	Input field.
Format	ans1024

Error code	27
Category	Redirection to the merchant website.
vads_url_check	
Description	URL of the page to notify at the end of payment. Overrides the value entered in the notification rule settings.
	Note
	This field should be used only in exceptional cases since:
	• This URL will only be used when calling the IPN URL,
	• The override value will not be used if an automatic retry takes place.
	It is not compatible with the execution of the request sent to the IPN from the Merchant Back Office. The called URL is the URL that has been set up in the notification rule (see chapter Setting up notifications).
	Input field.
Format	ans1024
Error code	33
Category	Redirection to the merchant website.

Description	This parameter defines the source of the notification (also called IPN).

Output field, returned in the response (IPN and Return URL).

Format

Possible values

Value	Description
PAY	Payment creation by form.
во	Execution of the notification URL from the Merchant Back Office.
BATCH_AUTO	Authorization request for a payment that was awaiting authorization.
BATCH	Update of the transaction status after its synchronization on the acquirer side (case of notification on batch change).
REC	Payment resulting from a recurring payment.
MERCH_BO	Operation made via the Merchant Back Office.
RETRY	Automatic retry of the IPN.

Category Redirection to the merchant website.

enum

vads_url_error

Description	URL where the buyer will be redirected in case of an internal processing error.
	Input field.
Format	ans1024
Error code	29
Category	Redirection to the merchant website.

vads_url_post_wallet

Description This field allows the merchant to transmit the URL to which the buyer will be redirected during a payment via a wallet in two steps.

This URL is used for transmitting information relative to the buyer's choice (e-mail, shipping address, payment method, etc.).

Based on these elements, the merchant can decide what to do (adjust the shipping fees, register the payment method, etc.) before allowing the buyer to finalize his or her payment.

The details will be transmitted to the merchant website via an html POST form.

Example: vads_url_post_wallet = https://mydomain-name.com/return_url

Note

If the URL is inaccessible, the transaction cannot be finalized. After the payment session expires, a **rejected** transaction will be created. If the merchant has configured the notification rule for abandoned/canceled transactions, the merchant website will be notified about the reason of rejection via the

	vads_payment_error field. This field will be set to 149 indicating that the payment session has expired.
	It will then become visible in the Merchant Back Office, in the Event log tab.
	Input and output field, returned in the response (IPN and Return URL).
Format	ans1024
Error code	138
Category	Redirection to the merchant website.

vads_url_referral

Error code

Description	Deprecated field. Use the vads_url_refused field.		
	URL where the buyer will be redirected in case of a declined authorization (code 02 Contact the card issuer) after having clicked on Return to shop .		
	Input field.		
Format	ans127		
Error code	26		
Category	Redirection to the merchant website.		
vads_url_refused			
Description	URL where the buyer will be redirected in case of a declined payment after having clicked on Return to shop .		
	Input field.		
Format	ans1024		

Category Redirection to the merchant website.

25

Description	Default URL to where the buyer will be redirected after having clicked on Return to shop, if vads_url_error, vads_url_refused, vads_url_success or vads_url_cancel is				
	not set.				
	If this field has not been transmitted, the Merchant Back Office configuration will be taken into account.				
	It is possible to set up return URLs in TEST and PRODUCTION modes. These fie are called Return URL of the shop in test mode and Return URL of the shop production mode ; they can be viewed in Settings > Shop > Configuration .				
	If no URL has been specified in the Merchant Back Office and in the form, the Return to shop button will redirect the buyer to the merchant website URL (URL field in the shop configuration section).				
	Input field.				
Format	ans1024				
Error code	28				
Category	Redirection to the merchant website.				
vads_url_success					
Description	URL where the buyer will be redirected in case of an accepted payment after having clicked on Return to shop .				
	Input field.				
Format	ans1024				
Error code	24				
Category	Redirection to the merchant website.				
vads_use_case					
Description	Allows you to specify that this is a payment upon shipment. This field is optional.				
	To make a payment upon shipment, you must transmit one of the following use cases to the payment platform via this field:				
	SHIPMENT_MULTIPLE_AUTHORISATION				
	Expected value for payment upon shipment with multiple authorization (payment on delivery).				
	 SHIPMENT_SINGLE_AUTHORISATION 				
	Expected value for payment upon shipment single authorization (payment on order).				
	Payment on dispatch is only compatible with CB, Mastercard and Visa.				
	Input and output field, returned in the response (IPN and Return URL).				
Format	ans50				
Error code	N/A				

Category Transaction details.

vads_user_info	
Description	Information about the user who made the payment.
	In the case of a form payment, this parameter will be resent with the response and will include the value transmitted in the request.
	In the case of a MOTO payment from the Merchant Back Office, this field will be valued with the user account (login) who made the payment.
	In the case of a payment order, this field will be populated with the user account (login) that created the order.
	Note:
	For backward compatibility, it is possible to use this field to set the CPF/CNPJ (legal identifier in numeric format between 11 and 20 digits long) required by the ClearSale risk management module. However, vads_cust_national_id field can be used.
	Input and output field, returned in the response (IPN and Return URL).
Format	ans255
Error code	61
Category	Buyer details.

Description	Specifies the transaction validation mode.					
	For more information on the transaction validation mode, see the chapter <i>Configuring the default validation mode</i> of the <i>sitemap.html</i> user manual.					
	Input and output field, returned in the response (IPN and Return URL).					
Format	enum					
Error code	05					
	Value	Description				
Possible values	Missing or	Default configuration of	of the selected store (can be configured in			
	empty	the Merchant Back Off	ice).			
	0	Transaction is automat	ically validated by the payment gateway.			
	1	The transaction must k their Merchant Back O Validate Web Service f	be validated manually by the merchant via ffice (or automatically via the Transaction/ function).			
Category	Transaction details.					
vads_version						
Description	Mandatory parameter.					
	Version of the exchange protocol with the payment gateway.					
	Input and output field, returned in the response (IPN and Return URL).					
Format	enum					
Error code	01					
Possible value	V2					
Category	Technical details					
vads_wallet						
Description	This field allows the merchant to identify the type of wallet that was used for payment.					
	Present only when a wallet was used for the payment. List of existing Wallets					
	Value of the	vads_wallet field	Wallet type			
	APPLE_PAY		Apple Pay			
	Output field.	returned in the respons	e (IPN and Return URL).			
Format						
Catagory	Daymont mathed datails					
Category	רמיווכות ווכנווטע עכנמוג.					

Description Liability shift in case of accepted payment.

Output field, returned in the response (IPN and Return URL).

Format enum

Possible values

Value	Description
YES	The payment is guaranteed.
NO	The payment is not guaranteed.
UNKNOWN	Due to a technical error, the payment cannot be guaranteed.
Not	Liability shift not applicable.
specified	

Category

Transaction details.